

ZENworks

Database Management Reference

Legal Notice

For information about legal notices, trademarks, disclaimers, warranties, export and other use restrictions, U.S. Government rights, patent policy, and FIPS compliance, see <https://www.microfocus.com/en-us/legal>.

© Copyright 2008 - 2024 Open Text

The only warranties for products and services of Micro Focus and its affiliates and licensors ("Micro Focus") are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

About This Guide

The information in this guide is organized as follows:

- ♦ [Part I, “Embedded Database Maintenance,” on page 9](#)
- ♦ [Part II, “External Database Maintenance,” on page 53](#)
- ♦ [Part III, “Database Management - Best Practices, Tips, Troubleshooting,” on page 123](#)

Audience

This guide is intended for ZENworks administrators.

Feedback

We want to hear your comments and suggestions about this manual and the other documentation included with this product. Please use the *comment on this topic* link at the bottom of each page of the online documentation.

Additional Documentation

ZENworks is supported by other documentation (in both PDF and HTML formats) that you can use to learn about and implement the product. For additional documentation, see the [ZENworks documentation website \(http://www.novell.com/documentation/zenworks/\)](http://www.novell.com/documentation/zenworks/).

Contents

About This Guide	3
Part I Embedded Database Maintenance	9
1 Retrieving and Storing the Credentials of the Embedded PostgreSQL Database	11
2 Changing the Ports Used by the Embedded PostgreSQL Database	13
3 Configuring PostgreSQL	15
4 Migrating the OEM PostgreSQL Database to an External PostgreSQL Database	17
On Linux	17
On Windows	18
5 Moving the Data from an Embedded PostgreSQL Database to an External PostgreSQL Database	19
Preparing to Move the Data	19
Important Commands and Locations	19
Moving the Data from an Embedded PostgreSQL to an External PostgreSQL	20
Step 1: Backup the Database on the Embedded Primary Server	20
Step 2: Restore the Database on an External Server	22
6 Moving an Embedded PostgreSQL Database from One Primary Server to another Primary Server	25
Important Commands and Locations	25
Moving an Embedded PostgreSQL Database from One Primary Server to another Primary Server	26
Step 1: Backup the Database	26
Step 2: Restoring the Database	28
7 Backing up an Embedded PostgreSQL Database on One Primary Server and Restoring it on another Primary Server	37
Important Commands and Locations	37
Backing up the Database on the Embedded Primary Server	38
Restoring the Database on another Server	39
8 Backing Up and Restoring the PostgreSQL Database	43
Important Commands and Locations	43
Backing Up and Vacuuming the PostgreSQL Database	43
Using the zman command to Take a Backup of the Database	45
Using the pg_dump Command to Take a Backup of the Database	46

Restoring the PostgreSQL Database	46
Restoring the Database Backup Taken Using the ZMAN Command	47
9 Connecting to the Embedded PostgreSQL Database	49
On Linux / Appliance.....	49
On Windows	50
10 Cleaning Database and Generating Internal Statistics	51
Part II External Database Maintenance	53
11 Backing Up the External Sybase Database	55
Backing Up the External Sybase Database on a Windows or Linux Server	55
Backing up the External Sybase Database Running on a Windows Server to a Network Location on a	
Remote Windows Machine	59
Backing up the External Sybase Database Running on a Linux Server to a Network Location on a Remote Linux Machine	62
12 Restoring the External Sybase Database	67
13 Moving the Data from One External Sybase Database to another External Sybase Database	69
Preparing to Move the Data.....	69
Moving the Data from One External Sybase to Another External Sybase	69
14 Moving the Data from an External OEM Sybase Database to an Embedded Sybase Database	71
Preparing to Move the Data.....	71
Moving the Data from the External Sybase to the Embedded Sybase	71
15 Migrating the Data from the External Sybase Database to an External Oracle Database	75
Preparing to Move the Data.....	75
Migrating the Data from the External Sybase Database to an Oracle Database	77
Migrating the Data from the External Sybase Database to an Oracle Database	77
Resuming the Database Migration.....	78
Post-Migration Tasks.....	79
16 Migrating the Data from the MS SQL Database to an Oracle Database	81
Preparing to Move the Data.....	81
Migrating the Data from the MS SQL Database to an Oracle Database	84
Migrating the Data from the MS SQL Database to an Oracle Database	84
Resuming the Database Migration.....	85
Post-Migration Tasks.....	85

17 Configuring the ZENworks Server to Point to the New MS SQL Database Containing Data Moved from Another MS SQL Database	89
Preparing to Move the Data	89
Configuring the ZENworks Server to Point to the New MS SQL Database	90
18 Configuring the ZENworks Server to Point to the New Oracle Database Containing Data Moved from Another Oracle Database	93
Preparing to Move the Data	93
Configuring the ZENworks Server to Point to the New Oracle Database	94
19 Configuring PostgreSQL	95
20 Migrating the Data from an External Sybase SQL Anywhere to an MS SQL Database	97
Preparing to Move the Data	97
Migrating the Data from the External Sybase Database to an MS SQL Database	98
Migrating the Data from the External Sybase Database to an MS SQL Database	99
Resuming the Database Migration	100
Post-Migration Tasks	100
21 Migrating 32-bit OEM Sybase database to 64-bit Sybase on a 64-bit machine	103
22 Creating External PostgreSQL Database Schema	105
23 Migrating the Data from an External Sybase Database to an External PostgreSQL Database	107
24 Migrating the Data from an Oracle Database to an MS SQL Database	109
Preparing to Move the Data	109
Migrating the Data from the Oracle Database to an MS SQL Database	110
Resuming the Database Migration	112
Post-Migration Tasks	113
25 Configuring a ZENworks Server using an Existing Schema	115
26 Backing Up and Restoring the PostgreSQL Database	117
27 Migrating from md5 to scram authentication in PostgreSQL	119
MD5	119
SCRAM-SHA-256	119

28 Database Activities	121
Part III Database Management - Best Practices, Tips, Troubleshooting	123
29 Database Ports	125
30 Database Tips	127
Changing the ZENworks Database User Password	127
Maximum Pool Size.	128
Verifying Invalid Objects and Indexes in the Oracle Database	128
31 Troubleshooting Database Migration	133
After database migration ZEUS is unable to contact the new database server.....	133
During Appliance deployment, configuring External PostgreSQL using the New Schema option fails to create Audit database	134
Troubleshooting a Java Heap Space Exception	134
Troubleshooting an Oracle Database Crash	135
Troubleshooting an Oracle Tablespace Issue	135
Troubleshooting the Database Migration Failure Issue	135
Troubleshooting the Database Migration by Using An Existing User Schema	136
Troubleshooting the ORA-01652: unable to extend temp segment by 128 in tablespace TEMP.....	136
Troubleshooting the ORA-01400: cannot insert NULL.....	137
Troubleshooting the ORA-12516, TNS: listener could not find available handler with matching protocol stack	137
Troubleshooting the database migration failure, duplication of serial numbers in the zDevice table....	137
Configure action fails with exception ZEN configure action container is not responding	139
32 Customizing JDBC URL for ZENworks	141
33 Using DBeaver to Export SQL Query Results	143
A Documentation Updates	147
April 2023: ZENworks 2020 Update 3	147

Embedded Database Maintenance

- ♦ Chapter 1, “Retrieving and Storing the Credentials of the Embedded PostgreSQL Database,” on page 11
- ♦ Chapter 2, “Changing the Ports Used by the Embedded PostgreSQL Database,” on page 13
- ♦ Chapter 3, “Configuring PostgreSQL,” on page 15
- ♦ Chapter 4, “Migrating the OEM PostgreSQL Database to an External PostgreSQL Database,” on page 17
- ♦ Chapter 5, “Moving the Data from an Embedded PostgreSQL Database to an External PostgreSQL Database,” on page 19
- ♦ Chapter 6, “Moving an Embedded PostgreSQL Database from One Primary Server to another Primary Server,” on page 25
- ♦ Chapter 7, “Backing up an Embedded PostgreSQL Database on One Primary Server and Restoring it on another Primary Server,” on page 37
- ♦ Chapter 8, “Backing Up and Restoring the PostgreSQL Database,” on page 43
- ♦ Chapter 9, “Connecting to the Embedded PostgreSQL Database,” on page 49
- ♦ Chapter 10, “Cleaning Database and Generating Internal Statistics,” on page 51

1 Retrieving and Storing the Credentials of the Embedded PostgreSQL Database

If you have installed ZENworks with the embedded PostgreSQL database that is bundled with ZENworks, we recommend that you store the credentials of the database for future use.

- 1 Retrieve the credentials of the embedded database by entering one of the following commands at the server prompt:

```
zman database-get-credentials
```

or

```
zman dgc
```

The credentials are displayed on the console.

For more information about zman, view the zman man page (`man zman`) on the server or see [zman\(1\)](#) in the [ZENworks Command Line Utilities Reference](#).

- 2 Copy the credentials and save them in a file.

To retrieve and store the credentials of Remote PostgreSQL, Oracle, or Microsoft SQL Server databases, refer to their documentation.

2 Changing the Ports Used by the Embedded PostgreSQL Database

PostgreSQL uses port 5432 by default. However, ZENworks uses 54327 port for PostgreSQL. You can change the port on which the database runs.

- 1 Before executing the following steps, stop the ZENworks Services on all Primary servers by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

After running the command, under Action, select Stop.

- 2 In the `postgresql.conf` file, specify the new port number on which the server listens to.

The `postgresql.conf` file is located in `%ZENSERVER_HOME%\database\pgsql\data` on Windows and in `/var/opt/microfocus/pgsql/data` on Linux.

- 3 In the `zdm.xml` and `zenaudit.xml` files on all the Primary Servers, specify the new port number in the following entry:

```
<entry key="Port">54327</entry>
```

By default, the entry lists the default port number, 54327.

The `zdm.xml` and `zenaudit.xml` files are located in

`%ZENSERVER_HOME%\conf\datamodel` on Windows and in `/etc/opt/microfocus/zenworks/datamodel` on Linux.

- 4 Start the ZENworks Services on all Primary servers by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

- 5 Run `microfocus-zenworks-configure -c GenerateOSPPProperties`

3 Configuring PostgreSQL

Each Primary Server on PostgreSQL can consume up to 500 database connections. If you want to add more than one Primary Server, you should change the property values in the postgresql.conf file.

For the embedded database, the postgresql.conf file is available at the following location:

- ♦ **On Windows:** %ZENSERVER_HOME%\database\pgsql\data
- ♦ **On Linux:** /var/opt/microfocus/pgsql/data

Use the following formula to calculate the property values.

`max_connections = Number of primary servers * 500`

`max_prepared_transactions = Number of primary servers * 500`

After changing the property values in `postgresql.conf`, restart the ZENworks and PostgreSQL service.

To restart the PostgreSQL service:

- ♦ **On Windows:** To start the service, perform the following:
 1. Press Windows + R keys.
 2. Type `services.msc`.
 3. Search for the **Micro Focus ZENworks Embedded Datastore - PostgreSQL** service.
 4. Right-click the option and then select Restart.
- ♦ **On Linux:** To start the service, run the `systemctl restart zenpostgresql.service` command.

4 Migrating the OEM PostgreSQL Database to an External PostgreSQL Database

If you are using the OEM PostgreSQL database in ZENworks 2017 Update x, then ensure that you migrate to an external PostgreSQL database before upgrading your zone to ZENworks 2020.

Using the database migration script, you can migrate the database. The script file can be downloaded from the following locations:

[Download the OEM PostgreSQL to External PostgreSQL Migration script](#)

Depending on the platform, you can download the script file, and then perform the following steps to migrate to an external PostgreSQL database:

- ♦ [“On Linux” on page 17](#)
- ♦ [“On Windows” on page 18](#)

On Linux

1. Take a backup of the database.
2. Stop all services in ZENworks Primary Server.
3. On the database server, download and extract the `migrate_postgres.sh.zip` file.
4. Download and install the PostgreSQL version supported by ZENworks.

If you are planning to upgrade to ZENworks 24.2, ensure that you install PostgreSQL 12.14.

5. Change the permission for the script by running the `chmod 755 migrate_script.sh` command.
6. The script log will be saved in the `/tmp/migrate_postgres.log` location.
7. Run the following script:

```
./migrate_postgres.sh -p <PostgreSQL_Installed_Directory> --database  
<zenworks_db_name> --password <superuser password>
```

Example: `./migrate_postgres.sh -p /usr/pgsql-11/ --database
zenworks_database --password novell`

NOTE: ♦To see all the available options, run the script without any argument. (Example: `./migrate_postgres.sh`)

- ♦ After migrating to the external PostgreSQL, ensure that you manually clean the OEM PostgreSQL installation.
-

On Windows

1. Stop all services in ZENworks Primary Server.
2. On the database server, download and extract the `migrate_postgres.bat.zip` file.
3. Download and install the PostgreSQL version supported by ZENworks.
If you are planning to upgrade to ZENworks 24.2, ensure that you install PostgreSQL 12.14.
4. Open the command prompt as an administrator.
The PostgreSQL upgrade log will be generated in the current directory.
Hence, it is recommended to change the directory to `%USERPROFILE%` so that PostgreSQL has permission to write logs.
5. Copy the batch file in the current directory.
6. The output will be saved at the `%TEMP%\migrate_postgres.log` location.
7. Run the following command to migrate the database. Specify the database superuser password when prompted:

```
migrate_postgres.bat -p "<postgresql_install_location"
```

Example: `migrate_postgres.bat -p C:\Program Files\PostgreSQL\11`

NOTE: ♦ To see all the available options, run the script without any argument (Example: `./migrate_postgres.bat`).

- ♦ After migrating to the external PostgreSQL, ensure that you manually clean the OEM PostgreSQL installation.
-

5 Moving the Data from an Embedded PostgreSQL Database to an External PostgreSQL Database

ZENworks allows you move the data from an embedded PostgreSQL to an external PostgreSQL database:

- ♦ [“Preparing to Move the Data” on page 19](#)
- ♦ [“Important Commands and Locations” on page 19](#)
- ♦ [“Moving the Data from an Embedded PostgreSQL to an External PostgreSQL” on page 20](#)

Preparing to Move the Data

Before moving the data from an embedded PostgreSQL database to an external PostgreSQL database, perform the following:

- ♦ Ensure that ZENworks is installed with an embedded PostgreSQL database on a Windows or Linux device.
- ♦ Install the external PostgreSQL database. For more information on how to install an external PostgreSQL database, see [Installing PostgreSQL](#) in the [Database Migration from Sybase to PostgreSQL](#).

Important Commands and Locations

This section provides some of the command and locations that will be used quite frequently while moving the data. Ensure that you keep the following information handy while initiating the data migration:

- ♦ The ZENworks database and Audit database names on the embedded PostgreSQL database are available in `zdm.xml` and `zenaudit.xml` files. These files are available in the following location:

Check the **Database** key to get the database name.

On Windows: `%ZENSERVER_HOME%\conf\datamodel\`

On Linux: `/etc/opt/microfocus/zenworks/datamodel/`

Example:

```
<entry key="Database">zenworks</entry>
```

```
<entry key="Database">zenworksaudit</entry>
```

- ♦ The database details can be retrieved by running the following commands:
 - ♦ `zman dgc`: Retrieves the database credentials used to connect to the embedded database.
 - ♦ `zman dgca`: Retrieves the database credentials used to connect to the audit embedded database.
 - ♦ `zman dgcs`: Retrieves the database credentials of super user that is used to connect to the embedded database.
 - ♦ `zman dgcam`: Retrieves the database credentials of the Antimalware database.
 - ♦ **IMPORTANT:** The user that should be used in the following steps (unless explicitly mentioned) should be any user (administrator) who has privileges to control and monitor ZENworks services.
-

Moving the Data from an Embedded PostgreSQL to an External PostgreSQL

Moving the data from an embedded PostgreSQL server to an external PostgreSQL server is a two step process:

- ♦ [“Step 1: Backup the Database on the Embedded Primary Server” on page 20](#)
- ♦ [“Step 2: Restore the Database on an External Server” on page 22](#)

Step 1: Backup the Database on the Embedded Primary Server

1. Before executing the following steps, ensure that you have reviewed the information documented in the section [Important Commands and Locations](#).
2. Stop the ZENworks Services on all the Primary Servers by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

After running the command, under Action, select Stop.

3. On the Primary Server on which the Embedded Database is installed, Start the **Micro Focus ZENworks Embedded Datastore** service using the following steps:

On Windows: Press the **Win + R** keys on the keyboard to open the Run window. Type *services.msc* and then hit Enter.

Start the *Micro Focus ZENworks Embedded Datastore – PostgreSQL* service.

On Linux: Run the following command to start the Micro Focus ZENworks Embedded Datastore – PostgreSQL service.

- ♦ **On SLES 12 and later:** `systemctl start zenpostgresql.service`

4. Login to the Primary Server that has the database role.
5. Initiate the backup by setting the following variables:

NOTE: This step is required for Windows only.

- ♦ `PGPORT`: <existing source DB port configured>

By default, ZENworks uses 54327

- ♦ PGDATA: <embedded_database_location>
- ♦ PGUSER: <existing super user for ZENworks postgres DB> The default user for ZENworks is zenpostgres.
- ♦ PGDATABASE: <existing database name> ZENworks default is postgres
- ♦ PGPASSWORD: <password for the above super user PGUSER>

Example 5-1 Example for Windows Primary Server

Set the following environment variables:

- ♦ Set the PATH for PostgreSQL installation.
- ♦ Set the PATH for PostgreSQL bin folder.

Open the command prompt and set the following variables based on the existing configuration.

- ♦ SET PGPORT=54327
- ♦ SET PGDATA=%ZENSERVER_HOME%\database\pgsql\data
- ♦ SET PGUSER=<super user retrieved from zman dgcs>
- ♦ SET PGDATABASE=postgres
- ♦ SET PGPASSWORD=<password retrieved from zman dgcs>;

Example 5-2 Example for Linux Primary Server:

Open the terminal and set the following variables based on the existing configuration.

- ♦ export LD_LIBRARY_PATH=/opt/microfocus/zenworks/share/pgsql/lib;
 - ♦ export PATH=\$PATH:/opt/microfocus/zenworks/share/pgsql/bin;
- On SLES 15:** export LD_LIBRARY_PATH=/opt/microfocus/zenworks/share/pgsql/lib:/opt/microfocus/zenworks/share/pgsql/stackbuilder/lib; export LD_LIBRARY_PATH

On SLES 15, the *no version information available* error message can be ignored.

- ♦ export PGPORT=54327;
- ♦ export PGDATA=/var/opt/microfocus/pgsql/data;
- ♦ export PGUSER=<super user retrieved from zman dgcs>;
- ♦ export PGDATABASE=postgres;
- ♦ export PGPASSWORD=<password retrieved from zman dgcs>;

6. Run the following commands to back up both the databases (ZENworks and Audit):

- ♦ **On Windows:**
 - ♦ cd "%ZENSERVER_HOME%\share\postgres\bin\"
 - ♦ pg_dumpall.exe > "<path to sql file>"

Example: pg_dumpall.exe > c:\postgres_dump.sql
- ♦ **On Linux:**
 - ♦ cd /opt/microfocus/zenworks/share/pgsql/bin/
 - ♦ ./pg_dumpall > "<path to sql file>"

Example: `./pg_dumpall > /tmp/postgres_dump.sql`

- ♦ `docker exec -e PGUSER=<super user retrieved from zman dgcs> -e PGDATABASE=postgres -e PGPASSWORD=<password retrieved from zman dgcs> zenpostgres pg_dumpall > /tmp/dump.sql`

Example: `docker exec -e PGUSER=zenpostgres -e PGDATABASE=postgres -e PGPASSWORD=Zw0#43cf4525d0f5df6395bbbec9c zenpostgres pg_dumpall > /tmp/dump.sql`

NOTE: You can ignore the no version information available error message.

7. On the Primary Server on which the Embedded Database is installed (source database), Stop the **Micro Focus ZENworks Embedded Datastore** service using the following steps:

On Windows: Press the **Win + R** keys on the keyboard to open the Run window. Type *services.msc* and then hit Enter.

Stop the *Micro Focus ZENworks Embedded Datastore – PostgreSQL* service.

On Linux: Run the following command to start the Micro Focus ZENworks Embedded Datastore – PostgreSQL service.

- ♦ **On SLES 12:** `systemctl stop zenpostgresql.service`
- ♦ **On other SLES versions:** `/etc/init.d/zenpostgresql stop`

Step 2: Restore the Database on an External Server

Perform the following steps on an external server on which you want to move the PostgreSQL database. After installing PostgreSQL on an external server, ensure that the PostgreSQL database service is running.

To restore the database on an external database server, perform the following steps:

1. Set the following environment variables:
 - ♦ `PGPORT:` <target DB port>
 - ♦ `PGUSER:` <target super user for postgres DB>
 - ♦ `PGDATABASE:` <target initial connection database name> default is postgres
 - ♦ `PGPASSWORD:` <password for the above super user i.e. PGUSER>

***Example 5-3** Example for Windows Primary Server*

Set the following environment variables:

- ♦ Set the path for PostgreSQL installation.
- ♦ Set the path for PostgreSQL bin folder.

Open the command prompt and set the following variables based on the existing configuration.

- ♦ `SET PGPORT=54327`
- ♦ `SET PGUSER=<PostgreSQL super user>`
- ♦ `SET PGDATABASE=postgres`
- ♦ `SET PGPASSWORD=<Postgres super user password>`

Example 5-4 Example for Linux Primary Server:

Open the terminal and set the following variables based on the existing configuration.

- ♦ export LD_LIBRARY_PATH=<postgres installation path>/lib;
- ♦ export PATH=\$PATH:<postgres installation path>/bin;
- ♦ export PGPORT=<Port on which PostgreSQL is configured>;
- ♦ export PGUSER=<Postgres super user>;
- ♦ export PGDATABASE=postgres;
- ♦ export PGPASSWORD=<PostgreSQL super user password>;

2. Login as PostgreSQL super user and manually create the database using the following query for the databases that should be restored:

```
create database <DB name> with template=template0 encoding='UTF8';
```

For example:

- ♦ **ZENworks Database:** create database zenworks with template=template0 encoding='UTF8';
 - ♦ **Audit Database:** create database zenworksaudit with template=template0 encoding='UTF8';
3. Copy the postgres_dump.sql file that was created in [Step 1: Backup the Database on the Embedded Primary Server](#) to the target device.
 4. Restore the database from the backup taken in [Step 1: Backup the Database on the Embedded Primary Server](#), by running the following commands:

- ♦ **On Windows:** In the Command prompt, run the following commands:

- ♦ cd <postgres installation path>\bin
- ♦ psql.exe -v ON_ERROR_STOP=0 -f c:\postgres_dump.sql -o c:\postgres_dump_log.txt -L c:\postgres_dump_log.log > c:\postgres_dump_log.err 2>&1

- ♦ **On Linux:** In the Terminal, run the following commands as PostgreSQL user:

- ♦ cd <postgres installation path>/bin
- ♦ ./psql -v ON_ERROR_STOP=0 -f /tmp/postgres_dump.sql -o /tmp/postgres_dump_log.txt -L /tmp/postgres_dump_log.log > /tmp/postgres_dump_log.err 2>&1

5. After Restoring the database, log into the ZENworks database, and run the below query to delete the database role for the device that has the embedded PostgreSQL database installed by running the following query on the external database server:

```
delete from zZenServerRoles where Roles = 'Database';  
commit;
```

6. Update the following changes in zdm.xml and zenaudit.xml for all the Primary Servers in the zone:

- ♦ Delete the <entry key="Embedded">true</entry>.
 - ♦ Update the value of the Port key with the port on which the external PostgreSQL database is configured.
- ```
<entry key="Port"><PORT-of-target-DB-device></entry>
```

7. Update the server key value in the `zdm.xml` and `zenaudit.xml` files as shown below:

- ♦ In the target database server, add the loopback IP address.

```
<entry key="Server"><target_database_server-IP></entry>
```

- ♦ In all the other Primary Server, add the IP of the target database server.

```
<entry key="Server"><target_database_server-IP></entry>
```

8. In the new database server, run the following configure actions: `microfocus-zenworks-configure -c GenerateOSPPProperties`

9. Run `microfocus-zenworks-configure -c`

`GenerateContentDatasourceConfigureAction` on all the content servers.

10. After updating the changes, restart all the ZENworks services by running the `microfocus-zenworks-configure -c Start` configure action.

11. Ensure that the **Micro Focus ZENworks Embedded Datastore** service is disabled and not running on the Primary Server that hosted the Embedded PostgreSQL database.

12. The ZENworks Server now points to new database.

Ensure that you can successfully log into ZCC. After logging into ZCC, go to the Diagnostics page and in the ZENworks Databases panel, verify the Host IP addresses and also verify that the Audit database is connected.



# 6 Moving an Embedded PostgreSQL Database from One Primary Server to another Primary Server

ZENworks enables you to move the embedded database from one Primary Server to another Primary Server or Appliance. Perform the steps provided in the following section to move the database from one Primary Server to another Primary Server.

- ♦ [“Important Commands and Locations” on page 25](#)
- ♦ [“Moving an Embedded PostgreSQL Database from One Primary Server to another Primary Server” on page 26](#)

## Important Commands and Locations

This section provides some of the command and locations that will be used quite frequently while moving the data. Ensure that you keep the following information handy while initiating the data migration:

- ♦ The ZENworks database and Audit database names on the embedded PostgreSQL database are available in `zdm.xml` and `zenaudit.xml` files. These files are available in the following location:

Check the **Database** key to get the database name.

### On Windows:

```
%ZENSERVER_HOME%\conf\datamodel\
```

### On Linux / Appliance:

```
/etc/opt/microfocus/zenworks/datamodel
```

Example:

```
<entry key="Database">zenworks</entry>
```

```
<entry key="Database">zenworksaudit</entry>
```

- ♦ The database details can be retrieved by running the following commands:
  - ♦ `zman dgc`: Retrieves the database credentials used to connect to the embedded database.
  - ♦ `zman dgca`: Retrieves the database credentials used to connect to the audit embedded database.
  - ♦ `zman dgcs`: Retrieves the database credentials of super user that is used to connect to the embedded database.
  - ♦ `zman dgcam`: Retrieves the database credentials of the Antimalware database.

- 
- ♦ **IMPORTANT:** The user that should be used in the following steps (unless explicitly mentioned) should be any user (administrator) who has privileges to control and monitor ZENworks services.
- 
- ♦ To connect to the database, see [Connecting to the Embedded PostgreSQL Database](#).

## Moving an Embedded PostgreSQL Database from One Primary Server to another Primary Server

Moving the data is a two step process:

- ♦ [“Step 1: Backup the Database” on page 26](#)
- ♦ [“Step 2: Restoring the Database” on page 28](#)

---

**IMPORTANT:** While moving the database, we refer the source database server as PSDB1 and the destination database server as PSDB2.

---

### Step 1: Backup the Database

- ♦ [“Backup the Database on the Embedded Windows Primary Server \(PSDB1\)” on page 26](#)
- ♦ [“Backup the Database on the Embedded Linux Primary Server \(PSDB1\)” on page 27](#)

### Backup the Database on the Embedded Windows Primary Server (PSDB1)

1. Before executing the following steps, ensure that you have reviewed the information documented in the section [Important Commands and Locations](#).

Ensure that you have noted the database username, password of the source Primary Server by running the `zman dgcs` command.

2. Log in to the Primary Server that has the database role.

To check the Primary Server that has the database role, log in to **ZCC** and select **Diagnostics**.

3. Stop the ZENworks Services on all the Primary Servers by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

After running the configure action, under Action, select Stop.

4. On the Primary Server on which the Embedded Database is installed (PSDB1), start the Micro Focus ZENworks Embedded Datastore service by performing the following:

- ♦ On Windows: Press the Win + R keys on the keyboard to open the Run window. Enter `services.msc` and then press the Enter key.
- ♦ Start the Micro Focus ZENworks Embedded Datastore - PostgreSQL service.

5. On the Primary Server on which the Embedded Database is installed (PSDB1), initiate the backup by setting the following variables:

- ♦ PGPORT: <existing source DB port configured>

By default, ZENworks uses 54327

- ♦ PGDATA: <embedded\_database\_location>
- ♦ PGUSER: <existing super user for ZENworks postgres DB> The default user for ZENworks is zenpostgres.
- ♦ PGDATABASE: <existing database name> ZENworks default is postgres
- ♦ PGPASSWORD: <password for the above super user PGUSER>

**Example 6-1** Example for Windows Primary Server

Open the command prompt and set the following variables based on the existing configuration:

- ♦ SET PGPORT=54327
- ♦ SET PGDATA=%ZENSERVER\_HOME%\database\pgsql\data
- ♦ SET PGUSER=<super user retrieved from zman dgcs>
- ♦ SET PGDATABASE=postgres
- ♦ SET PGPASSWORD=<password retrieved from zman dgcs>;

6. Run the following commands to back up the databases (ZENworks and Audit):

- ♦ cd "%ZENSERVER\_HOME%\share\postgres\bin\"
- ♦ pg\_dumpall.exe > "<path to sql file>"

Example: pg\_dumpall.exe > c:\postgres\_dump.sql

7. On the Primary Server on which the Embedded Database is installed, start the ZENworks Services by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

After running the configure action, under Action, select Start.

8. Copy the postgres\_dump.sql file to the target Primary Server in the c:\tmp location.

## Backup the Database on the Embedded Linux Primary Server (PSDB1)

1. Before executing the following steps, ensure that you have reviewed the information documented in the section [Important Commands and Locations](#).

Ensure that you have noted the database username, password of the source Primary Server by running the `zman dgcs` command. Also, copy the target Primary Server's GUID details, which is required while restoring the database.

2. Stop the ZENworks Services on all the Primary Servers by running the following configure action:

```
microfocus-zenworks-configure -c Stop
```

After running the command, under Action, select Stop.

3. Log in to the Primary Server that has the database role.

4. On the Primary Server on which the Embedded Database is installed (PSDB1), start the Micro Focus ZENworks Embedded Datastore service using the following command on SLES 12 and later:

```
systemctl start zenpostgresql.service
```

5. Run the following commands to back up the databases (ZENworks and Audit):

```
docker exec -e PGUSER=<super user retrieved from zman dgcs> -e
PGDATABASE=postgres -e PGPASSWORD=<password retrieved from zman dgcs>
zenpostgres pg_dumpall > /tmp/dump.sql
```

**Example:** `docker exec -e PGUSER=zenpostgres -e PGDATABASE=postgres -e PGPASSWORD=Zw0#3dde8547adb388306de141850 zenpostgres pg_dumpall > /tmp/dump.sql`

---

**NOTE:** You can ignore the no version information available error message.

---

6. Start the Micro Focus ZENworks Embedded Datastore service using the following command:

- ♦ **On SLES 12 and later:** `systemctl start zenpostgresql.service`

---

**NOTE:** Keep the `/tmp/dump.sql` in a safe place as it has the database backup.

---

## Step 2: Restoring the Database

Depending on the target database platform, refer to the following section to restore the database:

- ♦ [“Restore the Database on a Windows Primary Server \(PSDB2\)” on page 28](#)
- ♦ [“Restore the Database on a Linux Primary Server or Appliance Server \(PSDB2\)” on page 32](#)

### Restore the Database on a Windows Primary Server (PSDB2)

If you are planning to restore the database on a Windows Primary Server, then perform the following steps:

1. Stop the ZENworks services on all Primary Servers by running the following command:

```
microfocus-zenworks-configure -c Start
```

2. Install PostgreSQL by running the following command:

```
msiexec /i <postgresql_MSI_FILE>
TARGETDIR="%ZENSERVER_HOME%\install\downloads\msi" ALLUSERS=2
```

**Example**

```
msiexec /i "%ZENSERVER_HOME%\install\downloads\msi\microfocus-zenworks-
postgres-12.4.x86_64.msi" TARGETDIR="%ZENSERVER_HOME%\share" ALLUSERS=2
```

3. After installing the PostgreSQL, create the folder

`%ZENSERVER_HOME%\database\pgsql\data`, and ensure that you give write permission to the folder:

To provide write permissions, perform the following steps:

- a. In Windows Explorer, right-click a file or folder and select Properties.
- b. In the Properties window, click the Security tab.
- c. In Group or user names, select a user, and then click Edit.
- d. In the Permissions window, select the logged in user.
- e. Select Allow for the Write permission and then click OK or Apply.

4. Open the command prompt, and then set the following environment variables:

- ♦ `PGDATA: <embedded_database_location>`

---

**NOTE:** This is the data directory created in the previous step.

---

- ♦ PGPORT: <existing source DB port configured> ZENworks default is 54327
- ♦ PGDATABASE: <existing database name> ZENworks default is postgres

Example:


- ♦ SET PGDATA=%ZENSERVER\_HOME%\database\pgsql\data
- ♦ SET PGPORT=54327
- ♦ SET PGDATABASE=postgres

5. To initialize the Postgres database, open the console and go to  
%ZENSERVER\_HOME%\share\postgres\bin, and then run the following command:

```
pg_ctl.exe initdb
```

---

**NOTE:** If the following error is displayed, then install the `vc_redist.x64.exe` and try again.



The `vc_redist.x64.exe` file is available in the ZENworks installation ISO. You can mount the ISO to any drive. Example: the J: \ drive. The .exe file is available under  
<zenworks\_mount\_directory> J:\Common\include

---

6. To start the database server, run the following command:

```
pg_ctl.exe start
```

After executing the command, the last line should say database system is ready to accept connections.

7. Run the following command to restore the database:

```
psql.exe -v ON_ERROR_STOP=0 -f c:\tmp\postgres_dump.sql -o
c:\tmp\postgres_log.txt -L c:\tmp\postgres_log.log template1
```

The `c:\postgres_dump.sql` file is created the backup step 6 of the [“Step 1: Backup the Database on the Embedded Primary Server” on page 20](#).

---

**NOTE:** Execution of the above command may take time depending on the amount of data in the database.

---

8. In the `postgresql.conf` file under %ZENSERVER\_HOME%\database\pgsql\data, uncomment the `listen_addresses` and `port` entry keys, and update the values as shown below:

```
listen_addresses = '*'
port= 54327
max_connections = Number of primary servers * 500
```

9. To stop the database process, run the `pg_ctl.exe stop` command.
10. Edit the `pg_hba.conf` file, as shown below:

The `pg_hba.conf` file is available in the following location:

`%ZENSERVER_HOME%\database\pgsql\data`

```
TYPE DATABASE USER ADDRESS METHOD
IPv4 local connections:
host all all 127.0.0.1/32 md5
IPv6 local connections:
host all all ::1/128 md5
Allow replication connections from localhost, by a user with the
replication privilege.
local replication all md5
host replication all 127.0.0.1/32 md5
host replication all ::1/128 md5
host all all 0.0.0.0/0 md5
host all all ::0/0 md5
```

11. In the local primary server (PSDB2), change the server key in `zdm.xml` and `zenaudit.xml`, available in `%ZENSERVER_HOME%\conf\datamodel` folder with the local host address `Jdbc_Url`:

- ♦ `<entry key="Server">Jdbc_Url</entry>`
- ♦ `<entry key="Embedded">true</entry>`

12. If you have configured Antimalware in the zone, modify the `database.server.address` property in `%ZENSERVER_HOME%\conf\antimalware\amedatasource.properties` file to have the server IP as `127.0.0.1`

13. Create the database service by running the following command:

```
"%ZENSERVER_HOME%\share\postgres\bin\pg_ctl.exe" register -N "Micro
Focus ZENworks Embedded Datastore - PostgreSQL" -U LocalSystem -D
"%ZENSERVER_HOME%\database\pgsql\data" -S auto
```

14. Set the description of the service by running the following command:

```
sc description "Micro Focus ZENworks Embedded Datastore - PostgreSQL"
"Embedded datastore used for storing ZENworks objects and resources."
```

15. Start the Micro Focus ZENworks Embedded Datastore service using the following steps:

- ♦ On Windows: Press the Win + R keys on the keyboard to open the Run window. Enter `services.msc` and then press the Enter key.
- ♦ Start the Micro Focus ZENworks Embedded Datastore - PostgreSQL service.

16. Run the following configure actions to update OSP/Content Configurations:

```
microfocus-zenworks-configure -c
GenerateContentDatasourceConfigureAction
microfocus-zenworks-configure -c GenerateOSPProperties
microfocus-zenworks-configure -c RegenerateOSPAuthCfgXml
```

17. (Conditional) If Antimalware is configured, run the following commands:

```
microfocus-zenworks-configure -c ZENServicesFirewallConfigureAction -
Dservice=antimalware -Doperation=ADD
microfocus-zenworks-configure -c AntimalwareServiceConfigureAction -
Dam.service.action=start
```

18. Start the ZENworks services by running the following command:

```
microfocus-zenworks-configure -c Start
```

19. Assign the database role to the destination database server (PSDB2) by running the following configure action:

```
microfocus-zenworks-configure -c MigrateServerRoleConfigureAction -
DsourceGuid=<GUID of PSDB1> -DdestGuid=<GUID of PSDB2> -Drole=Database
```

20. To Configure Automatic Maintenance, perform the following:

- ♦ Create a folder `pgsql %ZENSERVER_HOME%\conf\pgsql`, if it does not exist, on PSDB2, and copy `%ZENSERVER_HOME%\conf\pgsql\pgsql-maintenance.xml` from the PSDB1 to the `pgsql` folder on PSDB2.
- ♦ Run the following configure action:

```
microfocus-zenworks-configure -c
AutomaticPostgresMaintenanceConfigureAction
```

21. (Conditional) If you have enabled Kafka, then run `zman server-role-kafka-recreate-connectors -f true` command to recreate the Kafka connectors.

For more information, see Server Commands in the [ZENworks Command Line Utilities](#) guide.

22. If you have the firewall enabled on the server, ensure that port 54327 is open.

---

**NOTE:** With this, we complete the Restoring of the Database to the Target Primary Server (PSDB2). Continue further to update other Primary Servers in the zone.

---

23. Do the following on all the other primary servers in the zone:

- a. Change the server key in `zdm.xml` and `zenaudit.xml`, available in `%ZENSERVER_HOME%\conf\datamodel` folder with the IP address of PSDB2:  

```
<entry key="Server">IP OF PSDB2</entry>
```
- b. If you have configured Antimalware in the zone, modify the `database.server.address` property in `%ZENSERVER_HOME%\conf\antimalware\amedatasource.properties` file to have the server IP as IP OF PSDB2

- c. To update OSP/Content Configurations, run the following configure actions:

```
microfocus-zenworks-configure -c
GenerateContentDatasourceConfigureAction

microfocus-zenworks-configure -c GenerateOSPProperties

microfocus-zenworks-configure -c RegenerateOSPAuthCfgXml
```

- d. (Conditional) If Antimalware is configured, run the following:

```
microfocus-zenworks-configure -c ZENServicesFirewallConfigureAction
-Dservice=antimalware -Doperation=ADD

microfocus-zenworks-configure -c AntimalwareServiceConfigureAction
-Dam.service.action=start
```

- e. Run the following commands:

```
sc stop "Micro Focus ZENworks Embedded Datastore - PostgreSQL"
sc delete "Micro Focus ZENworks Embedded Datastore - PostgreSQL"
```

---

**NOTE:** This step is applicable only on PSDB1.

---

- f. Start all the ZENworks services by running the following command:

```
microfocus-zenworks-configure -c Start
```

## Restore the Database on a Linux Primary Server or Appliance Server (PSDB2)

On a Linux Primary Server or an Appliance Server, perform the following steps:

- 1 Before executing the following steps, ensure that you have reviewed the information documented in the section [Important Commands and Locations](#).

Ensure that you have noted the database username, password of the source Primary Server by running the `zman dgcs` command.

- 2 Stop all the ZENworks services on all Primary Servers by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

- 3 Load zenpostgres docker by running the following commands:

- ♦ `docker load -i /opt/microfocus/zenworks/docker-images/zenpostgres.tar.gz`
- ♦ `docker run --name tmp_postgres -d zenpostgres`
- ♦ `docker cp /tmp/dump.sql tmp_postgres:/var/opt/microfocus/pgsql/`

---

**NOTE:** The `/tmp/dump.sql` file is created in the backup step 5 of the [“Backup the Database on the Embedded Linux Primary Server \(PSDB1\)”](#) on page 27

---

- 4 Get into the temporary postgres container by running the following command:

```
docker exec -it tmp_postgres bash
```

- 5 To check whether the database server is ready to accept connections, run the following commands:

- ♦ `cd /var/opt/microfocus/pgsql/data`
- ♦ `cat postmaster.log`

After executing the commands, the last line should say “Database system is ready to accept connections”. If you did not see this message, wait for some time, and then execute the “`cat postmaster.log`” command again.

- 6 Perform the following steps to prepare the default database, for restore.

Run the `psql -W postgres` command. When prompted for a password, enter *novell* as the password.

- 6a To change the default password, run the following SQL query:

```
ALTER USER zenpostgres with PASSWORD '<Password>';
```

Replace the `<Password>` in the above SQL query with the password you noted down in step 1 of the [“Backup the Database on the Embedded Linux Primary Server \(PSDB1\)”](#) on page 27.

Example: `ALTER USER zenpostgres with PASSWORD 'Zw0#3dde8547adb388306de141850';`

- 6b Drop the following default databases and users:



```
drop database zenworks;
drop database zenworksaudit;
drop user zenadmin;
drop user zenauditadmin;
drop database zenamdatabase;
drop user zenamadmin;
```

---

**NOTE:** Ignore errors related to missing database or users if any.

---

**7** Exit the Postgres interactive terminal by executing the `exit` command.

**8** To restore the database, run the following commands:

- ♦ `export PGPASSWORD= <password retrieved from zman dgcs>`
- ♦ `psql -w postgres -v ON_ERROR_STOP=0 -f /var/opt/microfocus/pgsql/dump.sql -o /var/opt/microfocus/pgsql/dump.log -L /var/opt/microfocus/pgsql/dump.log >/var/opt/microfocus/pgsql/dump.err 2>&1`

---

**NOTE:** Execution of the above command may take time depending on the amount of data in the database.

---

**9** Once the restore is completed successfully, exit the docker container by running the `exit` command.

**10** To copy the database folder from the container to the host, run the following commands:

- ♦ `rm -rf /var/opt/microfocus/pgsql`
- ♦ `docker cp tmp_postgres:/var/opt/microfocus/pgsql/ /var/opt/microfocus/`
- ♦ `rm -f /var/opt/microfocus/pgsql/data/postmaster.pid /var/opt/microfocus/pgsql/data/postmaster.log`

**11** To clean up the temporary container, run the following commands:

- ♦ `docker kill tmp_postgres`
- ♦ `docker container rm tmp_postgres`

**12** To change the ownership of the data directory, run the following command:

```
chown -R 1026:1026 /var/opt/microfocus/pgsql/data
```

**13** In the `postgresql.conf` file, under `/var/opt/microfocus/pgsql/data/`, uncomment the `listen_addresses` and `port` entry keys, and update the values as shown below:

```
listen_addresses = '*'
```

```
Port= 54327
```

```
max_connections = Number of primary servers * 500
```

**14** Edit the `pg_hba.conf` file as shown below:

The `pg_hba.conf` file is available in the following location:

/var/opt/microfocus/pgsql/data

- ♦ In the `pg_hba.conf` file, update the content as shown below:

```
TYPE DATABASE USER ADDRESS METHOD
"local" is for Unix domain socket connections only
local all all md5
IPv4 local connections:
host all all 127.0.0.1/32 md5
IPv6 local connections:
host all all ::1/128 md5
Allow replication connections from localhost, by a user with the
replication privilege.
local replication all md5
host replication all 127.0.0.1/32 md5
host replication all ::1/128 md5
host all all 0.0.0.0/0 md5
```

- 15** In the local primary server, change the server key in `zdm.xml` and `zenaudit.xml`, available in `/etc/opt/microfocus/zenworks/datamodel` folder with the local host address `Jdbc_Url`:

- ♦ `<entry key="Server">Jdbc_Url</entry>`
- ♦ `<entry key="Embedded">true</entry>`

- 16** If you have configured antimalware in the zone, modify the `database.server.address` property in `/etc/opt/microfocus/zenworks/antimalware/amedatasource.properties` file to have the server IP as `127.0.0.1`

- 17** To create the Postgres service, create the file in `/usr/lib/systemd/system/zenpostgresql.service` with the following contents:

```
[Unit]
Description=PostgreSQL Daemon for ZENworks Databases
After=syslog.target network.target docker.service

[Service]
Type=simple
ExecStart=/opt/microfocus/zenworks/lib/systemd/system/zenpostgresql-
systemd
Restart=on-failure
RestartSec=20
StartLimitBurst=5
StartLimitInterval=120

[Install]
WantedBy=multi-user.target
```

- 18** To reset the file/folder permissions, run the following command:

```
permissions.sh
```

- 19** Start the `zenpostgres` service by running the following commands:

```
systemctl enable zenpostgresql.service
systemctl start zenpostgresql.service
```

- 20** Run the following configure actions to update OSP/Content Configurations:

```
microfocus-zenworks-configure -c GenerateOSPProperties
microfocus-zenworks-configure -c RegenerateOSPAuthCfgXml
microfocus-zenworks-configure -c
GenerateContentDatasourceConfigureAction
```

- 21** (Conditional) If Antimalware is configured, run the following commands:

```
microfocus-zenworks-configure -c ZENServicesFirewallConfigureAction -
Dservice=antimalware -Doperation=ADD
microfocus-zenworks-configure -c AntimalwareServiceConfigureAction -
Dam.service.action=start
```

- 22** On the Primary Server (PSDB2), start the ZENworks services by running the following command:

```
microfocus-zenworks-configure -c Start
```

- 23** Assign the database role to the destination database server (PSDB2) by running the following configure action:

```
microfocus-zenworks-configure -c MigrateServerRoleConfigureAction -
DsourceGuid=<GUID of PSDB1> -DdestGuid=<GUID of PSDB2> -Drole=Database
```

- 24** To setup Automatic Maintenance, run the following configure action:

```
microfocus-zenworks-configure -c
AutomaticPostgresMaintenanceConfigureAction
```

- 25** (Conditional) If you have enabled Kafka, then run `zman server-role-kafka-recreate-connectors -f true` command to recreate the Kafka connectors.

For more information, see Server Commands in the [ZENworks Command Line Utilities](#) guide.

- 26** If you have the firewall enabled on the server, ensure that port 54327 is open.

---

**NOTE:** With this, we complete the Restoring of the Database to the Target Primary Server (PSBD2). Continue further to update other Primary Servers in the zone.

---

- 27** Do the following on all the other primary servers in the zone:

- 27a** Change the server key in `zdm.xml` and `zenaudit.xml`, available in `/etc/opt/microfocus/zenworks/datamodel` folder with the IP address of PSDB2:

```
<entry key="Server">IP OF PSDB2</entry>
```

- 27b** If you have configured Antimalware in the zone, modify the `database.server.address` property in `/etc/opt/microfocus/zenworks/antimalware/amedatasource.properties` file to have the server IP as IP of PSDB2.

- 27c** To update OSP/Content Configurations, run the following configure actions:

```
microfocus-zenworks-configure -c GenerateOSPProperties
microfocus-zenworks-configure -c RegenerateOSPAuthCfgXml
microfocus-zenworks-configure -c
GenerateContentDatasourceConfigureAction
```

- 27d** (Conditional) If Antimalware is configured, run the following:

```
microfocus-zenworks-configure -c ZENServicesFirewallConfigureAction
-Dservice=antimalware -Doperation=ADD
```

```
microfocus-zenworks-configure -c AntimalwareServiceConfigureAction
-Dam.service.action=start
```

**27e** Run the following commands:

- ♦ `systemctl stop zenpostgresql.service`
- ♦ `systemctl disable zenpostgresql.service`

---

**NOTE:** This step is applicable only on PSDB1.

---

**27f** Start all the zenworks services by running the following command:

```
microfocus-zenworks-configure -c Start
```

# 7 Backing up an Embedded PostgreSQL Database on One Primary Server and Restoring it on another Primary Server

ZENworks enables you to backup the embedded database from one Primary Server and restore it in another Primary Server. This procedure can be followed if you want to replace the existing Primary Server with a new server or if you want to move from a Linux or a Windows server to an Appliance server.

- ♦ [“Important Commands and Locations” on page 37](#)
- ♦ [“Backing up the Database on the Embedded Primary Server” on page 38](#)
- ♦ [“Restoring the Database on another Server” on page 39](#)

## Important Commands and Locations

This section provides some of the command and locations that will be used quite frequently while moving the data. Ensure that you keep the following information handy while initiating the data migration:

- ♦ The ZENworks database and Audit database names on the embedded PostgreSQL database are available in `zdm.xml` and `zenaudit.xml` files. These files are available in the following location:

Check the **Database** key to get the database name.

**On Windows:** `%ZENSERVER_HOME%\conf\datamodel\`

**On Linux:** `/etc/opt/microfocus/zenworks/datamodel/`

Example:

```
<entry key="Database">zenworks</entry>
```

```
<entry key="Database">zenworksaudit</entry>
```

- ♦ The database details can be retrieved by running the following commands:
  - ♦ `zman dgcs`: Retrieves the database credentials used to connect to the embedded database.
  - ♦ `zman dgca`: Retrieves the database credentials used to connect to the audit embedded database.
  - ♦ `zman dgcs`: Retrieves the database credentials of super user that is used to connect to the embedded database.
  - ♦ `zman dgcam`: Retrieves the database credentials of the Antimalware database.

# Backing up the Database on the Embedded Primary Server

1. Run the following commands and note down the ZENworks database credentials of the source machine:
  - zman dgcs
  - zman dgc
  - zman dgca
  - zman dgcam
2. Stop the ZENworks Services on all the Primary Servers by running the following configure action:  
`microfocus-zenworks-configure -c Start`  
After running the command, under **Action**, select **Stop**.
3. On the Primary Server on which the Embedded Database is installed, start the **Micro Focus ZENworks Embedded Datastore** service using the following steps:  
**On Windows:** Press the **Win + R** keys on the keyboard to open the Run window. Type *services.msc* and then hit Enter.  
Start the *Micro Focus ZENworks Embedded Datastore – PostgreSQL* service.  
**On Linux:** Run the following command to start the Micro Focus ZENworks Embedded Datastore – PostgreSQL service.
  - ♦ **On SLES 12 and later:** `systemctl start zenpostgresql.service`
4. Login to the Primary Server that has the database role.
5. Initiate the backup by setting the following variables:

---

**NOTE:** This step is required for Windows only.

---

- ♦ PGPORT: <existing source DB port configured>  
By default, ZENworks uses 54327
- ♦ PGDATA: <embedded\_database\_location>
- ♦ PGUSER: <existing super user for ZENworks postgres DB> The default user for ZENworks is zenpostgres.
- ♦ PGDATABASE: <existing database name> ZENworks default is postgres
- ♦ PGPASSWORD: <password for the above super user PGUSER>

## **Example 7-1** Example for Windows Primary Server

Open the command prompt and set the following variables based on the existing configuration.

- ♦ SET PGPORT=54327
- ♦ SET PGDATA= %ZENSERVER\_HOME%\database\pgsql\data
- ♦ SET PGUSER=<super user retrieved from zman dgcs>
- ♦ SET PGDATABASE=postgres
- ♦ SET PGPASSWORD=<password retrieved from zman dgcs>;

6. Run the following commands to back up both the databases (ZENworks and Audit):

♦ **On Windows:**

- ♦ `cd "%ZENSERVER_HOME%\share\postgres\bin\"`

- ♦ `pg_dumpall.exe > "<path to sql file>"`

Example: `pg_dumpall.exe > c:\postgres_dump.sql`

♦ **On Linux:**

- ♦ `./pg_dumpall > "<path to sql file>"`

Example: `./pg_dumpall > /tmp/postgres_dump.sql`

- ♦ `docker exec -e PGUSER=<super user retrieved from zman dgcs> -e PGDATABASE=postgres -e PGPASSWORD=<password retrieved from zman dgcs> zenpostgres /opt/microfocus/zenworks/share/pgsql/bin/pg_dumpall > /tmp/dump.sql`

Example: `docker exec -e PGUSER=zenpostgres -e PGDATABASE=postgres -e PGPASSWORD=Zw0#43cf4525d0f5df6395bbbec9c zenpostgres /opt/microfocus/zenworks/share/pgsql/bin/pg_dumpall > /tmp/dump.sql`

---

**NOTE:** You can ignore the no version information available error message.

---

## Restoring the Database on another Server

1. Stop the ZENworks Services on the Primary Servers where the database is to be restored, by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

After running the command, under Daemons, deselect **Micro Focus ZENworks Embedded PostgreSQL**, under **Action**, select **Stop**.

2. **On the Windows Primary Server:**

a. Open the command prompt and set the following variables based on the existing configuration:

- ♦ `SET PGPORT=54327`

- ♦ `SET PGUSER=<PostgreSQL super user>`

- ♦ `SET PGDATABASE=postgres`

- ♦ `SET PGPASSWORD=<Postgres super user password>`

b. `cd "%ZENSERVER_HOME%\share\postgres\bin\"`

3. **On the Linux server:**

a. Enter zenpostgres container prompt by running below command:

```
docker exec -it -e PGUSER=<super user retrieved from zman dgcs> -e PGDATABASE=postgres -e PGPASSWORD=<password retrieved from zman dgcs> zenpostgres bash
```

b. `cd /opt/microfocus/zenworks/share/pgsql/bin`

4. Start PSQL connection by running `./psql`.

5. Close the database dangling connections by running the following command:

```
SELECT pg_terminate_backend(pid) FROM pg_stat_activity WHERE pid =
pg_backend_pid();
```

6. Drop the following databases and users:

- ♦ DROP DATABASE ZENWORKS;
- ♦ DROP DATABASE ZENWORKSAUDIT;
- ♦ DROP USER ZENAUDITADMIN;
- ♦ DROP USER ZENADMIN;

7. Create the database using the following query for the databases that should be restored:

```
create database <DB name> with template=template0 encoding='UTF8';
```

For example:

- ♦ **ZENworks Database:** create database zenworks with template=template0 encoding='UTF8';
- ♦ **Audit Database:** create database zenworksaudit with template=template0 encoding='UTF8';

8. Run following command to change the password for user 'zenpostgres':

```
ALTER ROLE zenpostgres WITH PASSWORD '<password retrieved from zman
dgcs of the source db machine>';
```

9. Exit PSQL.

10. Set the following variables again:

- ♦ PGPORT: <existing source DB port configured>  
By default, ZENworks uses 54327
- ♦ PGDATA: <embedded\_database\_location>
- ♦ PGUSER: <existing super user for ZENworks postgres DB> The default user for ZENworks is zenpostgres.
- ♦ PGDATABASE: <existing database name> ZENworks default is postgres
- ♦ PGPASSWORD: <password for the above super user PGUSER>

*Example 7-2 Example for Windows Primary Server*

Open the command prompt and set the following variables based on the existing configuration.

- ♦ SET PGPORT=54327
- ♦ SET PGDATA= %ZENSERVER\_HOME%\database\pgsql\data
- ♦ SET PGUSER=<super user retrieved from zman dgcs of the source database device>
- ♦ SET PGDATABASE=postgres
- ♦ SET PGPASSWORD=<password retrieved from zman dgcs of the source database device>;



**Example 7-3** Example for Linux Primary Server:

Open the terminal and set the following variables based on the existing configuration.

- ♦ `export LD_LIBRARY_PATH=/opt/microfocus/zenworks/share/pgsql/lib$LD_LIBRARY_PATH;`
- ♦ `export PATH=$PATH:/opt/microfocus/zenworks/share/pgsql/bin;`
- ♦ `export PGPORT=54327;`
- ♦ `export PGDATA=/var/opt/microfocus/pgsql/data;`
- ♦ `export PGUSER=<super user retrieved from zman dgcs of the source database device>;`
- ♦ `export PGDATABASE=postgres;`
- ♦ `export PGPASSWORD=<password retrieved from zman dgcs of the source database device>;`

11. Restore the database by running the following commands:

- ♦ **On Windows:** In the Command prompt, run the following commands:

- ♦ `psql.exe -v ON_ERROR_STOP=0 -f c:\postgres_dump.sql -o c:\postgres_dump_log.txt -L c:\postgres_dump_log.log > c:\postgres_dump_log.err 2>&1`
  - ♦ **-f <filename>:** Uses the filename as the source of SQL commands
  - ♦ **-l <filename>:** Writes all query output into the file, in addition to the normal output destination
  - ♦ **-o <filename>:** Logs all query output into the file

All the errors will be redirected to <error\_log\_location>.

```
psql.exe -v ON_ERROR_STOP=0 -f c:\tmp\postgres_dump.sql -o
c:\tmp\postgres_log.txt -L c:\tmp\postgres_log.log
>c:\postgres\postgres_log.err 2>&1
```

- ♦ **On Linux:**

In the Terminal, run the following commands as PostgreSQL user:

- ♦ Run the following command to restore the database:

```
./psql -w postgres -v ON_ERROR_STOP=0 -f /var/opt/microfocus/
pgsql/data/<dump_file> -o /var/opt/microfocus/pgsql/data/
<log_file> -L /var/opt/microfocus/pgsql/data/<log_file> > /var/
opt/microfocus/pgsql/data/<error_log_location> 2>&1
```

- ♦ **-f <filename>:** Uses the file filename as the source of SQL commands.
- ♦ **-L <filename>:** Writes all query output into the file, in addition to the normal output destination.
- ♦ **-o <filename>:** Logs all query output into the file.

All the errors will be redirected to <error\_log\_location>.

---

**NOTE:** Only /var/opt/microfocus/pgsql/data is accessible by zenpostgres. Hence, keep dump and logs in the same path.

---

For example: `./psql -w postgres -v ON_ERROR_STOP=0 -f /var/opt/microfocus/pgsql/data/dump.sql -o /var/opt/microfocus/pgsql/data/postgres_log.txt -L /var/opt/microfocus/pgsql/data/postgres_log.log > /var/opt/microfocus/pgsql/data/postgres_log.err 2>&1`

---

**NOTE:**

- ♦ The database schema already exists in the zenpostgres image. Hence, ERROR about existing schema and invalid locale should be ignored.
- ♦ You can ignore the no version information available error message.

---

♦ `./psql -v ON_ERROR_STOP=0 -f <dump_location> -o <log_location> -L <log_location> > <error_log_location> 2>&1`

- ♦ **-f <filename>**: Uses the file filename as the source of SQL commands. Ensure that the PostgreSQL user has access to the dump being imported.
- ♦ **-L <filename>**: Writes all query output into the file, in addition to the normal output destination
- ♦ **-o <filename>**: Logs all query output into the file

All the errors will be redirected to <error\_log\_location>.

```
./psql -v ON_ERROR_STOP=0 -f /tmp/postgres_dump.sql -o /tmp/postgres_log.txt -L /tmp/postgres_log.log > /tmp/postgres_log.err 2>&1
```

# 8 Backing Up and Restoring the PostgreSQL Database

- ♦ [“Important Commands and Locations” on page 43](#)
- ♦ [“Backing Up and Vacuuming the PostgreSQL Database” on page 43](#)
- ♦ [“Using the zman command to Take a Backup of the Database” on page 45](#)
- ♦ [“Using the pg\\_dump Command to Take a Backup of the Database” on page 46](#)
- ♦ [“Restoring the PostgreSQL Database” on page 46](#)

## Important Commands and Locations

This section provides some of the command and locations that will be used quite frequently while backing-up the data. Ensure that you keep the following information handy while initiating the data migration:

- ♦ The ZENworks database and Audit database names on the embedded PostgreSQL database are available in `zdm.xml` and `zenaudit.xml` files. These files are available in the following location:

Check the **Database** key to get the database name.

**On Windows:** `%ZENSERVER_HOME%\conf\datamodel\`

**On Linux:** `/etc/opt/microfocus/zenworks/datamodel/`

Example:

```
<entry key="Database">zenworks</entry>
```

```
<entry key="Database">zenworksaudit</entry>
```

- ♦ The database details can be retrieved by running the following commands:
  - ♦ `zman dgc`: Retrieves the database credentials used to connect to the embedded database.
  - ♦ `zman dgca`: Retrieves the database credentials used to connect to the audit embedded database.
  - ♦ `zman dgcs`: Retrieves the database credentials of super user that is used to connect to the embedded database.

## Backing Up and Vacuuming the PostgreSQL Database

By default, ZENworks automatically backs up and vacuums the PostgreSQL database every week. By using the `AutomaticPostgresMaintenanceConfigureAction`, you can schedule the automatic backup and vacuum of the database. The default database backup and vacuum schedule is set to Sunday midnight. However, you can use the `pgsql-maintenance.xml` file to customize the schedule.

---

**NOTE:** ♦ The AutomaticPostgresMaintenanceConfigureAction takes backup only the Embedded PostgreSQL database.

- ♦ In ZENworks 2020 Update 2 and earlier, pgsqlDBbackupConf.xml was used to take a backup of the PostgreSQL database. While upgrading from Update 2 to the latest version, pgsqlDBbackupConf.xml is replaced with pgsql-maintenance.xml. If customer has enabled backup only for audit, vacuum will also be done only for the audit database. If the backup is done for both databases, the vacuum will also be done for both databases.
  - ♦ Database backup directory for Linux should be under /var/opt/microfocus/zenworks
  - ♦ If you have configured your zone to use custom JDBC URL for connecting to database, automatic database maintenance actions will not be performed.
- 

After successfully running the configure action, the backup (PGDUMP) is saved in the following location:

♦ **On Linux:**

```
/var/opt/microfocus/zenworks/common/pgsql/ZCMDB_pg_dump/
currentBackupFolder
```

```
/var/opt/microfocus/zenworks/common/pgsql/AuditDB_pg_dump/
currentBackupFolder
```

♦ **On Windows:**

```
%ZENSERVER_HOME%\work\pgsql\ZCMDB_pg_dump\currentBackupFolder
```

```
%ZENSERVER_HOME%\work\pgsql\AuditDB_pg_dump\currentBackupFolder
```

Based on requirements, you can customize the pgsql-maintenance.xml file and then run the microfocus-zenworks-configure -c AutomaticPostgresMaintenanceConfigureAction command.

The pgsql-maintenance.xml file is located in the following location:

♦ **On Windows:** %ZENSERVER\_HOME%\conf\pgsql

♦ **On Linux:** /etc/opt/microfocus/zenworks/pgsql

---

**NOTE:** By default, only ZENworks database is backed up. If required, you can enable the backup of audit database by setting the AuditEnabled parameter to true in the pgsql-maintenance.xml file.

---

Following is an example of the pgsql-maintenance.xml file:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<PostgresMaintenanceInputsType xmlns:ns2="http://www.novell.com/ZENworks/
v1.0/Backup" xmlns:ns3="http://www.novell.com/ZENworks/v1.0">
 <ns2:PostgresBackupInputs>
 <ns2:backupDir>/var/opt/microfocus/zenworks</ns2:backupDir>
 <ns2:backupZen>true</ns2:backupZen>
 <ns2:backupAudit>>false</ns2:backupAudit>
 </ns2:PostgresBackupInputs>
 <ns2:PostgresVacuumInputs>
 <ns2:vacuumZen>true</ns2:vacuumZen>
 <ns2:vacuumAudit>>false</ns2:vacuumAudit>
 </ns2:PostgresVacuumInputs>
 <ns3:Schedule>
 <ns3:DailySchedule>
 <ns3:DaysOfWeek>
 <ns3:Sunday>true</ns3:Sunday>
 <ns3:Monday>>false</ns3:Monday>
 <ns3:Tuesday>>false</ns3:Tuesday>
 <ns3:Wednesday>>false</ns3:Wednesday>
 <ns3:Thursday>>false</ns3:Thursday>
 <ns3:Friday>>false</ns3:Friday>
 <ns3:Saturday>>false</ns3:Saturday>
 </ns3:DaysOfWeek>
 <ns3:StartTime Hour="23" Minute="55" Second="0"/>
 </ns3:DailySchedule>
 </ns3:Schedule>
</PostgresMaintenanceInputsType>
```

---

**IMPORTANT:** In case you have your own mechanism of taking backup of the databases, and do not want ZENworks to take a backup, you can run the following command:

```
microfocus-zenworks-configure -c
AutomaticPostgresMaintenanceConfigureAction -
Dpgsql.delete.maintenance.queue=yes
```

---

## Using the zman command to Take a Backup of the Database

To back up an embedded database, run the zman db command on the server that has the database role.

The backup is created in the following location:

- ♦ On Linux: /var/opt/microfocus/zenworks/common
- ♦ On Windows: %ZENSERVER\_HOME%\work

To configure the backup location and automatic backup schedule, go through the following steps:

1. Go to the backup folder location.
  - ♦ On Linux: /var/opt/microfocus/zenworks/common
  - ♦ On Windows: %ZENSERVER\_HOME%\work

By default, the backup should be available in the *ZCMDB\_pg\_dump* or *AuditDB\_pg\_dump* folder.

2. Go to the following location:

- ♦ On Linux: `/etc/opt/microfocus/zenworks/pgsql/pgsql-maintenance.xml`
- ♦ On Windows: `%ZENSERVER_HOME%\conf\pgsql\pgsql-maintenance.xml`

3. Edit the backup location in the `pgsql-maintenance.xml` file.

4. After editing the XML file, run `microfocus-zenworks-configure -c AutomaticPostgresMaintenanceConfigureAction`

5. Restart the PostgreSQL service.

❑ **On Windows:**

To start the service, perform the following:

- Press Windows + R keys.
- Type `services.msc`.
- Search for the ZENworks Embedded Datastore - PostgreSQL service.
- Right-click the option and then select Restart.

❑ **On Linux:** To start the service, run the `systemctl restart zenpostgresql.service` command.

6. Run the command `zman db`. The database backup should be created in the location that was updated in the `pgsql-maintenance.xml` file.

7. Modify the schedule in the `pgsql-maintenance.xml` file, and restart the ZENworks PostgreSQL service.

Automatically the backup will be created in the location and schedule specified in the `pgsql-maintenance.xml` file.

## Using the `pg_dump` Command to Take a Backup of the Database

You can use the PostgreSQL `pg_dump` command to do a full online backup of both Embedded and External database.

`export LD_LIBRARY_PATH=$LD_LIBRARY_PATH:`

For more information, see [pg\\_dump \(https://www.postgresql.org/docs/11/backup-dump.html\)](https://www.postgresql.org/docs/11/backup-dump.html).

## Restoring the PostgreSQL Database

Restoring an archived database is performed by using the `pg_restore` command. Using the `pg_restore` command, you can restore the backup taken by both `pg_dump` and `AutomaticPostgresMaintenanceConfigureAction`.

To restore a backup, use the following command:

```
pg_restore [connection-option...] [option...] [filename]
```

For more information on options, see [pg\\_restore \(https://www.postgresql.org/docs/11/app-pgrestore.html\)](https://www.postgresql.org/docs/11/app-pgrestore.html).

# Restoring the Database Backup Taken Using the ZMAN Command

To restore a backup that was taken using the zman command (zman db), perform the following:

## On Linux

1. Stop the Services by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

After running the command, under Action, select Stop.

2. (conditional) If Vertica is enabled in your zone, then stop the following services in ZENworks Appliance, using following command:

- ♦ `systemctl stop zenworks-connect.service`
- ♦ `systemctl stop zenworks-kafka.service`

3. Close the database dangling connections by running the following commands:

```
SELECT pg_terminate_backend(pid) FROM pg_stat_activity WHERE pid =
pg_backend_pid();
```

4. Change the user by running the `su zenpostgres` command.

5. Set the super user password for `pg_restore` and `dropdb` using the following command:

```
$ PGPASSWORD=<<set superuser password>>; export PGPASSWORD
```

6. Set the library path and BIN path as shown below:

- ♦ `LD_LIBRARY_PATH=/opt/microfocus/zenworks/share/pgsql/lib; export LD_LIBRARY_PATH`
- ♦ `PATH=$PATH:/opt/microfocus/zenworks/share/pgsql/bin; export PATH`

7. Drop the existing database, the database name can be `zenworks` or `audit` database.

```
docker exec -it zenpostgres dropdb $ dropdb --host=localhost --
dbname=<<database_name>> --port=54327 --username=<<superuser_name>>
<<database_name>>
```

```
$ dropdb --host=localhost --dbname=<<database_name>> --port=54327 --
username=<<superuser_name>> <<database_name>>
```

8. Restore the database by running the following command:

```
docker exec -it zenpostgres pg_restore $ pg_restore --host=localhost --
port=54327 --username=<<superuser_name>> --format=directory --
dbname=<<database_name>> -C <<full path to zenDB_pg_dump>>
```

---

**NOTE:** Ensure that the dump directory is accessible from `zenpostgres` or `postgres` user.

---

## On Windows

1. Stop the Services by running the following configure action:

```
microfocus-zenworks-configure -c Start
```

After running the command, under Action, select Stop.

2. (conditional) If Vertica is enabled in your zone, then stop the following services in ZENworks Appliance:

- ♦ zenworks-connect.service
- ♦ zenworks-kafka.service

3. Close the database dangling connections by running the following commands from PSQL:

- ♦ `SELECT pg_terminate_backend(pid)`
- ♦ `FROM pg_stat_activity`
- ♦ `WHERE pid = pg_backend_pid`

4. Set the super user password for the pg\_restore and dropdb commands:

```
set PGPASSWORD=<<set superuser password>>
```

5. Change the command line to the PostgreSQL bin folder path as shown below:

```
cd /opt/microfocus/zenworks/share/pgsql/bin/
```

6. Drop the existing database by running the following command. The database name can be zenworks or audit database.

```
dropdb --host=localhost --port=54327 --username=<<superuser_name>>
<<database_name>>
```

7. Restore the database by running the following command:

```
pg_restore --host=localhost --port=54327 --username=<<superuser_name>>
--format=directory --dbname=<<database_name>> -C <<full path to
zenDB_pg_dump>>
```

---

**NOTE:** Ensure that the dump directory is accessible from zenpostgres or postgres user.

---



# 9 Connecting to the Embedded PostgreSQL Database

To connect to the embedded PostgreSQL database, based on the existing configurations, set the following environment variables:

---

**NOTE:** 1. The parameter values are available in the `zdm.xml` file.

The `zdm.xml` file is available in the following location:

- ♦ **On Windows** %ZENSERVER\_HOME%\conf\datamodel
  - ♦ **On Linux / Appliance** /etc/opt/microfocus/zenworks/datamodel
2. Use the `zman dgc` commands to get the user name and password. For more information, see [ZENworks Command Line Utilities Reference](#).
- 
- ♦ “On Linux / Appliance” on page 49
  - ♦ “On Windows” on page 50

## On Linux / Appliance

Open the terminal and execute the following commands:

- ♦ `su zenpostgres`
- ♦ `LD_LIBRARY_PATH=/opt/microfocus/zenworks/share/pgsql/lib; export LD_LIBRARY_PATH`  
**On SLES 15:** `export LD_LIBRARY_PATH=/opt/microfocus/zenworks/share/pgsql/lib:/opt/microfocus/zenworks/share/pgsql/stackbuilder/lib; export LD_LIBRARY_PATH`
- ♦ On SLES 15, the *no version information available* error message can be ignored.
- ♦ `PATH=$PATH:/opt/microfocus/zenworks/share/pgsql/bin; export PATH`
- ♦ `PGPORT=<port_number>; export PGPORT`
- ♦ `PGUSER=<user_name>; export PGUSER`
- ♦ `PGDATABASE=<database_name>; export PGDATABASE`
- ♦ `PGPASSWORD=<password>; export PGPASSWORD`
- ♦ `./psql`

Type **quit** to exit from the prompt.

## On Windows

Open command prompt and execute the following commands:

- ♦ set PGPASSWORD=<password>
- ♦ set PGUSER=<user\_name>
- ♦ set PGDATABASE=<database\_name>
- ♦ set PGPORT=<port\_number>
- ♦ cd C:\Program Files (x86)\microfocus\ZENworks\share\postgres\bin
- ♦ psql

Type **quit** to exit from the prompt

# 10 Cleaning Database and Generating Internal Statistics

PostgreSQL required a strong maintenance mechanism to deal with these DEAD tuples and statistics. VACUUM is the maintenance process which takes care of DEAD tuples along with it analyzes the contents of a tables and collects statistics about the distribution of values in each column of every table.

Perform the following steps to clean the PostgreSQL database:

1. Login to the Primary Server that has the database role.
  2. Run the following command to VACUUM on all databases:
    - ♦ `docker exec -it -e PGPORT=<postgresql port> -e PGUSER=<super user retrieved from zman dgcs> -e PGDATABASE=postgres -e PGPASSWORD=<password retrieved from zman dgcs> zenpostgres vacuumdb --analyze --full --skip-locked --verbose --all`
- By default, ZENworks uses 54327 as the PostgreSQL port.

---

## NOTE:

- ♦ Currently, the automatic PostgreSQL backup/vacuum process does not include the Antimalware database. In zones where Antimalware is enabled, you should execute the following command to ensure that the Antimalware database is enabled for backup:

```
docker exec -it -e PGPORT=<postgresql port> -e PGUSER=<super user
retrieved from zman dgcs> -e PGDATABASE=postgres -e
PGPASSWORD=<password retrieved from zman dgcs> zenpostgres vacuumdb --
analyze --full --skip-locked --verbose --all
```

By default, ZENworks uses 54327 as the PostgreSQL port.

- ♦ It is recommends to run these steps every week during the low activity on the database (non-business hours).

For more information, see <https://www.postgresql.org/docs/current/app-vacuumdb.html>

---





# External Database Maintenance

- ♦ Chapter 11, “Backing Up the External Sybase Database,” on page 93
- ♦ Chapter 12, “Restoring the External Sybase Database,” on page 105
- ♦ Chapter 13, “Moving the Data from One External Sybase Database to another External Sybase Database,” on page 107
- ♦ Chapter 14, “Moving the Data from an External OEM Sybase Database to an Embedded Sybase Database,” on page 109
- ♦ Chapter 15, “Migrating the Data from the External Sybase Database to an External Oracle Database,” on page 113
- ♦ Chapter 11, “Migrating the Data from the MS SQL Database to an Oracle Database,” on page 93
- ♦ Chapter 12, “Configuring the ZENworks Server to Point to the New MS SQL Database Containing Data Moved from Another MS SQL Database,” on page 99
- ♦ Chapter 13, “Configuring the ZENworks Server to Point to the New Oracle Database Containing Data Moved from Another Oracle Database,” on page 103
- ♦ Chapter 14, “Configuring PostgreSQL,” on page 105
- ♦ Chapter 20, “Migrating the Data from an External Sybase SQL Anywhere to an MS SQL Database,” on page 135
- ♦ Chapter 21, “Migrating 32-bit OEM Sybase database to 64-bit Sybase on a 64-bit machine,” on page 141
- ♦ Chapter 15, “Creating External PostgreSQL Database Schema,” on page 107
- ♦ Chapter 23, “Migrating the Data from an External Sybase Database to an External PostgreSQL Database,” on page 145
- ♦ Chapter 24, “Migrating the Data from an Oracle Database to an MS SQL Database,” on page 147
- ♦ Chapter 16, “Configuring a ZENworks Server using an Existing Schema,” on page 109
- ♦ Chapter 17, “Backing Up and Restoring the PostgreSQL Database,” on page 111
- ♦ Chapter 18, “Migrating from md5 to scram authentication in PostgreSQL,” on page 113
- ♦ Chapter 19, “Database Activities,” on page 115



# 11 Backing Up the External Sybase Database

When an external Sybase database (Remote OEM Sybase or Remote Sybase SQL Anywhere) has been installed by using the ZENworks installation media, you can back it up to a directory on the local machine or to a network location.

This documentation provides instructions to back up the external Sybase database by using the DBISQL utility. You can choose to back up the database by using any other utility that is recommended in the Sybase SQL Anywhere documentation.

- ♦ [“Backing Up the External Sybase Database on a Windows or Linux Server” on page 93](#)
- ♦ [“Backing up the External Sybase Database Running on a Windows Server to a Network Location on a Remote Windows Machine” on page 97](#)
- ♦ [“Backing up the External Sybase Database Running on a Linux Server to a Network Location on a Remote Linux Machine” on page 100](#)

---

**IMPORTANT:** If the database is located on a ZENworks Server, you must first restore the ZENworks Server, then restore the ZENworks database. Ensure that you have backed up the ZENworks Server and the database (at least once). You can also back up the ZENworks database on a regular basis. However, you can back up the server and the database in any order.

For more information about backing up and restoring the ZENworks Server, see [“Backing Up and Restoring the ZENworks Server and Certificate Authority”](#) in the *ZENworks Disaster Recovery Reference*.

---

## Backing Up the External Sybase Database on a Windows or Linux Server

- 1 On the Windows or Linux server that has the external Sybase database installed and running, launch the DBISQL utility:
  - 1a At the command prompt, go to the %ZENWORKS\_HOME%\sybase\ASA\BIN32 directory on Windows or to the /opt/novell/zenworks/share/sybase/bin32s directory on Linux.
  - 1b On Windows enter the dbisql command, or on Linux enter the ./dbisql command.
  - 1c In the **Connection** page, specify the following fields:
    - ♦ Specify the database credentials.
    - ♦ In **Action**, select **Connect to running database on another computer**.
    - ♦ In **Host**, specify the host name or IP address.
    - ♦ In **Port**, specify 2638 for ZENworks database, or 2639 for Audit database.
  - 1d Click the **Database** tab, then specify the name of database service that is currently running.
  - 1e Click **OK**.

- 2 Decide whether you want to immediately back up the external Sybase database or to schedule the backup to run at a specific time. To immediately back up the database, continue with [Step 2a](#). To schedule the backup to run at a specific time, skip to [Step 3](#).

---

**NOTE:** You need to stop the services before taking a manual backup of the database. In a scheduled backup, the command used for taking database backup stops the service before the backup.

---

**2a** Stop the ZENworks services on the ZENworks Servers in the Management Zone.

♦ **On Windows:**

1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```

2. Enter the number next to the Stop action.

♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the Stop action.

**2b** To immediately back up the embedded Sybase SQL Anywhere database to a directory on the database server, do one of the following:

- ♦ Specify the following query in the [SQL Statements](#) section of the DBISQL utility:

```
BACKUP DATABASE DIRECTORY
'complete_path_of_the_backup_directory_on_database_server'
TRANSACTION LOG TRUNCATE
```

If you want to back up the database to a directory on Windows, you must use \\ (double backslash) as the delimiter while specifying the database backup directory path.

Examples:

- ♦ **On Windows:** To back up the database to the c:\dbbackup directory, execute the following query:

```
BACKUP DATABASE DIRECTORY 'c:\\dbbackup' TRANSACTION LOG
TRUNCATE
```

- ♦ **On Linux:** To back up the database to the /root/dbBackup directory, execute the following query:

```
BACKUP DATABASE DIRECTORY '/root/dbBackup' TRANSACTION LOG
TRUNCATE
```

You must manually archive the complete path of the database backup location that you specify in the query because you need to specify it when you want to change the database backup location at a later time.

- ♦ Manually copy zenworks\_zone\_name.db and zenworks\_zone\_name.log from the database server to the new location where you want to back up the database.

By default, the files are located in

ZENworks\_Installation\_directory\Novell\Zenworks\Database on a Windows Sybase database server, and in /var/opt/novell/zenworks/database/ on a Linux Sybase database server.



**2c** Click **Execute SQL Statement(s)**.

**2d** Start the ZENworks services on all other ZENworks Servers in the Management Zone.

- ♦ **On Windows:**

1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```

2. Enter the number next to the Stop action.

- ♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the Stop action.

**3** To schedule the backup to run at a specific time every day or on specific days of a month:

1. Execute the following query by specifying it in the **SQL Statements** section

```
CREATE EVENT backup_schedule_name
SCHEDULE
START TIME specify_the_schedule
HANDLER
BEGIN
BACKUP DATABASE DIRECTORY
'complete_path_of_the_backup_directory_on_database_server'
TRANSACTION LOG TRUNCATE
END;
```

2. Click **Execute SQL Statement(s)**.

While creating a database backup event, use the following guidelines:

- ♦ The backup schedule name must be unique.
- ♦ If you want to back up the database to a directory on Windows, you must use \\ (double backslash) as the delimiter while specifying the database backup directory path. For example, c:\\dbbackup.
- ♦ You must manually archive the backup schedule that you specify in the query because you need to specify it when you want to change the database schedule at a later time.

Examples:

- ♦ To back up the database at a 1:00 a.m. every day to the /var/ directory on Linux, execute the following query:

```
CREATE EVENT ZENDBbackup
SCHEDULE
START TIME '1:00 AM' EVERY 24 HOURS
HANDLER
BEGIN
```

```

BACKUP DATABASE DIRECTORY '/var/'
TRANSACTION LOG TRUNCATE
END;

```

- ♦ To back up the database at a 1:00 a.m. on the first, second, third, and fourth day of the month to the `c:\dbbackup` directory on Windows, execute the following query:

```

CREATE EVENT ZENDBbackup
SCHEDULE
START TIME '1:00 AM' EVERY 24 HOURS ON (1,2,3,4)
HANDLER
BEGIN
BACKUP DATABASE DIRECTORY 'c:\dbbackup'
TRANSACTION LOG TRUNCATE
END;

```

- ♦ To back up the database to the `/var/day_of_the_week` directory on Linux, execute the following query:

```

CREATE EVENT ZENDBbackup
SCHEDULE
START TIME '1:00 AM' EVERY 24 HOURS
HANDLER
BEGIN
DECLARE backupDir varchar(256);
DECLARE backup_stmt varchar(512);
SET backupDir = DAYNAME(now());
SET backup_stmt = 'BACKUP DATABASE DIRECTORY ' || '/var/' || backupDir || ' TRANSACTION LOG TRUNCATE';
EXECUTE IMMEDIATE backup_stmt;
END;

```

According to the backup schedule, the `zenworks_zone_name.db` database file and the `zenworks_zone_name.log` transaction log file are created in the database backup directory.

If you want to change the database backup location or the backup schedule at a later time, see [“Changing the Backup Schedule and Location of the External Sybase Database Subsequent to the Initial Backup” on page HIDDEN](#).

# Backing up the External Sybase Database Running on a Windows Server to a Network Location on a Remote Windows Machine

To back up an external Sybase database that is installed and running on a Windows server to a network location on another Windows machine, you need a local machine and a remote machine. The local machine is a Windows server with the external Sybase database installed. The remote machine is a Windows machine that has the network location to which you want to back up the database.

**1** Perform the following steps on the local machine:

**1a** Create an administrative user and specify a password.

For example, you could specify the administrative user name as `Administrator` and the password as `novell`.

**1b** From the desktop **Start** menu, click **Settings**, click **Control Panel**, double-click **Administrative Tools**, then double-click **Services**.

**1c** Right-click the **Novell ZENworks Datastore** service, then click **Properties**.

**1d** Click the **Log On** tab.

**1e** Select **This account**, then specify the name and the password of the administrative user you created in Step 1a.

For example, specify the user as `Administrator` and the password as `novell`.

**1f** Click **OK**.

**2** Perform the following steps on the remote machine that has the network location where you want to save the backup:

**2a** Create an account with the same credentials as the user you created in Step 1a.

For example, specify user as `Administrator` and password as `novell`.

**2b** Provide Read/Write permission on the network location to the user.

**3** Launch the DBISQL utility on the local machine. For more information, see [Step 1 on page 93](#) in the “[Backing Up the External Sybase Database on a Windows or Linux Server](#)” on page 93.

**4** Decide whether you want to immediately back up the external Sybase database or to schedule the backup to run at a specific time. To back up the database immediately, continue with [Step 4a](#). To schedule the backup to run at a specific time, skip to [Step 5](#).

**4a** Stop the ZENworks services on the ZENworks Servers in the Management Zone.

♦ **On Windows:**

1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```

2. Enter the number next to the `Stop` action.

♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the `Stop` action.

**4b** To immediately back up the embedded Sybase SQL Anywhere database to the network location on the remote machine, do one of the following:

- ♦ Specify the following query in the **SQL Statements** section of the DBISQL utility:

```
BACKUP DATABASE DIRECTORY
'\\\\\\IP_address_of_remote_machine\\backup_directory\\custom_directory' TRANSACTION LOG TRUNCATE
```

In the query, `\\\\\\IP_address_of_the_remote_machine\\backup_directory` is the shared network location on the remote machine and `custom_directory_name` is a name that you specify for a directory to be newly created and into which the database files are to be backed up.

For example, execute the following query to back up the database to the dbbackup directory:

```
BACKUP DATABASE DIRECTORY
'\\\\\\shared_network_location_on_remote_machine\\dbbackup' TRANSACTION LOG TRUNCATE
```

You must manually archive the complete path of the database backup location that you specify in the query because you need to specify it if you want to change the database backup location at a later time.

- ♦ Manually copy `zenworks_zone_name.db` and `zenworks_zone_name.log` from the database server to a required location on the remote machine.

By default, the files are located in

`ZENworks_Installation_directory\\Novell\\Zenworks\\Database` on a Windows Sybase database server.

**4c** Click **Execute SQL Statement(s)**.

**4d** Start the ZENworks services on the ZENworks Servers in the Management Zone.

- ♦ **On Windows:**

1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```

2. Enter the number next to the Start action.

- ♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the Start action.

**5** To schedule the backup to run at a specific time every day or on specific days of a month:

1. Execute the following query by specifying it in the **SQL Statements** section:

```
CREATE EVENT backup_schedule_name
SCHEDULE
START TIME specify_the_schedule
HANDLER
BEGIN
```

```

BACKUP DATABASE DIRECTORY
'\\\\\\IP_address_of_remote_machine\\backup_directory\\custom_directory'

TRANSACTION LOG TRUNCATE

END;

```

In the query, `\\\\\\IP_address_of_the_remote_machine\\backup_directory\\` is the shared network location on the remote machine and `custom_directory_name` is a name that you specify for a directory to be newly created and into which the database files are to be backed up.

While creating a database backup event, use the following guidelines:

- ♦ The backup schedule name must be unique.
- ♦ You must manually archive the backup schedule that you specify in the query because you need to specify it if you want to change the database schedule at a later time.

## 2. Click **Execute SQL Statement(s)**.

Examples:

- ♦ To back up the database at a 1:00 A.M. everyday to the `dbbackup` directory on Windows, execute the following query:

```

CREATE EVENT ZENDBbackup

SCHEDULE

START TIME '1:00 AM' EVERY 24 HOURS

HANDLER

BEGIN

BACKUP DATABASE DIRECTORY
'\\\\\\shared_network_location_on_remote_machine\\dbbackup'

TRANSACTION LOG TRUNCATE

END;

```

- ♦ To back up the database at a 1:00 A.M. on the first, second, third, and fourth day of the month to the `dbbackup` directory on a Windows server, execute the following query:

```

CREATE EVENT ZENDBbackup

SCHEDULE

START TIME '1:00 AM' EVERY 24 HOURS ON (1,2,3,4)

HANDLER

BEGIN

BACKUP DATABASE DIRECTORY
'\\\\\\shared_network_location_on_remote_machine\\dbbackup'

TRANSACTION LOG TRUNCATE

END;

```

- ♦ To back up the database to the `\dbbackup\day_of_the_week` directory on a Windows server, execute the following query:

```
CREATE EVENT ZENDBbackup
SCHEDULE
START TIME '1:00 AM' EVERY 24 HOURS
HANDLER
BEGIN
DECLARE backupDir varchar(256);
DECLARE backup_stmt varchar(512);
SET backupDir = DAYNAME(now());
SET backup_stmt = 'BACKUP DATABASE DIRECTORY ' ||
'''\shared_network_location_on_remote_machine\dbbackup/' ||
backupDir || ' ' || 'TRANSACTION LOG TRUNCATE';
EXECUTE IMMEDIATE backup_stmt;
END;
```

According to the backup schedule, `zenworks_zone_name.db` and `zenworks_zone_name.log` are created in the network location on the remote machine. The backed-up database is stored in `zenworks_zone_name.db`. The result of the database backup is logged in `zenworks_zone_name.log`.

If you want to change the database backup location or the backup schedule at a later time, see [“Changing the Backup Schedule and Location of the External Sybase Database Subsequent to the Initial Backup”](#) on page `HIDDEN`.

## Backing up the External Sybase Database Running on a Linux Server to a Network Location on a Remote Linux Machine

To back up the external Sybase database that is installed and running on a Linux server to a network location on a Linux machine, you need a local machine and a remote machine. The local machine is a Linux server with the external Sybase database installed. The remote machine is a Linux machine that has the network location to which you want to back up the database.

You can back up the database on a Linux machine by using any Linux share such as Samba share or an NFS share.

To back up the external Sybase database that is installed and running on a Linux server to a network location on a Linux machine by using Samba share:

- 1 Create a Samba share on the remote machine:
  - 1a Create a user by entering the `useradd user_name` command at the command prompt.
  - 1b Log into the remote machine with the user name you created in Step 1a, and set the password by using the `passwd specify_the_password` command.

**1c** Create a directory to save the database backup.

For example, create a directory with the name `backup`.

**1d** Open the Samba server settings by running the `yast2 samba-server` command.

**1e** Click the **Shares** tab, then click **Add** to specify the share name and the path to the backup directory you created in Step 1c.

For example, specify the share name as `dbbackup`.

**1f** Select the `dbbackup` share, click **Edit**, then add the following attributes:

- ♦ `create mask = 0640`
- ♦ `force user = user_name_created_in_Step 1a`
- ♦ `guest ok = yes`
- ♦ `public = yes`
- ♦ `wide links = no`
- ♦ `writable = yes`

**2** Create a directory on the local machine.

For example, create a directory with the name `zenworks_dbbackup` in `/root`.

**3** Mount the Samba share on the `zenworks_dbbackup` directory on the local machine by entering the following command at the command prompt:

```
mount -t smbfs //IP_address_of_the_remote_machine/share_name -o
username=user_name_specified_in_Step1a,password=password_
specified_in_Step_1b
local_directory_name_with_complete_path_created_in_Step2
```

For example:

```
mount -t smbfs //IP_address_of_the_remote_machine/dbbackup -o
username=user_name_specified_in_Step1a,password=password_
specified_in_Step_1b /root/zenworks_dbbackup
```

**4** Launch the DBISQL utility on the local machine. For more information, see [Step 1 on page 93](#) in the “Backing Up the External Sybase Database on a Windows or Linux Server” on page 93.

**5** Decide whether you want to immediately back up the external Sybase database or to schedule the backup to run at a specific time. To back up the database immediately, continue with [Step 5a](#). To schedule the backup to run at a specific time, skip to [Step 6](#).

**5a** Stop the ZENworks services on the ZENworks Servers in the Management Zone.

**5a1** Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

**5a2** Enter the number next to the **Stop** action.

**5b** To immediately back up the external Sybase database to the network location on the remote machine, do one of the following:

- ♦ Specify the following query in the **SQL Statements** section of the DBISQL utility:

```
BACKUP DATABASE DIRECTORY
'complete_path_of_the_backup_directory_on_database_server'
TRANSACTION LOG TRUNCATE
```

For example, execute the following query to back up the database to the `/root/zenworks_dbbackup` directory:

```
BACKUP DATABASE DIRECTORY '/root/zenworks_dbbackup/' TRANSACTION
LOG TRUNCATE
```

You must manually archive the complete path of the database backup location that you specify in the query because you need to specify it if you want to change the database backup location at a later time.

- ♦ Manually copy `zenworks_zone_name.db` and `zenworks_zone_name.log` from the database server to a required location on the remote machine.

By default, the files are located in `/var/opt/novell/zenworks/database/` on a Linux Sybase database server.

**5c** Click **Execute SQL Statement(s)**.

**5d** Start the ZENworks services on the ZENworks Servers in the Management Zone .

**5d1** Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

**5d2** Enter the number next to the `Start` action.

**6** To schedule the backup to run at a specific time every day or on specific days of a month:

1. Execute the following query by specifying it in the **SQL Statements** section:

```
CREATE EVENT backup_schedule_name
SCHEDULE
START TIME specify_the_schedule
HANDLER
BEGIN
BACKUP DATABASE DIRECTORY
'complete_path_of_the_backup_directory_on_database_server'
TRANSACTION LOG TRUNCATE
END;
```

While creating a database backup event, use the following guidelines:

- ♦ The backup schedule name that you specify must be unique.
- ♦ You must manually archive the backup schedule that you specify in the query because you need to specify it if you want to change the database schedule at a later time.

2. Click **Execute SQL Statement(s)**.

Examples:

- ♦ To back up the database at a 1:00 A.M. everyday to the `/root/zenworks_dbbackup` directory on Linux, execute the following query:

```
CREATE EVENT ZENDBbackup
SCHEDULE
START TIME '1:00 AM' EVERY 24 HOURS
HANDLER
BEGIN
```



```

BACKUP DATABASE DIRECTORY '/root/zenworks_dbbackup/'
TRANSACTION LOG TRUNCATE

END;

```

- ♦ To back up the database at a 1:00 a.m. on the first, second, third, and fourth day of the month to the /root/zenworks\_dbbackup directory on Linux, execute the following query:

```

CREATE EVENT ZENDBbackup
SCHEDULE
START TIME '1:00 AM' EVERY 24 HOURS ON (1,2,3,4)
HANDLER
BEGIN
BACKUP DATABASE DIRECTORY '/root/zenworks_dbbackup/'
TRANSACTION LOG TRUNCATE
END;

```

- ♦ To back up the database to the /root/zenworks\_dbbackup/day\_of\_the\_week directory on Linux, execute the following query:

```

CREATE EVENT ZENDBbackup
SCHEDULE
START TIME '1:00 AM' EVERY 24 HOURS
HANDLER
BEGIN
DECLARE backupDir varchar(256);
DECLARE backup_stmt varchar(512);
SET backupDir = DAYNAME(now());

SET backup_stmt = 'BACKUP DATABASE DIRECTORY ' || '''/root/
zenworks_dbbackup/' || backupDir || ''' || ' TRANSACTION LOG
TRUNCATE';

EXECUTE IMMEDIATE backup_stmt;

END;

```

According to the backup schedule, `zenworks_zone_name.db` and `zenworks_zone_name.log` are created in the network location on the remote machine (/root/zenworks\_dbbackup). The backed-up database is stored in `zenworks_zone_name.db`. The result of the database backup is logged in `zenworks_zone_name.log`.

If you want to change the database backup location or the backup schedule at a later time, see [“Changing the Backup Schedule and Location of the External Sybase Database Subsequent to the Initial Backup”](#) on page **HIDDEN**.



# 12 Restoring the External Sybase Database

---


**IMPORTANT:** If the database is located on a ZENworks Server, you must first restore the ZENworks Server, then restore the ZENworks database. Ensure that you have backed up the ZENworks Server and the database (at least once). You can also back up the ZENworks database on a regular basis. However, you can back up the server and the database in any order.

For more information about backing up and restoring the ZENworks Server, see “[Backing Up and Restoring the ZENworks Server and Certificate Authority](#)” in the *ZENworks Disaster Recovery Reference*.

---


You can choose to restore the backed-up external Sybase database (Remote OEM Sybase or Remote Sybase SQL Anywhere) on the same device that has database server installed or to a different device.

To restore the backed-up external Sybase database:

- 1 Stop the Novell ZENworks Embedded Datastore service on the database server on which you want to restore the backed-up database. If you choose to restore the backed-up database on a different device, you must stop the service on that device as well as on the database server.
  - ♦ **On Windows:**
    1. From the Windows desktop **Start** menu, click **Settings > Control Panel**.
    2. Double-click **Administrative Tools > Services**.
    3. Right-click the **Novell ZENworks Embedded Datastore** service, then click **Stop**, or select the **Novell ZENworks Embedded Datastore** service, then click  on the toolbar.
  - ♦ **On Linux:** At the console prompt, enter
    - ♦ `/etc/init.d/sybase-asa stop` on SLES 11.
    - ♦ `systemctl stop sybase-asa.service` on SLES 12.
- 2 Stop the ZENworks services on the ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:  
`novell-zenworks-configure -c Start`
    2. Enter the number next to the **Stop** action.
  - ♦ **On Linux:**
    1. Execute the following command at the server prompt:  
`/opt/novell/zenworks/bin/novell-zenworks-configure -c Start`
    2. Enter the number next to the **Stop** action.
- 3 Copy the following files from the device where the external Sybase database is backed up to the device on which you want to restore the external Sybase database:
  - ♦ `zenworks_zone_name.db`
  - ♦ `zenworks_zone_name.log`

By default, the files must be copied to the

*ZENworks\_Installation\_directory*: \Novell\Zenworks\Database on a Windows Sybase database server, and to /var/opt/novell/zenworks/database/ on a Linux Sybase database server.

- 4 Start the Novell ZENworks Embedded Datastore service on the database server on which you restored the backed-up database. If you have restored the backed-up database to a different device, you must start the service on that device as well as on the database server.
  - ♦ **On Windows:** Do the following:
    1. From the Windows desktop **Start** menu, click **Settings > Control Panel**.
    2. Double-click **Administrative Tools > Services**.
    3. Right-click the **Novell ZENworks Embedded Datastore** service, then click **Start**, or select the **Novell ZENworks Embedded Datastore** service, then click  on the toolbar.
  - ♦ **On Linux:** At the console prompt, enter
    - ♦ /etc/init.d/sybase-asa start on SLES 11.
    - ♦ systemctl start sybase-asa.service on SLES 12.
- 5 (Conditional) If you restore the database to a location other than the one given in the *zenworks\_database.conf* file, you must manually edit the file to specify the new location of the database. The *zenworks\_database.conf* file is located by default in the *zenworks\_installation\_directory*\novell\zenworks\database\conf\ directory on Windows and in the /etc/opt/novell/zenworks/ directory on Linux.
- 6 Start the ZENworks services on the ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```
    2. Enter the number next to the **Start** action.
  - ♦ **On Linux:**
    1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```
    2. Enter the number next to the **Start** action.

# 13 Moving the Data from One External Sybase Database to another External Sybase Database

ZENworks allows you move the data from one OEM Sybase database (external Sybase database) to another external Sybase database.

- ♦ [“Preparing to Move the Data” on page 107](#)
- ♦ [“Moving the Data from One External Sybase to Another External Sybase” on page 107](#)


## Preparing to Move the Data


Before moving the data from one external Sybase database to another external Sybase database, do the following:

- ♦ Ensure that the ZENworks Server is configured to an external Sybase database. The database can be installed on the ZENworks Server, or on a different Windows or Linux device. The data is moved from this database to another external database. Assume that the device that hosts the database is EDB1.
- ♦ Ensure that you have another Windows or Linux device with an external Sybase database installed. Assume that this device to which you are moving the data to is EDB2.

For more information on how to install an external Sybase database, for Windows, see [“ZENworks Server Installation”](#) for Linux, see [“ZENworks Server Installation”](#) in the [ZENworks Server Installation](#).

## Moving the Data from One External Sybase to Another External Sybase

- 1 Stop all the ZENworks services on all the ZENworks Servers that are connected to EDB1. For more information, see [Step 2a on page HIDDEN](#) in the [“Backing Up the Embedded PostgreSQL Database on a Windows or Linux Server” on page HIDDEN](#).
- 2 On EDB1 and EDB2 devices, stop the Novell ZENworks Embedded Datastore service.
  - ♦ **On Windows:** Perform the following:
    1. From the Windows desktop **Start** menu, click **Settings > Control Panel**.
    2. Double-click **Administrative Tools > Services**.
    3. Right-click the **Novell ZENworks Embedded Datastore** service, then click **Stop**, or select the **Novell ZENworks Embedded Datastore** service, then click  on the toolbar.

- ♦ **On Linux:** At the console prompt, enter
  - ♦ `/etc/init.d/sybase-asa stop` on SLES 11.
  - ♦ `systemctl stop sybase-asa.service` on SLES 12.
- 3** From the EDB1 device, copy `zenworks_database.conf` and all files within the database directory to the appropriate directories on the EDB2 device.  
 The `zenworks_database.conf` is located in the `ZENworks_installation_path\conf\` directory on Windows and in the `/etc/opt/novell/zenworks/` directory on Linux.  
 The database directory is located in `ZENworks_installation_path` by default on Windows and in the `/var/opt/novell/zenworks/` directory on Linux.
- 4** On the EDB2 device, open `zenworks_database.conf` and ensure that it contains the correct path of the database file.
- 5** On each ZENworks Server that is connected to EDB1, edit `zdm.xml` and edit `zenaudit.xml` (located in `ZENworks_installation_path\conf\datamodel` on Windows and in `/etc/opt/novell/zenworks/datamodel` on Linux):
  - ♦ Set the value of the `Server` entry key to the IP address of the EDB2 device.
  - ♦ Ensure that the value of the `Port` entry key is the port number on which the EDB2 device is running.
- 6** On the EDB2 device, start the Novell ZENworks Embedded Datastore service:
  - ♦ **On Windows:** Do the following:
    1. From the Windows desktop **Start** menu, click **Settings > Control Panel**.
    2. Double-click **Administrative Tools > Services**.
    3. Right-click the **Novell ZENworks Embedded Datastore** service, then click **Start**, or select the **Novell ZENworks Embedded Datastore** service, then click  on the toolbar.
  - ♦ **On Linux:** At the console prompt, enter
    - ♦ `/etc/init.d/sybase-asa start` on SLES 11.
    - ♦ `systemctl start sybase-asa.service` on SLES 12.
- 7** Start the ZENworks services on the ZENworks Servers in the Management Zone. For more information, see [Step 2c on page HIDDEN](#) in the “[Backing Up the Embedded PostgreSQL Database on a Windows or Linux Server](#)” on page HIDDEN.

The ZENworks Server now points to new database (EDB2).

# 14 Moving the Data from an External OEM Sybase Database to an Embedded Sybase Database

ZENworks allows you move the data from an OEM Sybase database (external Sybase database) to a Embedded OEM Sybase SQL Anywhere database (embedded Sybase database) that is installed on the ZENworks Server.

- ♦ [“Preparing to Move the Data” on page 109](#)
- ♦ [“Moving the Data from the External Sybase to the Embedded Sybase” on page 109](#)

## Preparing to Move the Data

Before moving the data from an external Sybase database to an embedded Sybase database, do the following:

- ♦ Ensure that ZENworks is configured to an external OEM Sybase database. The database can be installed on a Windows or Linux device.
- ♦ Install the Embedded OEM Sybase database on the ZENworks Server.

For more information on how to install the database, for Windows, see [“Windows Installation Workflow”](#) for Linux, see [“Linux Installation Workflow”](#) in the [ZENworks Server Installation](#).

During the installation of the embedded Sybase database, you must consider the following points while the Sybase Access Configuration page:

- ♦ The database name can be same as that of the external Sybase database or can be a unique name.
- ♦ Ensure that the user name and password are same as that of the external Sybase database.
- ♦ Ensure that the database server name is unique.

## Moving the Data from the External Sybase to the Embedded Sybase

- 1 Stop the ZENworks services on the ZENworks Servers in the Management Zone.

- ♦ **On Windows:**

1. Execute the following command at the server prompt:  
`novell-zenworks-configure -c Start`
2. Enter the number next to the Stop action.

- ♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the Stop action.

- 2 On the ZENworks Server that has the embedded Sybase database installed, delete the contents of the database directory.

The database directory is located in *ZENworks\_installation\_path* on Windows and in the */opt/novell/zenworks/* directory on Linux.

- 3 On the device that has the external Sybase database installed, stop the Novell ZENworks Embedded Datastore service.

- ♦ **On Windows:** Perform the following:

1. From the Windows desktop **Start** menu, click **Settings > Control Panel**.
2. Double-click **Administrative Tools > Services**.
3. Right-click the **Novell ZENworks Embedded Datastore** service, then click **Stop**, or select the **Novell ZENworks Embedded Datastore** service, then click ■ on the toolbar.

- ♦ **On Linux:** At the console prompt, enter

- ♦ */etc/init.d/sybase-asa stop* on SLES 11.
- ♦ *systemctl stop sybase-asa.service* on SLES 12.

- 4 From the device that has the external Sybase database installed, copy all files within the database directory to the appropriate directories on the ZENworks Server that has the embedded Sybase database.

The database directory is located in *ZENworks\_installation\_path* on Windows and in the */opt/novell/zenworks/* directory on Linux.

- 5 On the ZENworks Server that has the embedded Sybase database installed, open *zenworks\_database.conf* and ensure that it contains the correct path of the database file.

- 6 On the ZENworks Server that has the embedded Sybase database installed, edit *zdm.xml* and *zenaudit.xml* (located in *ZENworks\_installation\_path\conf\datamodel* on Windows and in */etc/opt/novell/zenworks/datamodel* on Linux):

- ♦ Add the following entry:

```
<entry key="Embedded">true</entry>
```

- ♦ Set the value of the *Server* entry key to 127.0.0.1 (the IP address of the ZENworks Server that has the embedded Sybase database installed).
- ♦ Ensure that the value of the *Port* entry key is the port number on which the embedded Sybase database is running.
- ♦ Set the value of the *Engine* entry key to the database server name specified during the installation of the embedded Sybase database.
- ♦ (Optional) If you've specified a unique database name during the installation of the embedded Sybase database, set the value of the *Database* entry key to the unique database name.



**7** Start the ZENworks services on the ZENworks Servers in the Management Zone.

♦ **On Windows:**

1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```

2. Enter the number next to the `Start` action.

♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the `Start` action.

The ZENworks Server now points to new database.



# 15 Migrating the Data from the External Sybase Database to an External Oracle Database

ZENworks allows you migrate the data from the external Sybase database to an Oracle database installed on a device that does not have ZENworks installed.

Review the following to migrate the database:

- ♦ [“Preparing to Move the Data” on page 113](#)
- ♦ [“Migrating the Data from the External Sybase Database to an Oracle Database” on page 115](#)
- ♦ [“Post-Migration Tasks” on page 117](#)

## Preparing to Move the Data

Before migrating the data from the Sybase database to Oracle database, do the following:

- ♦ Ensure that the license state of ZENworks is Active. The product must be installed and running either in the licensed version or the evaluation version.
- ♦ Save all the reports, `rights.xml`, and `ownership.xml` by using the `zman report-save (rpsv) (destination folder)` command. The XML files contain rights and ownership details of all the reports.
- ♦ Ensure that the Oracle database is installed on a device that does not have ZENworks installed.
- ♦ Ensure that the "USERS"/USER-CREATED tablespace has sufficient space to create and store the ZENworks database schema. The tablespace requires a minimum of 100 MB to create ZENworks database schema without any data in it and an appropriate additional space depending upon the size of the database to be migrated. For more information on tablespaces, refer to [ZENworks Server Installation](#).
- ♦ Ensure that the `NLS_CHARACTERSET` parameter is set to `AL32UTF8` and the `NLS_NCHAR_CHARACTERSET` parameter to `AL16UTF16` by running the following query at the database prompt:

```
select parameter, value from nls_database_parameters where parameter
like '%CHARACTERSET%';
```

- ♦ Ensure that the `sharename`, `filename`, and `path columns` do not contain blank strings in the `NC_VRBSOFTWARE` table. In case these column have blank strings, delete those records from the table. Deleting these records will remove the usage of these software from database.

Query to delete the records from `NC_VRBSOFTWARE`:

```
DELETE FROM NC_VRBSOFTWARE WHERE SHARENAME='' OR PATH='' OR FILENAME=''
OR SHARENAME IS NULL OR PATH IS NULL OR FILENAME IS NULL;
```

- ♦ (Conditional) If you want to migrate the database by creating a new user schema, ensure that the following additional requirements are met:
  - ♦ You must be aware of the database administrator credentials.

---

**NOTE:** Ensure that the database administrator has the following privileges:

- ♦ GRANT ALL on DBMS\_REDEFINITION with GRANT option;
  - ♦ GRANT ALL on DBMS\_DDL with GRANT option;
- 

- ♦ A tablespace must already exist for associating to the Oracle access user
- ♦ You can choose to migrate the database by using an existing user schema that resides on a server in your network in the following scenario:
  - ♦ The database administrator create two user schemas with the necessary rights and you get the credentials for both user schemas from the database administrator. In this case, the database administrator credentials are not required to migrate the database.

If you want to migrate the database by using an existing user schema, ensure that the following additional requirements are met:

- ♦ Ensure that the user schema has the following rights to create the database.

```
CREATE_SESSION
CREATE_TABLE
CREATE_VIEW
CREATE_PROCEDURE
CREATE_SEQUENCE
CREATE_TRIGGER
DBMS_REDEFINITION
DBMS_DDL
DBMS_LOCK
```

- ♦ Ensure that the quota for the user schema is set to Unlimited on the USERS tablespace.
- ♦ Manually stop the ZENworks services running on the ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:
 

```
novell-zenworks-configure -c Start
```
    2. Enter the number next to the Stop action.
  - ♦ **On Linux:**
    1. Execute the following command at the server prompt:
 

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```
    2. Enter the number next to the Stop action.

- Ensure that your external Sybase database service is running.
- (Optional) The status of database migration is logged into the `novell-zenworks-configure.log` file. By default, only the messages of the type Info and Severe are logged. If you want other message types (such as Finer, Finest, and Warning) to also be logged into the file, do the following in the `novell-zenworks-configure.properties` file:

1. Set the value of `Logger.logLevel` to the appropriate message type.

For example, if you want messages of the type Finest to be logged:

```
#Logger.logLevel = FINEST
```

2. Uncomment the line by removing the “#” as follows:

```
Logger.logLevel = FINEST
```

The `novell-zenworks-configure.properties` file is located in

`%ZENWORKS_HOME%\conf\` on Windows and in `/etc/opt/novell/zenworks/` on Linux.

## Migrating the Data from the External Sybase Database to an Oracle Database

- [“Migrating the Data from the External Sybase Database to an Oracle Database” on page 115](#)
- [“Resuming the Database Migration” on page 116](#)

## Migrating the Data from the External Sybase Database to an Oracle Database

- 1 Ensure that all the tasks listed in [“Preparing to Move the Data” on page 113](#) are completed.
- 2 Run the database migration utility. For more information, see [Chapter 1, “Retrieving and Storing the Credentials of the Embedded PostgreSQL Database,” on page 11](#).
- 3 Enter the target database type as Oracle.
- 4 Enter the IP address or host name of the Oracle database server.
- 5 Enter the port used by the Oracle database server.
- 6 Enter the fully qualified net service name for the Oracle database.
- 7 You can choose to create a new user schema or use an existing user schema.  
If you choose to create a new schema, continue with [Step 8](#).  
If you choose to use an existing user schema, skip to [Step 9](#).
- 8 Enter the database server administrator's user name and password.
- 9 Enter the schema name when prompted for the database user name.
- 10 Enter the database schema password when prompted for the database user's password.

---

**NOTE:** The migration utility prompts for inputs as mentioned in [Step 3](#) to [Step 9](#) to migrate audit database as well.

---

The database migration starts.

- 11 When the database migration is complete, you can check the `novell-zenworks-configure.log` file to see if the migration was successful. The log file is located in `%ZENWORKS_HOME%\log\` on Windows and in `/var/opt/novell/log/zenworks/` on Linux.
- 12 After the database is successfully migrated, continue with the following steps:
  - 12a Perform post-migration tasks. See [“Post-Migration Tasks” on page 117](#).
  - 12b Re-configure the ZENworks Reporting Server to point to the Oracle database, because it will still be pointing to the Sybase database.

## Resuming the Database Migration

If the migration of the database is stopped for any reason, the ZENworks migration utility allows you to resume the migration if the `dbmigration.xml` file has been created. The file is located in the `ZENworks_installtion_path\bin` directory on Windows, and in the `/opt/novell/zenworks/bin` directory on Linux.

- 1 Run the database migration utility.
- 2 Enter the target database type as Oracle.
- 3 Enter the IP address or host name of the Oracle database server.

You must specify the IP address or host name of the Oracle database server used while migrating the database. For example, if you had specified the IP address of the database server while migrating the database, then you must specify the same IP address while resuming the database migration. You cannot specify the host name of the database server.
- 4 Enter the port used by the Oracle database server.
- 5 Enter the fully qualified net service name for the Oracle database.
- 6 Choose to use an existing schema.
- 7 Enter the schema name when prompted for the database user name specified before stopping the database migration.
- 8 Enter the database schema password when prompted for the database user's password specified before stopping the database migration.

---

**NOTE:** The migration utility prompts for inputs as mentioned in [Step 3](#) to [Step 8](#) to migrate audit database as well.

---

- 9 Choose to resume the database migration.

The database migration starts.
- 10 After the database is successfully migrated, continue with [“Post-Migration Tasks” on page 117](#).

# Post-Migration Tasks

If there is only one server in the Management Zone, all ZENworks services are automatically started after the data is successfully migrated to an Oracle database.

If there are multiple servers in the Management Zone:

- 1 From the device where you ran the migration utility, copy the following files and paste them in the appropriate directory, on all other Primary Servers:

```
zdm.xml
dmaccounts.properties
dmmappings.properties
zenaudit.xml
zenaudit_dmaccounts.properties
```

Ensure that these files have appropriate rights. The files are located in the following path:

- ♦ **Windows:** `ZENworks_installation_path\conf\datamodel`
- ♦ **Linux:** `/etc/opt/novell/zenworks/datamodel`

Ensure that you run `permissions.sh` script located at `/opt/novell/zenworks/bin` on the Linux server after copying the above listed files.

- 2 Start the ZENworks services on the ZENworks Servers in the Management Zone.

- ♦ **On Windows:**

1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```

2. Enter the number next to the `Start` action.

- ♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the `Start` action.

The ZENworks Server now points to the new database.

For the Oracle 11g database, any administrator name is case sensitive, including login names from user sources. The default ZENworks administrator account automatically created during installation uses an initial capital, so in order to log into ZENworks Control Center, you must enter `Administrator`.

If your zone has ZENworks Reporting, then you must run the ZENworks Reporting Configuration Tool to point to the newly migrated Oracle database.





# 16 Migrating the Data from the MS SQL Database to an Oracle Database

ZENworks allows you migrate the data from the MS SQL database to an Oracle database installed on a device that does not have ZENworks installed.

Review the following to migrate the database:

- ♦ [“Preparing to Move the Data” on page 93](#)
- ♦ [“Migrating the Data from the MS SQL Database to an Oracle Database” on page 95](#)
- ♦ [“Post-Migration Tasks” on page 97](#)

## Preparing to Move the Data

Before migrating the data from the MS SQL database to Oracle database, do the following:

- ♦ Run the ZENworks Diagnostic Center (ZDC) and check for schema differences.

If the ZENworks database tables are not present under the default database schema DBO, then to avoid any issues, contact Micro Focus Customer Center before upgrading your zone.

To find out the database scheme, run the following query in the Microsoft SQL database:

```
SELECT distinct(SCHEMA_NAME(schema_id)) as OWNER FROM sys.objects WHERE
type= 'U'
```

---

**IMPORTANT:** If the unique constraint is not created on the serial number column of the zDevice table, database migration from the Microsoft SQL database to the Oracle database might fail.

---

- ♦ Ensure that the license state of ZENworks is Active. The product must be installed and running either in the licensed version or the evaluation version.
- ♦ Save all the reports, `rights.xml`, and `ownership.xml` by using the `zman report-save (rpsv) (destination folder)` command. The XML files contain rights and ownership details of all the reports.
- ♦ Ensure that the Oracle database is installed on a device that does not have ZENworks installed.
- ♦ Ensure that the "USERS"/USER-CREATED tablespace has sufficient space to create and store the ZENworks database schema. The tablespace requires a minimum of 100 MB to create ZENworks database schema without any data in it and an appropriate additional space depending upon the size of the database to be migrated. For more information on tablespaces, refer to the section “Prerequisites for Oracle” in [ZENworks Server Installation](#).
- ♦ Ensure that the NLS\_CHARACTERSET parameter is set to AL32UTF8 and the NLS\_NCHAR\_CHARACTERSET parameter to AL16UTF16 by running the following query at the database prompt:

```
select parameter, value from nls_database_parameters where parameter
like '%CHARACTERSET%';
```

- ♦ Ensure that the **sharename**, **filename**, and **path columns** do not contain blank strings in the NC\_VRBSOFTWARE table.
- ♦ (Conditional) If you want to migrate the database by creating a new user schema, ensure that the following additional requirements are met:
  - ♦ You must be aware of the database administrator credentials.

---

**NOTE:** Ensure that the database administrator has the following privileges:

- ♦ GRANT ALL on DBMS\_REDEFINITION with GRANT option;
  - ♦ GRANT ALL on DBMS\_DDL with GRANT option;
- 

- ♦ A tablespace must already exist for associating to the Oracle access user
- ♦ You can choose to migrate the database by using an existing user schema that resides on a server in your network in the following scenario:
  - ♦ The database administrator create two user schemas with the necessary rights and you get the credentials for both user schemas from the database administrator. In this case, the database administrator credentials are not required to migrate the database.

If you want to migrate the database by using an existing user schema, ensure that the following additional requirements are met:

- ♦ Ensure that the user schemas must have the following rights to create the database.

```
CREATE_SESSION
CREATE_TABLE
CREATE_VIEW
CREATE_PROCEDURE
CREATE_SEQUENCE
CREATE_TRIGGER
DBMS_REDEFINITION
DBMS_DDL
DBMS_LOCK
```

- ♦ Ensure that the quota for the user schemas is set to Unlimited for the tablespaces to be used.
- ♦ Manually stop the ZENworks services running on all the ZENworks Servers in the Management Zone.

- ♦ **On Windows:**

1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
microfocus-zenworks-configure -c Start
```

2. Enter the number next to the Stop action.

- ♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

```
/opt/microfocus/zenworks/bin/microfocus-zenworks-configure -c
Start
```

2. Enter the number next to the Stop action.

- ♦ Ensure that your external MS SQL database service is running.
- ♦ (Optional) The status of database migration is logged into the `novell-zenworks-configure.log` file. By default, only the messages of the type Info and Severe are logged. If you want other message types (such as Finer, Finest, and Warning) to also be logged into the file, do the following in the `novell-zenworks-configure.properties` file:

1. Set the value of `Logger.logLevel` to the appropriate message type.

For example, if you want messages of the type Finest to be logged:

```
#Logger.logLevel = FINEST
```

2. Uncomment the line by removing the “#” as follows:

```
Logger.logLevel = FINEST
```

The `novell-zenworks-configure.properties` file is located in  
`%ZENWORKS_HOME%\conf\` on Windows and in `/etc/opt/novell/zenworks/` on Linux.

- ♦ (Optional) The status of database migration is logged into the `microfocus-zenworks-configure.log` file. By default, only the messages of the type Info and Severe are logged. If you want other message types (such as Finer, Finest, and Warning) to also be logged into the file, do the following in the `microfocus-zenworks-configure.properties` file:

1. Set the value of `Logger.logLevel` to the appropriate message type.

For example, if you want messages of the type Finest to be logged:

```
#Logger.logLevel = FINEST
```

2. Uncomment the line by removing the “#” as follows:

```
Logger.logLevel = FINEST
```

The `microfocus-zenworks-configure.properties` file is located in  
`%ZENSERVER_HOME%\conf\` on Windows and in `/etc/opt/microfocus/zenworks/` on Linux.

---

**IMPORTANT:** For better performance depending on the database size and available resource, you can increase the batchsize in the `db-migration-mssql-to-oracle.properties` file. It is located in `%ZENWORKS_HOME%\novell\zenworks\conf\` on Windows and in `/etc/opt/novell/zenworks/conf/` on Linux.

---

---

**IMPORTANT:** For better performance depending on the database size and available resource, you can increase the batchsize in the `db-migration-mssql-to-oracle.properties` file. It is located in `%ZENSERVER_HOME%\microfocus\zenworks\conf\` on Windows and in `/etc/opt/microfocus/zenworks/conf/` on Linux.

---

# Migrating the Data from the MS SQL Database to an Oracle Database

- ♦ [“Migrating the Data from the MS SQL Database to an Oracle Database” on page 95](#)
- ♦ [“Resuming the Database Migration” on page 96](#)

## Migrating the Data from the MS SQL Database to an Oracle Database

- 1 Ensure that all the tasks listed in [“Preparing to Move the Data” on page 93](#) are completed.
- 2 Run the database migration utility.
- 3 Enter the target database type as Oracle.
- 4 Enter the IP address or host name of the Oracle database server.
- 5 Enter the port used by the Oracle database server.
- 6 Enter the fully qualified net service name for the Oracle database.
- 7 You can choose to create a new user schema or use an existing user schema.  
If you choose to create a new schema, continue with [Step 8](#).  
If you choose to use an existing user schema, skip to [Step 9](#).
- 8 Enter the database server administrator's user name and password.
- 9 Enter the schema name when prompted for the database user name.
- 10 Enter the database schema password when prompted for the database user's password.

---

**NOTE:** The migration utility prompts for inputs as mentioned in [Step 4](#) to [Step 9](#) to migrate audit database as well.

---

The database migration starts.

- 11 When the database migration is complete, you can check the `novell-zenworks-configure.log` file to see if the migration was successful. The log file is located in `%ZENWORKS_HOME%\log\` on Windows and in `/var/opt/novell/log/zenworks/` on Linux.
- 12 When the database migration is complete, you can check the `microfocus-zenworks-configure.log` file to see if the migration was successful. The log file is located in `%ZENSERVER_HOME%\log\` on Windows and in `/var/opt/microfocus/log/zenworks/` on Linux.
- 13 After the database is successfully migrated, continue with the following steps:
  - 13a Perform post-migration tasks. See [“Post-Migration Tasks” on page 117](#).
  - 13b Re-configure the ZENworks Reporting Server to point to the Oracle database, because it will still be pointing to the MS SQL database.

## Resuming the Database Migration

If the migration of the database is stopped for any reason, the ZENworks migration utility allows you to resume the migration if the `dbmigration.xml` file has been created. The file is located in the `ZENworks_installtion_path\bin` directory on Windows, and in the `/opt/novell/zenworks/bin` directory on Linux.

If the migration of the database is stopped for any reason, the ZENworks migration utility allows you to resume the migration if the `dbmigration.xml` file has been created. The file is located in the `ZENworks_installtion_path\bin` directory on Windows, and in the `/opt/microfocus/zenworks/bin` directory on Linux.

- 1 Run the database migration utility. .
- 2 Enter the target database type as Oracle.
- 3 Enter the IP address or host name of the Oracle database server.  
You must specify the IP address or host name of the Oracle database server used while migrating the database. For example, if you had specified the IP address of the database server while migrating the database, then you must specify the same IP address while resuming the database migration. You cannot specify the host name of the database server.
- 4 Enter the port used by the Oracle database server.
- 5 Enter the fully qualified net service name for the Oracle database.
- 6 Choose to use an existing schema.
- 7 Enter the schema name when prompted for the database user name specified before stopping the database migration.
- 8 Enter the database schema password when prompted for the database user's password specified before stopping the database migration.

---

**NOTE:** The migration utility prompts for inputs as mentioned in [Step 3](#) to [Step 8](#) to migrate audit database as well.

---

- 9 Choose to resume the database migration.  
The database migration starts.
- 10 After the database is successfully migrated, continue with [“Post-Migration Tasks” on page 97](#).

## Post-Migration Tasks

For more information on the post-migration tasks, see [Chapter 19, “Database Activities,” on page 115](#)

If there is only one server in the Management Zone, all ZENworks services are automatically started after the data is successfully migrated to an Oracle database.

If there are multiple servers in the Management Zone:

- 1 From the device where you ran the migration utility, copy the following files and paste them in the appropriate directory, on all other Primary Servers:

`zdm.xml`

```
dmaccounts.properties
dmmappings.properties
zenaudit.xml
zenaudit_dmaccounts.properties
```

Ensure that these files have appropriate rights. The files are located in the following path:

- ♦ **Windows:** *ZENworks\_installation\_path*\conf\datamodel
- ♦ **Linux:** /etc/opt/novell/zenworks/datamodel

Ensure that you run `permissions.sh` script located at /opt/novell/zenworks/bin on the Linux server after copying the above listed files.

**2 Start all the ZENworks services on all the ZENworks Servers in the Management Zone.**

♦ **On Windows:**

1. Execute the following command at the server prompt:  
`novell-zenworks-configure -c Start`
2. Enter the number next to the Stop action.

♦ **On Linux:**

1. Execute the following command at the server prompt:  
`/opt/novell/zenworks/bin/novell-zenworks-configure -c Start`
2. Enter the number next to the Stop action.

If there is only one server in the Management Zone, all ZENworks services are automatically started after the data is successfully migrated to an Oracle database.

If there are multiple servers in the Management Zone:

**1 From the device where you ran the migration utility, copy the following files and paste them in the appropriate directory, on all other Primary Servers:**

```
zdm.xml
dmaccounts.properties
dmmappings.properties
zenaudit.xml
zenaudit_dmaccounts.properties
```

Ensure that these files have appropriate rights. The files are located in the following path:

- ♦ **Windows:** *ZENworks\_installation\_path*\conf\datamodel
- ♦ **Linux:** /etc/opt/microfocus/zenworks/datamodel

Ensure that you run `permissions.sh` script located at /opt/microfocus/zenworks/bin on the Linux server after copying the above listed files.

**2 Run the `microfocus-zenworks-configure -c GenerateOSPPProperties` command.**

**3 Run the following command on all the content servers:**

```
microfocus-zenworks-configure -c
GenerateContentDataSourceConfigureAction
```

4 Start all the ZENworks services on all the ZENworks Servers in the Management Zone.

♦ **On Windows:**

1. Execute the following command at the server prompt:

```
microfocus-zenworks-configure -c Start
```

2. Enter the number next to the Start action.

♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/microfocus/zenworks/bin/microfocus-zenworks-configure -c
Start
```

2. Enter the number next to the Start action.

The ZENworks Server now points to the new database.

For the Oracle 11g database, any administrator name is case sensitive, including login names from user sources. The default ZENworks administrator account automatically created during installation uses an initial capital, so in order to log into ZENworks Control Center, you must enter Administrator.

If your zone has ZENworks Reporting, then you must run the ZENworks Reporting Configuration Tool to point to the newly migrated Oracle database.

---

**IMPORTANT:** Before migrating the database, if you had configured the Vertica database in your zone, then after migration, ensure that you re-create the Kafka connectors in the zone, to resume the syncing of data from the new database to Vertica. To re-create the connectors, you need to run the command `zman server-role-kafka-recreate-connectors -f` on one of the servers in which Kafka is installed. While executing this command, ensure that the source database is up and running. After the Kafka connectors are created successfully, you can then disable the source database. For more information, see the [ZENworks Vertica Guide](#).

---





# 17 Configuring the ZENworks Server to Point to the New MS SQL Database Containing Data Moved from Another MS SQL Database

If you move the data from one MS SQL database to another MS SQL database, the Windows or Linux ZENworks Server must be configured to point to the new MS SQL database.

The following sections provide detailed information:

- ♦ [“Preparing to Move the Data” on page 99](#)
- ♦ [“Configuring the ZENworks Server to Point to the New MS SQL Database” on page 100](#)

## Preparing to Move the Data

Before configuring the server to point the new MS SQL database, do the following:

- ♦ Run the ZENworks Diagnostic Center (ZDC) and check for schema differences.

If the ZENworks database tables are not present under the default database schema DBO, then to avoid any issues, contact Micro Focus Customer Center before upgrading your zone.

To find out the database scheme, run the following query in the Microsoft SQL database:

```
SELECT distinct(SCHEMA_NAME(schema_id)) as OWNER FROM sys.objects WHERE type='U'
```

- ♦ Ensure that the ZENworks Server is configured to an MS SQL database. Assume that the device that currently host the MS SQL database is called MSDB1.
- ♦ Ensure that you have another Windows device with an MS SQL database installed. Assume that this device is called MSDB2. For more information on how to install an MS SQL database, for Windows, see [“Windows Installation Workflow”](#) for Linux, see [“Linux Installation Workflow”](#) in the [ZENworks Server Installation](#).
- ♦ Stop all the ZENworks services on all the ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:  
`novell-zenworks-configure -c Start`  
`microfocus-zenworks-configure -c Start`
    2. Enter the number next to the Stop action.
  - ♦ **On Linux:**
    1. Execute the following command at the server prompt:  
`/opt/novell/zenworks/bin/novell-zenworks-configure -c Start`

```
/opt/microfocus/zenworks/bin/microfocus-zenworks-configure -c
Start
```

2. Enter the number next to the **Stop** action.

- ♦ Move the data from MSDB1 to MSDB2. For more information about moving the data, see the MS SQL database documentation.

## Configuring the ZENworks Server to Point to the New MS SQL Database

To configure the ZENworks Server to point to the new database (MSDB2), perform the following tasks on the ZENworks Server:

- 1 Take back up, and edit the `zdm.xml` and `zenaudit.xml` files (located in `ZENworks_installation_path\conf\datamodel` on Windows and in `/etc/opt/novell/zenworks/datamodel` on Linux) to do the following:
  - ♦ Ensure that the value of the `Port` entry key is the port number on which the MS SQL database is running.
  - ♦ Set the value of the `Server` entry key to the IP address of the MSDB2 device.
  - ♦ Set the value of the `Database` entry key to path of the database directory of the MSDB2 device.
  - ♦ If user name or password of the database is changed, then you must change the user name and password in the following locations:
    1. `dmaccounts.properties` and `zenaudit_dmaccounts.properties` files. (located in `ZENworks_installation_path\conf\datamodel` on Windows and in `/etc/opt/novell/zenworks/datamodel` on Linux). It is recommended that do not use the SA user for ZENworks database access.  
  
`username=password`  
  
The password will be encrypted automatically when you restart the ZENworks services.
    2. `dmmappings.properties` located in `/etc/opt/novell/zenworks/datamodel` on Linux and `ZENworks_installation_path\conf\datamodel` on Windows.  
  
If you have changed the ZEN user name, then update `readonly` and `superuser` fields. If you have changed audit user, then change the `audit` field.
- 2 (Conditional) If you have enabled Kafka, then Run `zman server-role-kafka-recreate-connectors -f true` command to recreate the Kafka connectors.  
  
For more information, See Server Commands in the [ZENworks Command Line Utilities](#).
- 3 Restart the ZENworks services.

- ♦ **On Windows:**

1. From the Windows desktop **Start** menu, click **Settings > Control Panel**.
2. Double-click **Administrative Tools > Services**.
3. Start the following services: **Novell ZENworks Server**, **Novell ZENworks services Monitor**, and **Novell ZENworks Agent Service**.

- ♦ **On Linux:** At the console prompt, enter the following commands:
  - ♦ `/etc/init.d/novell-zenmntr restart`
  - ♦ `/etc/init.d/novell-zenserver restart`
  - ♦ `/etc/init.d/novell-zenloader restart`
- 4 Start the ZENworks services on all other ZENworks Servers in the Management Zone.

**On Windows:**

1. Execute the following command at the server prompt:
 

```
novell-zenworks-configure -c Start
```
2. Enter the number next to the Start action.

**On Linux:**

1. Execute the following command at the server prompt:
 

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```
2. Enter the number next to the Start action.

To configure the ZENworks Server to point to the new database (MSDB2), perform the following tasks on the ZENworks Server:

- 1 Take back up, and edit the `zdm.xml` and `zenaudit.xml` files (located in `ZENworks_installation_path\conf\datamodel` on Windows and in `/etc/opt/microfocus/zenworks/datamodel` on Linux), and `amedatasource.properties` (located in `/etc/opt/microfocus/zenworks/antimalware` on Linux and `%ZENSERVER_HOME%\services\antimalware\conf` on Windows) to do the following:
  - ♦ Ensure that the value of the `Port` entry key is the port number on which the MS SQL database is running.
  - ♦ Set the value of the `Server` entry key to the IP address of the MSDB2 device.
  - ♦ Set the value of the `Database` entry key to path of the database directory of the MSDB2 device.
  - ♦ If user name or password of the database is changed, then you must change the user name and password in the following locations:
    1. `dmaccounts.properties` and `zenaudit_dmaccounts.properties` files. (located in `ZENworks_installation_path\conf\datamodel` on Windows and in `/etc/opt/microfocus/zenworks/datamodel` on Linux). It is recommended that do not use the SA user for ZENworks database access.
 

```
username=password
```

The password will be encrypted automatically when you restart the ZENworks services.
    2. `dmmappings.properties` located in `/etc/opt/microfocus/zenworks/datamodel` on Linux and `ZENworks_installation_path\conf\datamodel` on Windows.
 

If you have changed the ZEN user name, then update `readonly` and `superuser` fields. If you have changed audit user, then change the `audit` field.
- 2 Run the `microfocus-zenworks-configure -c GenerateOSPPProperties` command on all the ZENworks Servers.

- 3 (Conditional) If you have enabled Kafka, then Run `zman server-role-kafka-recreate-connectors -f true` command to recreate the Kafka connectors.

For more information, See Server Commands in the [ZENworks Command Line Utilities](#).

- 4 Run `microfocus-zenworks-configure -c GenerateContentDatasourceConfigureAction` on all the ZENworks servers.
- 5 Restart the ZENworks services on all other ZENworks Servers in the Management Zone.

**On Windows:**

1. Execute the following command at the server prompt:  
`microfocus-zenworks-configure -c Start`
2. Enter the number next to the Start action.

**On Linux:**

1. Execute the following command at the server prompt:  
`/opt/microfocus/zenworks/bin/microfocus-zenworks-configure -c Start`
2. Enter the number next to the Start action.

# 18 Configuring the ZENworks Server to Point to the New Oracle Database Containing Data Moved from Another Oracle Database

If you move the data from one Oracle database to another Oracle database, the Windows or Linux ZENworks Server must be configured to point to the new Oracle database.

The following sections provide detailed information:

- ♦ [“Preparing to Move the Data” on page 103](#)
- ♦ [“Configuring the ZENworks Server to Point to the New Oracle Database” on page 104](#)

## Preparing to Move the Data

Before configuring the server to point the new Oracle database, do the following:

- ♦ Ensure that the ZENworks Server is configured to an Oracle database. The database can be installed on the ZENworks Server or on a different device. Assume that the device that currently host the Oracle database is called ORDB1.
- ♦ Ensure that you have another Windows device with an Oracle database installed with the same database credentials as the ORDB1. Assume that this device is called ORDB2. For more information on how to install an Oracle database, for Windows, see [“Windows Installation Workflow”](#) for Linux, see [“Linux Installation Workflow”](#) in the *ZENworks Server Installation*.
- ♦ Move the data from ORDB1 to ORDB2. For more information about moving the data, see the Oracle database documentation.
- ♦ Stop the ZENworks services on the ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
microfocus-zenworks-configure -c Start
```
    2. Enter the number next to the Stop action.
  - ♦ **On Linux:**
    1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
/opt/microfocus/zenworks/bin/microfocus-zenworks-configure -c
Start
```
    2. Enter the number next to the Stop action.

# Configuring the ZENworks Server to Point to the New Oracle Database

To configure the ZENworks Primary Server to point to the new Oracle database (ORDB2), perform the following tasks on the ZENworks Primary Server:

- 1 Take back up, and edit the `zdm.xml` and `edit zenaudit.xml` files (located in `ZENworks_installation_path\conf\datamodel` on Windows and in `/etc/opt/microfocus/zenworks/datamodel/etc/opt/novell/zenworks/datamodel` on Linux), and `amedatasource.properties` (located in `/etc/opt/microfocus/zenworks/antimalware` on Linux and `%ZENSERVER_HOME%\services\antimalware\conf` on Windows) to do the following:
  - ♦ Ensure that the value of the `Port` entry key is the port number on which the Oracle database is running.
  - ♦ Set the value of the `Server` entry key to the IP address of the ORDB2 device.
  - ♦ Set the value of the `Database` entry key to net service name of the Oracle database installed on the ORDB2 device.
- 2 Run the `microfocus-zenworks-configure -c GenerateOSPPProperties` command.
- 3 Run `microfocus-zenworks-configure -c GenerateContentDatasourceConfigureAction` on all the ZENworks servers.
- 4 Start the ZENworks services on all the ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:  

```
novell-zenworks-configure -c Start
```

```
microfocus-zenworks-configure -c Start
```
    2. Enter the number next to the `Start` action.
  - ♦ **On Linux:**
    1. Execute the following command at the server prompt:  

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

```
/opt/microfocus/zenworks/bin/microfocus-zenworks-configure -c Start
```
    2. Enter the number next to the `Start` action.

ZENworks Server should now point to the new database.

# 19 Configuring PostgreSQL

Each Primary Server on PostgreSQL can consume up to 500 database connections. If you want to add more than one Primary Server, you should change the property values in the postgresql.conf file.

For the external database, the postgresql.conf file is available at the following location:

- ♦ **On Windows:** <install\_directory>\PostgreSQL\<version>\data
- ♦ **On Linux:** /var/lib/pgsql/<version>/data

Use the following formula to calculate the property values.

`max_connections` = Number of primary servers \* 500

`max_prepared_transactions` = Number of primary servers \* 500

After changing the property values in `postgresql.conf`, restart the ZENworks and PostgreSQL service.

To start the PostgreSQL service:

- ♦ **On Windows:** To start the service, perform the following:
  1. Press Windows + R keys.
  2. Type `services.msc`.
  3. Search for the PostgreSQL service based on the installed version.
  4. Click Start the service.
- ♦ **On Linux:** To start the service, run the `systemctl start postgresql.service` command.

For more information, see [PostgreSQL Tuning and Maintenance](#) in the [ZENworks Best Practices Guide](#).





# 20 Migrating the Data from an External Sybase SQL Anywhere to an MS SQL Database

ZENworks allows you migrate the data from an external Sybase database to an MS SQL database installed on a device that does not have ZENworks installed.

Review the following to migrate the database:

- ♦ [“Preparing to Move the Data” on page 135](#)
- ♦ [“Migrating the Data from the External Sybase Database to an MS SQL Database” on page 136](#)
- ♦ [“Post-Migration Tasks” on page 138](#)

## Preparing to Move the Data

Before migrating the data from the Sybase database to the MS SQL database, do the following:

- ♦ Ensure that the license state of ZENworks is Active. The product must be installed and running either in the licensed version or the evaluation version.
- ♦ Save all the reports, `rights.xml`, and `ownership.xml` by using the `zman report-save (rpsv) (destination folder)` command. The XML files contain rights and ownership details of all the reports.
- ♦ Ensure that the Primary Server to which the Sybase database is configured has been upgraded to ZENworks.
- ♦ Ensure that the MS SQL database is installed on a device that does not have ZENworks installed.
- ♦ (Conditional) If you want to create a new database on MS SQL Server, and migrate the Sybase data into the new database, you must be aware of the database administrator credentials.
- ♦ (Conditional) If you want to migrate the data to an existing database that resides on the MS SQL server in your network, the newly created user must be assigned the `db_owner` database role and you must procure the database credentials of the newly created user from the database administrator.
- ♦ Manually stop the ZENworks services running on all other ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:  
`novell-zenworks-configure -c Start`
    2. Enter the number next to the Stop action.
  - ♦ **On Linux:**
    1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the Stop action.

- ♦ Ensure that the ZENworks Embedded Datastore service on the Primary Server is running.
  - ♦ **On Windows:**
    1. From the Windows desktop **Start** menu, click **Settings > Control Panel**.
    2. Double-click **Administrative Tools > Services**.
    3. Ensure that the status of the **Novell ZENworks Embedded Datastore** service is **Started**.
  - ♦ **On Linux:** At the console prompt, enter
    - ♦ `/etc/init.d/sybase-asa status` on SLES 11.
    - ♦ `systemctl status sybase-asa.service` on SLES 12.
- ♦ Ensure that the Novell ZENworks Embedded Datastore for auditing service on the Primary Server is running.
  - ♦ **On Windows:**
    1. From the Windows desktop **Start** menu, click **Settings > Control Panel**.
    2. Double-click **Administrative Tools > Services**.
    3. Ensure that the status of the **Novell ZENworks Embedded Datastore For Auditing** service is **Started**.
  - ♦ **On Linux:** At the console prompt, enter
    - ♦ `/etc/init.d/sybase-audit-asa status` on SLES 11.
    - ♦ `systemctl status sybase-audit-asa.service` on SLES 12.
- ♦ (Optional) The status of database migration is logged into the `novell-zenworks-configure.log` file. By default, only the messages of the type Info and Severe are logged. If you want other message types (such as Finer, Finest, and Warning) to also be logged into the file, do the following in the `novell-zenworks-configure.properties` file:
  1. Set the value of `Logger.logLevel` to the appropriate message type.  
For example, if you want messages of the type Finest to be logged:

```
#Logger.logLevel = FINEST
```
  2. Uncomment the line by removing the “#” as follows:

```
Logger.logLevel = FINEST
```

The `novell-zenworks-configure.properties` file is located in  
`%ZENWORKS_HOME%\conf\` on Windows and in `/etc/opt/novell/zenworks/` on Linux.

## Migrating the Data from the External Sybase Database to an MS SQL Database

- ♦ [“Migrating the Data from the External Sybase Database to an MS SQL Database” on page 137](#)
- ♦ [“Resuming the Database Migration” on page 138](#)

## Migrating the Data from the External Sybase Database to an MS SQL Database

- 1 Ensure that all the tasks listed in [“Preparing to Move the Data” on page 135](#) are completed.
- 2 Run the database migration utility.
- 3 Select the target database type as sql-server.
- 4 Choose the purging option for data before database migration.
- 5 Enter the IP address or host name of the MS SQL database server.
- 6 Enter the port used by the MS SQL database server.
- 7 (Optional) Enter the named instance for the MS SQL Server engine.
- 8 Choose to create a new database or use an existing database that resides on the MS SQL server.  
If you choose to create a new database, continue with [Step 9](#).  
If you choose to use an existing database, skip to [Step 10](#).
- 9 (Conditional) If you choose to create a new database in [Step 8](#), perform the following tasks:
  - 9a Select the authentication type (Windows or SQL Server) to be used for the database administrator user.
  - 9b Enter the database server administrator user name.
  - 9c Enter the database server administrator password.
  - 9d (Conditional) If you choose Windows authentication in [Step 9a](#), enter the database administrator’s domain name.
- 10 Select the authentication type (Windows or SQL Server) to be used for the database access user.
- 11 Enter the database access user name.
- 12 Enter the database access user password.
- 13 (Conditional) If you choose Windows authentication in [Step 10](#), enter the database access user’s domain name.
- 14 Enter the database name of the database that resides on the MS SQL server to which you want to migrate the data. If you choose to create a new database in [Step 8](#), the database is created on the MS SQL server with the name that you specify in this step.
- 15 (Conditional) If you choose to create a new database in [Step 8](#), enter the complete path where you want the database to be created.
- 16 Perform the steps from [Step 5](#) to [Step 15](#) for ZENworks audit database. The database migration starts.
- 17 When the database migration is complete, you can verify the `novell-zenworks-configure.log` file to see if the migration was successful. The log file is located in `%ZENWORKS_HOME%\log\` on the Windows Primary Server and in `/var/opt/novell/log/zenworks/` on the Linux Primary Server.
- 18 After the database is successfully migrated, continue with the following steps:
  - 18a Perform post-migration tasks. See [“Post-Migration Tasks” on page 138](#).
  - 18b Re-configure the ZENworks Reporting Server to point to the MS SQL database, because it will still be pointing to the Sybase database.

## Resuming the Database Migration

If the migration of the database is stopped for any reason, the ZENworks migration utility allows you to resume the migration if the `dbmigration.xml` file has been created. The file is located in the `%ZENWORKS_HOME%\bin` directory on the Windows Primary Server, and in the `/opt/novell/zenworks/bin` directory on the Linux Primary Server.

- 1 Run the database migration utility.
- 2 Enter the target database type as sql database server.
- 3 Enter the IP address or host name of the MS SQL database server.  
You must specify the IP address or host name of the MS SQL database server used while migrating the database. For example, if you had specified the IP address of the database server while migrating the database, then you must specify the same IP address while resuming the database migration. You cannot specify the host name of the database server.
- 4 (Optional) Enter the named instance of the MS SQL Server engine.
- 5 Choose to use an existing database.
- 6 Enter the credentials of the database user depending on the authentication mode selected.
- 7 Enter the database name.
- 8 Choose to resume the database migration.  
The database migration starts.
- 9 After the database is successfully migrated, continue with [“Post-Migration Tasks” on page 138](#).

## Post-Migration Tasks

If there is only one server in the Management Zone, all ZENworks services are automatically started after the data is successfully migrated to an MS SQL Server database.

If there are multiple servers in the Management Zone:

- 1 On the device where you ran the migration utility, copy the following files to the appropriate directory on all the servers:

```
zdm.xml
dmaccounts.properties
dmmappings.properties
zenaudit.xml
zenaudit_dmaccounts.properties
```

The files are located in the `%ZENWORKS_HOME%\conf\datamodel` directory on Windows and in the `/etc/opt/novell/zenworks/datamodel` directory on Linux.

Ensure that you run `permissions.sh` script located at `/opt/novell/zenworks/bin` on the Linux server after copying the above listed files.

- 2 Start all the ZENworks services on all the ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```

2. Enter the number next to the `Stop` action.

♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
```

2. Enter the number next to the `Stop` action.

The ZENworks Server now points to the new database.

---

**NOTE:** Ensure not to delete the ZENworks Sybase database files if you want to revert to using ZENworks Sybase database at a later time.

---



# 21 Migrating 32-bit OEM Sybase database to 64-bit Sybase on a 64-bit machine

- 1 Stop the OEM Sybase database service on the source machine (32-bit).
- 2 Use the ZENworks media on the 64-bit machine and start the OEM Sybase database installation by using the following command:
  - ♦ **Windows:** `setup.exe -c`
  - ♦ **Linux:** `setup.sh -c`
- 3 Select OEM Sybase as the **Database Type**.
- 4 Select the default path for a 64-bit machine as the database path for the **Directory**. If you select any other path, the OEM database installation fails.

The default paths are as follows:

- ♦ **32-bit machine:** Program Files/Novell/ZENworks
- ♦ **64-bit machine:** Program Files (x86)/Novell/ZENworks

If a non-default port and path are used for the OEM database installation on the source machine (32-bit), it is recommended to select the same path structure on the 64-bit machine as well.

If a default port and path are used for the OEM database installation on the source machine (32-bit), it is recommended to select the same path structure on the 64-bit machine as well.

- 5 Enter the OEM database details (**Database Name**, **Database Engine Name**, **Database Server Name**, and **Port**). This information should be the same as that of the 32-bit OEM Sybase database, except for the IP address of the 32-bit machine, which will be changed after the OEM database installation on the 64-bit machine.
- 6 Stop the Sybase service on the 64-bit machine
- 7 Take a backup of the database folder from the 32-bit machine (includes the OEM Sybase database file) and replace the database file on the 64-bit machine with the backed-up (32-bit) database file.
- 8 Verify whether the `CONF` file on the 64-bit machine is updated with the proper OEM database path and port number respectively.

---

**NOTE:** There is no need to replace the `CONF` file, as a fresh install of the OEM database is done on the 64-bit machine using the same database credentials as that of the 32-bit machine.

---

- 9 Disable the network card on the 32-bit machine.
- 10 Configure the 32-bit machine's IP address, subnet mask, default gateway, preferred DNS, host name and DNS suffix on the 64-bit machine.
- 11 Reboot the 64-bit machine.





# 22 Creating External PostgreSQL Database Schema

To create external or Remote OEM PostgreSQL schema, perform the following:

- 1 Insert or mount the ZENworks installation ISO on the server where you want to install the Remote OEM or External PostgreSQL database.
- 2 Open the command prompt and run the following command:
  1. **On Windows:** `setup.exe -c`
  2. **On Linux:** `setup.sh -c`
- 3 In the Select the database to be configured page, select ZENworks Database, Audit Database or both, and then click Next.
- 4 In the Select Database type page, select Remote OEM or External PostgreSQL database.
- 5 Specify the following for both the ZENworks and Audit databases:
  - ♦ Server Name
  - ♦ Port Number
  - ♦ Database Name
  - ♦ User Name
  - ♦ Password



# 23 Migrating the Data from an External Sybase Database to an External PostgreSQL Database

ZENworks 2020 onwards, the Sybase database will no longer be supported, and the Sybase data will have to be migrated to any ZENworks supported database. Using the new Database Migration tool, you can migrate the Sybase database to the PostgreSQL database. For more information, see [Database Migration from Sybase to PostgreSQL](#).

The migration tool can be downloaded from the ZENworks 2020 downloads in the Micro Focus Customer Center.

---

**NOTE:** Ensure that you download the latest version of the database migration tool.

---



# 24 Migrating the Data from an Oracle Database to an MS SQL Database

ZENworks allows you migrate the data from an Oracle database to an MS SQL database installed on a device that does not have ZENworks installed.

Review the following to migrate the database:

- ♦ [“Preparing to Move the Data” on page 147](#)
- ♦ [“Migrating the Data from the Oracle Database to an MS SQL Database” on page 148](#)
- ♦ [“Resuming the Database Migration” on page 150](#)
- ♦ [“Post-Migration Tasks” on page 151](#)

## Preparing to Move the Data

Before migrating the data from the database to the MS SQL database, do the following:

- ♦ Ensure that the license state of ZENworks is Active. The product must be installed and running either in the licensed version or the evaluation version.
- ♦ Save all the reports, `rights.xml`, and `ownership.xml` by using the `zman report-save (rpsv) (destination folder)` command. The XML files contain rights and ownership details of all the reports.
- ♦ Ensure that the Primary Server to which the Oracle database is configured has been upgraded to the latest version of ZENworks.
- ♦ Ensure that the MS SQL database is installed on a device that does not have ZENworks installed.
- ♦ (Conditional) If you want to create a new database on MS SQL Server, and migrate the Sybase data into the new database, you must be aware of the database administrator credentials.
- ♦ (Conditional) If you want to migrate the data to an existing database that resides on the MS SQL server in your network, the newly created user must be assigned the `db_owner` database role and you must procure the database credentials of the newly created user from the database administrator.
- ♦ Ensure that you perform a dry run for the clone Oracle database and SQL database to be familiar with the process or configure action steps or inputs to avoid failure cases in production, detect any database specific issues in advance, and also estimate the total migration time.
- ♦ Validate connectivity to MS SQL database, user credentials, and user mapping and any necessary rights to successfully create the schema.
- ♦ Manually stop the ZENworks services running on all other ZENworks Servers in the Management Zone.
  - ♦ **On Windows:**
    1. Execute the following command at the server prompt:

```
novell-zenworks-configure -c Start
```

```
microfocus-zenworks-configure -c Start
```

2. Enter the number next to the Stop action.

♦ **On Linux:**

1. Execute the following command at the server prompt:

```
/opt/novell/zenworks/bin/novell-zenworks-configure -c Start
/opt/microfocus/zenworks/bin/microfocus-zenworks-configure -c
Start
```

2. Enter the number next to the Stop action.

- ♦ (Optional) The status of database migration is logged into the `novell-zenworks-configure.log` file. By default, only the messages of the type Info and Severe are logged. If you want other message types (such as Finer, Finest, and Warning) to also be logged into the file, do the following in the `novell-zenworks-configure.properties` file:

(Optional) The status of database migration is logged into the `microfocus-zenworks-configure.log` file. By default, only the messages of the type Info and Severe are logged. If you want other message types (such as Finer, Finest, and Warning) to also be logged into the file, do the following in the `microfocus-zenworks-configure.properties` file:

1. Set the value of `Logger.logLevel` to the appropriate message type.

For example, if you want messages of the type Finest to be logged:

```
#Logger.logLevel = FINEST
```

2. Uncomment the line by removing the “#” as follows:

```
Logger.logLevel = FINEST
```

The `novell-zenworks-configure.properties` file is located in

`%ZENWORKS_HOME%\conf\` on Windows and in `/etc/opt/novell/zenworks/` on Linux.

The `microfocus-zenworks-configure.properties` file is located in

`%ZENSERVER_HOME%\conf\` on Windows and in `/etc/opt/microfocus/zenworks/` on Linux.

## Migrating the Data from the Oracle Database to an MS SQL Database

---

**NOTE:** For Linux Primary Server or Appliance ensure that you are running the migration directly on the Primary Server console and not via SSH clients to prevent any connection or timeout.

---

- 1 Ensure that all the tasks listed in [“Preparing to Move the Data” on page 147](#) are completed.
- 2 Run the `novell-zenworks-configure -c migration_new.DBMigration` or `microfocus-zenworks-configure -c migration_new.DBMigration` database migration utility.
- 3 Select the target database type as `sql-server`.
- 4 Choose the purging option for data before database migration.
- 5 Enter the IP address or host name of the MS SQL database server.
- 6 Enter the port used by the MS SQL database server.

- 7** (Optional) Enter the named instance for the MS SQL Server engine.
- 8** Choose to create a new database or use an existing database that resides on the MS SQL server.  
If you choose to create a new database, continue with [Step 9](#).  
If you choose to use an existing database, skip to [Step 10](#).
- 9** (Conditional) If you choose to create a new database in [Step 8](#), perform the following tasks:
  - 9a** Select the authentication type (Windows or SQL Server) to be used for the database administrator user.
  - 9b** Enter the database server administrator user name.
  - 9c** Enter the database server administrator password.
  - 9d** (Conditional) If you choose Windows authentication in [Step 9a](#), enter the database administrator's domain name.
- 10** Select the authentication type (Windows or SQL Server) to be used for the database access user.
- 11** Enter the database access user name.
- 12** Enter the database access user password.
- 13** (Conditional) If you choose Windows authentication in [Step 10](#), enter the database access user's domain name.
- 14** Enter the database name of the database that resides on the MS SQL server to which you want to migrate the data. If you choose to create a new database in [Step 8](#), the database is created on the MS SQL server with the name that you specify in this step.
- 15** (Conditional) If you choose to create a new database in [Step 8](#), enter the complete path where you want the database to be created.
- 16** Perform the steps from [Step 5](#) to [Step 15](#) for ZENworks audit database. The database migration starts.
- 17** When the database migration is complete, you can verify the `novell-zenworks-configure.log` `microfocus-zenworks-configure.log` file to see if the migration was successful. The log file is located in `%ZENWORKS_HOME%\log\ %ZENSERVER_HOME%\log\` on the Windows Primary Server and in `/var/opt/novell/log/zenworks/ /var/opt/microfocus/log/zenworks/` on the Linux Primary Server.
- 18** After the database is successfully migrated, continue with the following steps:
  - 18a** Perform post-migration tasks. See [“Resuming the Database Migration” on page 150](#).
  - 18b** Re-configure the ZENworks Reporting Server to point to the MS SQL database, because it will still be pointing to the Oracle database.

# Resuming the Database Migration

If the migration of the database is stopped for any reason, the ZENworks migration utility allows you to resume the migration if the **DBMigration.xml** and **AuditDBMigration.xml** files for ZENworks and Audit databases has been created. The file is located in the `%ZENWOKS_HOME%\bin` directory on the Windows Primary Server, and in the `/opt/novell/zenworks/bin` directory on the Linux Primary Server.

If the migration of the database is stopped for any reason, the ZENworks migration utility allows you to resume the migration if the **DBMigration.xml** and **AuditDBMigration.xml** files for ZENworks and Audit databases has been created. The file is located in the `%ZENSERVER_HOME%\bin` directory on the Windows Primary Server, and in the `/opt/microfocus/zenworks/bin` directory on the Linux Primary Server.

**1** Run the database migration utility.

- ♦ **On the Windows Primary Server:** At the command prompt, go to `ZENworks_installation_path\bin\`, then enter the following command:  
`novell-zenworks-configure.bat -c migration_new.DBMigration`
- ♦ **On the Linux Primary Server:** At the console prompt, go to `/opt/novell/zenworks/bin`, then enter the following command:  
`novell-zenworks-configure -c migration_new.DBMigration`
- ♦ **On the Windows Primary Server:** At the command prompt, go to `ZENworks_installation_path\bin\`, then enter the following command:  
`microfocus-zenworks-configure.bat -c migration_new.DBMigration`
- ♦ **On the Linux Primary Server:** At the console prompt, go to `/opt/microfocus/zenworks/bin`, then enter the following command:  
`microfocus-zenworks-configure -c migration_new.DBMigration`

**2** Enter the target database type as SQL database server.

**3** Enter the IP address or host name of the MS SQL database server.

You must specify the IP address or host name of the MS SQL database server used while migrating the database. For example, if you had specified the IP address of the database server while migrating the database, then you must specify the same IP address while resuming the database migration. You cannot specify the host name of the database server.

**4** (Optional) Enter the named instance of the MS SQL Server engine.

**5** Choose to use an existing database.

**6** Enter the credentials of the database user depending on the authentication mode selected.

**7** Enter the database name.

**8** Perform from [Step 1](#) to [Step 7](#) for audit database migration.

**9** Choose to resume the database migration.

The database migration starts.

**10** After the database is successfully migrated, continue with [“Post-Migration Tasks”](#) on page 151.



# Post-Migration Tasks

If there is only one server in the Management Zone, all ZENworks services are automatically started after the data is successfully migrated to an MS SQL Server database.

If there are multiple servers in the Management Zone:

- 1 On the device where you ran the migration utility, copy the following files to the appropriate directory on all the servers:

```
zdm.xml
dmaccounts.properties
dmmappings.properties
zenaudit.xml
zenaudit_dmaccounts.properties
```

The files are located in the `%ZENWORKS_HOME%\conf\datamodel` directory on Windows and in the `/etc/opt/novell/zenworks/datamodel` directory on Linux.

The files are located in the `%ZENSERVER_HOME%\conf\datamodel` directory on Windows and in the `/etc/opt/microfocus/zenworks/datamodel` directory on Linux.

- 2 Run the `microfocus-zenworks-configure -c GenerateOSPProperties` command.
- 3 Run the following command on all the ZENworks servers:

```
microfocus-zenworks-configure -c
GenerateContentDataSourceConfigureAction
```
- 4 Ensure that you run `permissions.sh` script located at `/opt/novell/zenworks/bin` on the Linux server after copying the above listed files.
- 5 Start all the ZENworks services on all the ZENworks Servers in the Management Zone.  
The ZENworks Server now points to the new database.  
Check the Diagnostics page in ZCC to ensure all servers are able to connect to the new MS SQL database.
- 6 Run ZDC on the Primary Server to validate the schema.  
For more information, see [ZENworks Diagnostic Center](#).
- 7 Configure the READ committed snapshot setting for ZENworks database.  
For more information, see [Windows Installation Workflow](#) in the [ZENworks Server Installation](#).

---

**IMPORTANT:** Before migrating the database, if you had configured the Vertica database in your zone, then after migration, ensure that you re-create the Kafka connectors in the zone, to resume the syncing of data from the new database to Vertica. To re-create the connectors, you need to run the command `zman server-role-kafka-recreate-connectors -f` on one of the servers in which Kafka is installed. While executing this command, ensure that the source database is up and running. After the Kafka connectors are created successfully, you can then disable the source database. For more information, see the [ZENworks Vertica Guide](#).

---



# 25 **Configuring a ZENworks Server using an Existing Schema**

You can configure a ZENworks Server to point to the Microsoft SQL or Oracle database using an existing schema. For information on creating the schema for Microsoft SQL or Oracle, see ([https://www.novell.com/documentation/zenworks-23.4/zen\\_ca\\_appliance/data/t4o3t6m900pp.html](https://www.novell.com/documentation/zenworks-23.4/zen_ca_appliance/data/t4o3t6m900pp.html))



# 26 Backing Up and Restoring the PostgreSQL Database

For more information on Back-up and restore of the PostgreSQL database, see [“Backing Up and Restoring the PostgreSQL Database”](#) on page 43.



# 27 Migrating from md5 to scram authentication in PostgreSQL

From PostgreSQL 13 onwards, the default password encryption is changed from "md5" to "scram-sha-256". This document provides the complete information on how to migrate from md5 to scram authentication.

To avoid any connection issues with password encryption, ensure that you perform one of the following processes:

## MD5

The method md5 uses a custom and less secure challenge-response mechanism. It prevents password sniffing, and storing passwords on the server in plain text, but it provides no protection if an attacker manages to steal the password hash from the server, the MD5 hash algorithm is nowadays no longer considered secure against determined attacks.

To continue using the md5 encryption, change the method in `pg_hba.conf` file for all entries to md5 and restart the PostgreSQL database server services.

## SCRAM-SHA-256

The method scram-sha-256 performs SCRAM-SHA-256 authentication, as described in RFC 7677. It is a challenge-response scheme that prevents password sniffing on untrusted connections and supports storing passwords on the server in a cryptographically hashed form which is thought to acquire.

- ♦ By default, the freshly installed PostgreSQL user scram-sha=256 authentication. Hence, no modifications are required.
- ♦ If you are migrating the database to PostgreSQL 13.x from an older version, then perform the following:

---

**NOTE:** Ensure that you upgrade the ZENworks Management Zone after performing the following steps.

---

1. Modify the method in `pg_hba.conf` file for all entries to md5.
2. Modify the "password\_encryption" parameter in `postgresql.conf` file to "md5".
3. Restart the PostgreSQL database services.
4. Migrate old data (OR) restore old data from backup, along with the users which are encrypted in "md5".

5. Connect the PostgreSQL using from psql/sql-client with super user (postgres/zenpostgres user) and run the following commands:
  - a. `alter system set password_encryption = 'scram-sha-256';`
  - b. `select pg_reload_conf();`
  - c. run below command for all database users including superuser/zenworks/audit, etc..  
`ALTER USER <<user_name>> WITH PASSWORD '<<existing (or) new password>>';`
  - d. To verify if the password is encrypted to scram-sha-256 run the below query.  
`select username,passwd from pg_shadow;`
  - e. Exit
6. Modify the method in pg\_hba.conf file for all entries to scram-sha-256.
7. Restart the PostgreSQL database services.



# 28 Database Activities

This section provides the steps that database administrators should perform after successfully completing any of the below mentioned database activities:

- ♦ Migrate the database from one server to another.
- ♦ Migrate database from one provider to another (Example: MS SQL to Oracle)
- ♦ Update the External PostgreSQL database version.

If your Management Zone has multiple servers, only then perform the following steps:

---

**NOTE:** If there is only one server in the Management Zone, all ZENworks services start automatically after the database activities are completed.

---

1. From the device where you performed the database activity as mentioned, copy the following files, and paste them into the appropriate directory, on all the other Primary Servers in the zone:

- ♦ `zdm.xml`
- ♦ `dmaccounts.properties`
- ♦ `dmmappings.properties`
- ♦ `zenaudit.xml`
- ♦ `zenaudit_dmaccounts.properties`

Ensure that these files have appropriate rights. The files are in the following location:

- ♦ **Windows:** `ZENworks_installation_path\conf\datamodel`
- ♦ **Linux:** `/etc/opt/microfocus/zenworks/datamodel`

Ensure that you run `permissions.sh` script located at `/opt/microfocus/zenworks/bin` on the Linux server after copying the above listed files.

2. (Optional) If Antimalware is enabled in your zone, then update the `amedatasource.properties` file:

- ♦ **Windows:** `%ZENSERVER_HOME%\services\antimalware\conf`
- ♦ **Linux:** `/etc/opt/microfocus/zenworks/antimalware`

3. Run the `microfocus-zenworks-configure -c GenerateOSPPProperties` command.
4. Run the following command on all the content servers:

```
microfocus-zenworks-configure -c
GenerateContentDatasourceConfigureAction
```

5. Restart all the ZENworks services on all the ZENworks Servers in the Management Zone.
6. (Optional) If you have configured ZENworks Reporting in your zone, then you must reconfigure the ZENworks Reporting Server.





# Database Management - Best Practices, Tips, Troubleshooting

This section includes some tips and best practices for database management:

- ♦ [Chapter 20, “Database Ports,” on page 163](#)
- ♦ [Chapter 21, “Database Tips,” on page 165](#)
- ♦ [Chapter 22, “Troubleshooting Database Migration,” on page 171](#)
- ♦ [Chapter 23, “Customizing JDBC URL for ZENworks,” on page 179](#)
- ♦ [Chapter 24, “Using DBeaver to Export SQL Query Results,” on page 181](#)



# 20 Database Ports

Following are the default ZENworks database ports:

| Port Number | Description                                                                                                |
|-------------|------------------------------------------------------------------------------------------------------------|
| 1433        | Default port to connect with the MS SQL database. Based on your configuration, the port number might vary. |
| 1521        | Default port to connect with the Oracle database. Based on your configuration, the port number might vary. |
| 54327       | Default port to connect with the Embedded and Remote OEM PostgreSQL database.                              |



# 21 Database Tips

- ♦ [“Changing the ZENworks Database User Password” on page 165](#)
- ♦ [“Maximum Pool Size” on page 166](#)
- ♦ [“Verifying Invalid Objects and Indexes in the Oracle Database” on page 166](#)

## Changing the ZENworks Database User Password

Use system administrator or user with DBA privileges to execute the below commands.

Before changing the password ensure that you shutdown all Primary Servers and Reporting Server.

- ♦ **For SQL Anywhere or Oracle:** After you log into SQL Anywhere or Oracle database, run the below SQL statement to change the password for existing user.

```
ALTER USER <<username>> IDENTIFIED BY <<new password>>
```

- ♦ **For Microsoft SQL Server:** Users with SQL Server authentication, might run the below SQL statement to change the password for existing user.

```
ALTER LOGIN <<username>> WITH PASSWORD = 'new password' OLD_PASSWORD = 'old password'
```

Users with Windows authentication, might change the Windows user account password and no changes required in SQL Server.

After changing the database user password, perform the following steps to change the password in all the Primary Servers:

- 1 Go to the following path;
  - ♦ **On Windows:** C:\Program Files (x86)\Novell\ZENworks\conf\datamodel
  - ♦ **Linux:** /etc/opt/microfocus/zenworks/datamodel
- 2 Back up the dmaccounts.properties and zenaudit\_dmaccounts.properties files.
- 3 Open the dmaccounts.properties and zenaudit\_dmaccounts.properties files.
- 4 Change the existing password that is in encrypted form.  
For example, the existing value is ZENWORKS=@OB@6a7278626bba  
and the changed value is ZENWORKS=<<new password>>
- 5 Run the microfocus-zenworks-configure -c GenerateOSPPProperties command.
- 6 Run the microfocus-zenworks-configure -c GenerateContentDatasourceConfigureAction command on all the ZENworks servers.
- 7 On all the Primary Servers in the zone, restart the ZENworks services by running the following command: microfocus-zenworks-configure -c Start.

---

**IMPORTANT:** Do not encrypt the new password. The new password is encrypted automatically when you restart the ZENworks services.

---

## Maximum Pool Size

The MaxPoolSize value configured in the `zdm.xml` file governs the maximum number of connections allowed in a database connection pool from a Primary Server.

The `zdm.xml` file is located on the Primary Server:

**Windows:** `%ZENSERVER_HOME%\conf\datamodel\`

**Linux:** `/etc/opt/microfocus/zenworks/datamodel`

With the default MaxPoolSize value of 100, the ZENServer and ZENLoader services currently create a single thread pool. As a result, under the peak load, there are 100 possible connections each from ZENloader and ZENserver.

However, the database server should be able to accept and serve  $200 * \langle N \rangle$  concurrent connections from the ZENworks context, where  $N$  is the number of Primary Servers in the ZENworks Zone.

The current default value is sufficient for most configurations and loads. It is recommended not to customize the MaxPoolSize value; to closely monitor the database, functionality and performance of ZENworks.

If you want to configure a higher value for the MaxPoolSize parameter, ensure that the number of concurrent connections that can be accepted or served by the database server is greater than or equal to  $2 * \langle \text{Configured MaxPoolSize} \rangle * \langle \text{Number of Primary Servers} \rangle$ .

---

**NOTE:** The default MinPoolSize value is 5.

---

## Verifying Invalid Objects and Indexes in the Oracle Database

If you encounter Invalid Objects or Invalid Index in ZENworks Control Center or ZENworks logs, you can use the following queries to verify if there are any Invalid objects and Indexes in the Oracle database

---

**NOTE:** ♦Do NOT use Squirrel

---

```
SELECT * FROM USER_OBJECTS WHERE STATUS != 'VALID' ;
SELECT * FROM USER_INDEXES WHERE FUNCIDX_STATUS = 'DISABLED' ;
SELECT * FROM USER_INDEXES WHERE STATUS NOT IN ('VALID', 'USABLE', 'N/A') ;
SELECT * FROM USER_IND_PARTITIONS WHERE STATUS NOT IN ('N/A', 'USABLE') ;
SELECT * FROM USER_IND_SUBPARTITIONS WHERE STATUS NOT IN ('USABLE') ;
SELECT * FROM USER_CONSTRAINTS WHERE STATUS != 'ENABLED' ;
```

The above queries should NOT return any records.



If these queries return any records, then you need to run the below scripts in the respective schema:

```
DECLARE
 V_CNT NUMBER;
BEGIN
 SELECT COUNT(1)
 INTO V_CNT
 FROM USER_OBJECTS
 WHERE STATUS = 'INVALID'
 AND OBJECT_TYPE IN ('PROCEDURE', 'TRIGGER', 'FUNCTION', 'VIEW');
 WHILE V_CNT > 0
 LOOP
 FOR REC IN
 (SELECT *
 FROM USER_OBJECTS
 WHERE STATUS = 'INVALID'
 AND OBJECT_TYPE IN ('PROCEDURE', 'TRIGGER', 'FUNCTION', 'VIEW')
)
 LOOP
 BEGIN
 EXECUTE IMMEDIATE 'ALTER ' || REC.OBJECT_TYPE || '
' || REC.OBJECT_NAME || ' " COMPILE';
 EXCEPTION
 WHEN OTHERS THEN
 NULL;
 END;
 END LOOP;
 SELECT COUNT(1)
 INTO V_CNT
 FROM USER_OBJECTS
 WHERE STATUS = 'INVALID'
 AND OBJECT_TYPE IN ('PROCEDURE', 'TRIGGER', 'FUNCTION', 'VIEW');
 END LOOP;
END;
/

DECLARE
 V_CNT NUMBER;
BEGIN
 SELECT COUNT(1)
 INTO V_CNT
 FROM USER_INDEXES
 WHERE FUNCIDX_STATUS='DISABLED'
 AND TEMPORARY = 'N'
 AND INDEX_TYPE! = 'LOB'
 AND PARTITIONED = 'NO'
 AND TABLE_NAME IN
 (SELECT TABLE_NAME FROM USER_TABLES WHERE TEMPORARY='N'
)
 AND TABLE_NAME NOT IN ('PLAN_TABLE', 'ZENUPGRADELOG', 'ZENUPG_INDEX');
 WHILE V_CNT > 0
 LOOP
 FOR REC IN
```

```

 (SELECT *
 FROM USER_INDEXES
 WHERE FUNCIDX_STATUS='DISABLED'
 AND TEMPORARY = 'N'
 AND INDEX_TYPE! = 'LOB'
 AND PARTITIONED = 'NO'
 AND TABLE_NAME IN
 (SELECT TABLE_NAME FROM USER_TABLES WHERE TEMPORARY='N'
)
 AND TABLE_NAME NOT IN ('PLAN_TABLE', 'ZENUPGRADELOG', 'ZENUPG_INDEX')
)
 LOOP
 EXECUTE IMMEDIATE 'ALTER INDEX ' || REC.INDEX_NAME || ' ENABLE';
 END LOOP;
 SELECT COUNT(1)
 INTO V_CNT
 FROM USER_INDEXES
 WHERE FUNCIDX_STATUS='DISABLED'
 AND TEMPORARY = 'N'
 AND INDEX_TYPE! = 'LOB'
 AND PARTITIONED = 'NO'
 AND TABLE_NAME IN
 (SELECT TABLE_NAME FROM USER_TABLES WHERE TEMPORARY='N'
)
 AND TABLE_NAME NOT IN ('PLAN_TABLE', 'ZENUPGRADELOG', 'ZENUPG_INDEX');
END LOOP;
END;
/

BEGIN
 FOR REC1 IN
 (SELECT *
 FROM USER_INDEXES
 WHERE PARTITIONED='YES'
 AND TABLE_NAME IN
 (SELECT TABLE_NAME FROM USER_TABLES WHERE TEMPORARY='N'
)
 AND TABLE_NAME NOT IN ('PLAN_TABLE', 'ZENUPGRADELOG', 'ZENUPG_INDEX')
)
 LOOP
 IF REC1.STATUS='N/A' THEN
 FOR REC2 IN
 (SELECT *
 FROM USER_IND_PARTITIONS
 WHERE INDEX_NAME=REC1.INDEX_NAME
 AND STATUS! = 'USABLE'
)
 LOOP
 IF REC1.STATUS='N/A' THEN
 FOR REC3 IN
 (SELECT *
 FROM USER_IND_SUBPARTITIONS
 WHERE INDEX_NAME =REC2.INDEX_NAME
 AND PARTITION_NAME=REC2.PARTITION_NAME
 AND STATUS! = 'USABLE'
)
 END LOOP;
 END LOOP;
 END IF;
 END LOOP;
END;

```

```

)
 LOOP
 EXECUTE IMMEDIATE 'ALTER INDEX ' || REC3.INDEX_NAME || ' REBUILD
SUBPARTITION ' || REC3.SUBPARTITION_NAME;
 END LOOP;
 ELSE
 EXECUTE IMMEDIATE 'ALTER INDEX ' || REC2.INDEX_NAME || ' REBUILD
PARTITION ' || REC2.PARTITION_NAME;
 END IF;
 END LOOP;
 END IF;
 END LOOP;
 FOR REC IN
 (SELECT * FROM USER_INDEXES WHERE FUNCIDX_STATUS != 'ENABLED'
)
 LOOP
 EXECUTE IMMEDIATE 'ALTER INDEX ' || REC.INDEX_NAME || ' ENABLE';
 END LOOP;
END;
/

```

Verify the invalid objects after executing above scripts. The following queries should NOT return any records:

```

SELECT * FROM USER_OBJECTS WHERE STATUS='INVALID';
SELECT * FROM USER_INDEXES WHERE FUNCIDX_STATUS='DISABLED';
SELECT * FROM USER_INDEXES WHERE STATUS='INVALID';
SELECT * FROM USER_IND_PARTITIONS WHERE STATUS NOT IN ('N/A','USABLE');
SELECT * FROM USER_IND_SUBPARTITIONS WHERE STATUS NOT IN ('USABLE');
SELECT * FROM USER_CONSTRAINTS WHERE STATUS != 'ENABLED';

```



# 22 Troubleshooting Database Migration

- ♦ [“After database migration ZEUS is unable to contact the new database server” on page 171](#)
- ♦ [“During Appliance deployment, configuring External PostgreSQL using the New Schema option fails to create Audit database” on page 172](#)
- ♦ [“Troubleshooting a Java Heap Space Exception” on page 172](#)
- ♦ [“Troubleshooting an Oracle Database Crash” on page 173](#)
- ♦ [“Troubleshooting an Oracle Tablespace Issue” on page 173](#)
- ♦ [“Troubleshooting the Database Migration Failure Issue” on page 173](#)
- ♦ [“Troubleshooting the Database Migration by Using An Existing User Schema” on page 174](#)
- ♦ [“Troubleshooting the ORA-01652: unable to extend temp segment by 128 in tablespace TEMP” on page 174](#)
- ♦ [“Troubleshooting the ORA-01400: cannot insert NULL” on page 175](#)
- ♦ [“Troubleshooting the ORA-12516, TNS: listener could not find available handler with matching protocol stack” on page 175](#)
- ♦ [“Troubleshooting the database migration failure, duplication of serial numbers in the zDevice table” on page 175](#)
- ♦ [“Configure action fails with exception ZEN configure action container is not responding” on page 177](#)

## After database migration ZEUS is unable to contact the new database server

If you have added the database.conf file to override the default JDBC URL and drivers values. After database migration, the content of the database.conf file might not be updated with the latest database information. Hence, ZEUS might not be able to contact the new database server.

### Workaround:

By default, the details in the ZDM.xml file is used to communicate between database server and ZEUS. If you want to override the default JDBC driver class and JDBC URL values, then updated the database.conf file with the new database information.

To use the default values for driver class and JDBC URL, delete the database.conf, else value in this file will be used to communicate with ZEUS.

The database.conf file is available in the following location:

**On Windows:** %ZEN\_HOME%\ZeUS\conf\

**Linux:** /etc/opt/microfocus/zenworks/datamodel

# During Appliance deployment, configuring External PostgreSQL using the New Schema option fails to create Audit database

While deploying the ZENworks 2017 Appliance, if you configure external PostgreSQL as the database (ZENworks and Audit) using the New Schema option, then the Audit database might not be created.

**Workaround:** Create a PostgreSQL database schema and then deploy the appliance. During the appliance deployment, configure the external PostgreSQL database using the Existing Schema option.

For more information on creating PostgreSQL schema, see the [“Creating External PostgreSQL Database Schema” on page 107](#) section.

## Troubleshooting a Java Heap Space Exception

If you encounter a Java heap space exception during the database migration because of low memory:

- 1 Edit the `ZENworks_installation_path\bin\novell-zenworks-configure.bat` file on Windows or `/opt/novell/zenworks/bin/novell-zenworks-configure` on Linux to change the heap space value in the following line, depending upon the RAM of the device where the migration utility is running:

```
"%JAVA_HOME%\bin\java" -Djava.library.path=%ZENLIB% -cp "%MYCP%"
%DEBUG_OPTS% %JAVA_OPTS% -Xmx1024m
com.novell.zenworks.configure.ConfigureLoader %CONFIG_OPTS%
```

The heap space value is represented in megabytes (MB) within `-Xmx1024m`. By default, it is 1024.

For example, if the RAM of the device is 2048 MB, then the line in the `novell-zenworks-configure.bat` file can be updated as follows:

```
"%JAVA_HOME%\bin\java" -Djava.library.path=%ZENLIB% -cp "%MYCP%"
%DEBUG_OPTS% %JAVA_OPTS% -Xmx2048m
com.novell.zenworks.configure.ConfigureLoader %CONFIG_OPTS%
```

---

**IMPORTANT:** The heap space value must be either equivalent to or less than the RAM of the device. It is recommended to have a minimum 2048 MB to continue with database migration.

---

- 2 At the console prompt, run the `ZENworks_installation_path\bin\novell-zenworks-configure.bat` file on Windows or `/opt/novell/zenworks/bin/novell-zenworks-configure` on Linux.
- 3 Follow the prompts.

When you are prompted to enter the location of the file required for resuming the migration, enter the complete path of `DBMigration.xml`. The file is located in the `ZENworks_installation_path\bin` directory on Windows, and in the `/opt/novell/zenworks/bin` directory on Linux.

The XML file contains a list of tables and a flag indicating whether the table was successfully migrated or not. When the database migration resumes, only the tables with flag value set to False are migrated.

## Troubleshooting an Oracle Database Crash

If the Oracle database crashes during the database migration:

- 1 At the console prompt, run the `ZENworks_installation_path\bin\novell-zenworks-configure.bat` file on Windows or `/opt/novell/zenworks/bin/novell-zenworks-configure` on Linux.

- 2 Follow the prompts.

When you are prompted to enter the location of the file required for resuming the migration, enter the complete path of `DBMigration.xml`. The file is located in the `ZENworks_installation_path\bin` directory on Windows, and in the `/opt/novell/zenworks/bin` directory on Linux.

The XML file contains a list of tables and a flag indicating whether the table was successfully migrated or not. When the database migration resumes, only the tables with flag value set to False are migrated.

---

**IMPORTANT:** Do not edit the contents of `DBMigration.xml`.

---

## Troubleshooting an Oracle Tablespace Issue

If the Oracle USERS tablespace does not have sufficient space to create and store the ZENworks database schema, the database migration fails with the following error messages while trying to create the tables:

```
SEVERE: Terminating the database migration.
SEVERE: An error has occurred while migrating the database.
```

To resolve this issue, perform the following:

- ♦ The Oracle database administrator must increase the size of the USERS tablespace.
- ♦ Ensure that the tablespace has a minimum of 100 MB to create ZENworks database schema without any data in it.
- ♦ Ensure to have some extra space depending upon the size of the database to be migrated.

## Troubleshooting the Database Migration Failure Issue

If the `NLS_CHARACTERSET` parameter is not set to `AL32UTF8` and the `NLS_NCHAR_CHARACTERSET` parameter is not set to `AL16UTF16`, the database migration fails with the following error messages:

```
Failed to run the sql script: localization-updater.sql,
message:Failed to execute the SQL command: insert into
zLocalizedMessage(messageid,lang,messagestr)
values('POLICYHANDLERS.EPE.INVALID_VALUE_FORMAT','fr','La stratÃ©gie {0}
n'a
pas pu Ãªtre appliquÃ©e du fait que la valeur de la variable "{1}" n'est
pas
dans un format valide.'),
message:ORA-00600: internal error code, arguments: [ktfbbsearch-7], [8],
[],
[], [], [], [], [], []
```

To resolve the issue of database migration failure:

- Set the NLS\_CHARACTERSET parameter to AL32UTF8 and the NLS\_NCHAR\_CHARACTERSET parameter to AL16UTF16..
- Ensure that the character set parameters are configured with the recommended values, run the following query at the database prompt:

```
select parameter, value from nls_database_parameters where parameter
like '%CHARACTERSET%';
```

## Troubleshooting the Database Migration by Using An Existing User Schema

If you choose to migrate the database by using an existing user schema, the database migration utility creates the ZENworks database but it might fail to migrate the data.

To resolve this issue:

- 1 Ensure that the ZENworks tables, views, and user sequence are deleted from the newly created ZENworks database by the database administrator. Later on, clear the `user_recyclebin` database table.
- 2 Start the database migration again by using the same user schema.

## Troubleshooting the ORA-01652: unable to extend temp segment by 128 in tablespace TEMP

The **ORA-01652: unable to extend temp segment by 128 in tablespace TEMP** error appears, when the temp tablespace have default size and the current transaction involves more number of records with `clob` data type.

To troubleshoot this scenario, perform either of the following or both:

1. Add extra `dbf` file for temp tablespace.
2. Reduce the number of records for the transaction (For Database Migration if you are using default batch size 10,000 that can be reduced to 100 or 500 or 1000 based on the nature of each record having `clob` data.).



---

**IMPORTANT:** For better performance depending on the database size and resource availability, you can increase the batchsize in the `db-migration-mssql-to-oracle.properties` file. It is located in `%ZENWORKS_HOME%\novell\zenworks\conf\` on Windows and in `/etc/opt/novell/zenworks/conf/` on Linux.

---

## Troubleshooting the ORA-01400: cannot insert NULL

The **cannot insert NULL** error appears, when you are migrating MS SQL to Oracle database.

To troubleshoot this scenario, perform the following:

1. Go to the `database-table-column-mapping.properties` file located at the following path:
  - ♦ **For Windows:** `%ZENWORKS_HOME%\Novell\ZENworks\conf`
  - ♦ **For Linux:** `/etc/opt/novell/zenworks/conf`
2. Open the `database-table-column-mapping.properties` file.
3. Append the Table name, Column, and the Replacement value according to the the `database-table-column-mapping.properties` file format.

---

**IMPORTANT:** If you donot provide a replacement value, then it will take an empty character as a replacement value.

---

## Troubleshooting the ORA-12516, TNS: listener could not find available handler with matching protocol stack

The **TNS: listener could not find available handler with matching protocol stack** error appears, when you are migrating MS SQL to Oracle database.

To troubleshoot this scenario, increase the oracle processes by using the below SQL statement and bounce the database to reflect the changes.

```
SQL> alter system set processes=500 scope=spfile
```

## Troubleshooting the database migration failure, duplication of serial numbers in the zDevice table

In the ZENworks database on the Microsoft SQL server, if the unique constraint is not created on the serial number column of the `zDevice` table, duplicate serial numbers might be assigned to the devices that are connected to the Management Zone. Because of the duplicate serial numbers, the database migration from the Microsoft SQL database to the Oracle database might fail.

To identify and remove the duplicate serial number in the `zDevice` table, perform the following steps in the Microsoft SQL database:

1. Use the following query to identify the duplicate serial numbers in the Microsoft SQL database:

```
SELECT * FROM zDevice WHERE serialnumber IN (SELECT serialnumber FROM
zDevice GROUP BY serialnumber HAVING COUNT(1) > 1)
```

2. If the duplicate serial numbers are found on the zDevice table, do one of the following:
  - ♦ Remove the device from the Management Zone and register the device again.
  - ♦ Modify the duplicate serial numbers so that each serial number is unique.

To resume the database migration, perform the following in the Oracle database:

1. Use the following query to identify the duplicate serial numbers in the Oracle database:

```
SELECT * FROM zDevice WHERE serialnumber IN (SELECT serialnumber FROM
zDevice GROUP BY serialnumber HAVING COUNT(1) > 1)
```

2. Run the following SQL query to remove the duplicate entry from the target Oracle database:

```
begin
for rec in (select zuid from zDevice where serialnumber is null)
loop
update zDevice
set serialnumber=NVL(serialnumber,'_')||'_'||dbms_random.string('U',
10)
where zuid=rec.zuid;
commit;
end loop;

for rec in (select serialnumber from zDevice group by serialnumber
having count(1) > 1)
loop
update zDevice
set serialnumber=serialnumber||'_'||dbms_random.string('U', 10)
where serialnumber=rec.serialnumber;
commit;
end loop;
```

3. If there are any duplicate serial numbers, run the following query to verify.

If there are any duplicate numbers, run `select serialnumber from zDevice group by serialnumber having count(1) > 1;` and remove the duplicate serial numbers.

If there are no duplicates serial numbers, resume with the migration process.

---

**NOTE:** It is recommends that you clean up the duplicate serial numbers data before starting the database migration. You can continue to use the existing Management Zone without any loss functionality.

---

# Configure action fails with exception ZEN configure action container is not responding

The configure action completes with the following warning:

```
com.novell.zenworks.configure.NonFatalConfigurationException: ZEN configure
action container is not responding
```

This issue occurred because the ZENConfigure container failed initialize within the wait time.

To resolve this issue, increase the wait time of ZENConfigure container by using the `max-retries-for-configure-server=<number of retries>` configuration property in the `/etc/opt/microfocus/zenworks/host-configure-action.properties` directory. The default value for `max-retries-for-configure-server` is 60.

---

**NOTE:** Create the file with the entry if it does not exist.

---



# 23

## Customizing JDBC URL for ZENworks

ZENworks provides a way to configure customized JDBC URLs. After providing the URLs, the newer JDBC URL will be used to establish a connection with the database. ZENworks, Audit, and Antimalware databases can be configured to use the customized JDBC URLs.

Perform the following steps to customize the JDBC URLs:

For the ZENworks database, add the following entry in the zdm.xml file:

```
<entry key="Jdbc_Url">JDBC URL HERE</entry>
```

- ♦ **On Windows:** %ZENSERVER\_HOME%/conf/datamodel/zdm.xml
- ♦ **On Linux:** /etc/opt/microfocus/zenworks/datamodel/zdm.xml

For the Audit database, add the following entry in the zenaudit.xml file:

```
<entry key="Jdbc_Url">JDBC URL HERE</entry>
```

- ♦ **On Windows:** %ZENSERVER\_HOME%/conf/datamodel/zenaudit.xml
- ♦ **On Linux:** /etc/opt/microfocus/zenworks/datamodel/zenaudit.xml

---

**IMPORTANT:** If you are using MS SQL, then ensure that you add `encrypt=false`.

Example: `<entry key="Jdbc_Url">JDBC URL HERE;encrypt=false</entry>`

---

---

**NOTE:** Replace JDBC URL HERE with the actual JDBC URL. The URLs can be obtained from your database administrator.

---

### Antimalware is not enabled, and you want to configure a custom JDBC URL:

In this scenario, you need to apply the FTF (20.2.0.996 or later) and update the 'database.jdbc.url' key in the amedatasource.properties file available in the following location:

- ♦ **On Windows:** %ZENSERVER\_HOME%\services\antimalware\conf
- ♦ **On Linux:** /etc/opt/microfocus/zenworks/antimalware

For example:

database.jdbc.url=jdbc:oracle:thin:@(DESCRIPTION=(ADDRESS\_LIST=(ADDRESS=(PROTOCOL=TCP)(HOST=[SCAN\_VIP])(PORT=[SCAN\_PORT])))(CONNECT\_DATA=(SERVICE\_NAME=[SERVICE\_NAME]))), even before enabling and starting Antimalware enablement(The other key-value pairs in the file should be empty at this point). If this step is performed, the jdbcUrl will be given preference during and after Antimalware enablement.

### Antimalware is already enabled and you want to configure a custom JDBC URL:

In this scenario, you just need to update the in the amedatasource.properties.

However, if you perform a forced migration to the Antimalware database at a later point, then you need to apply the patch and restart the Antimalware service.

After adding the URLs, restart ZENAdmin, ZENClient and ZENLoader services.

---

**NOTE:** ♦ If you have multiple primary servers in the zone, and you are configuring a custom JDBC URL, then you need to manually modify the config files on all the primaries.

- ♦ If you are adding a new Primary Server to the zone (which is already configured with custom JDBC URL), then ZENworks takes care of updating the config file with the custom JDBC URL.

---

For example, this ability can be used to configure ZENworks to use Oracle DataGuard.

Following is the DataGuard JDBC driver URL format:

```
jdbc:oracle:thin:@(DESCRIPTION=(ADDRESS_LIST=(ADDRESS=(PROTOCOL=TCP)(HOST=[SCAN_VIP])(PORT=[SCAN_PORT])))(CONNECT_DATA=(SERVICE_NAME=[SERVICE_NAME])))
```

---

**IMPORTANT:**

- ♦ If DataGuard is configured in your zone, and facing issues with ZENworks Upgrade. Refer to the [Troubleshooting System Updates](#) section in the [ZENworks System Updates Reference](#)
- ♦ If you are using MS SQL, then ensure that you add `encrypt=false`.

Example: `<entry key="Jdbc_Url">JDBC URL HERE;encrypt=false</entry>`


---

# 24 Using DBeaver to Export SQL Query Results

The following section explains how to use DBeaver with ZENworks zone database to query and export the data into a CSV file.

1. Install DBeaver on a workstation (not on the ZENworks Primary Server).
2. Open the DBeaver, click Connections, and then select Create Connection.
3. Select PostgreSQL.

Edit the connection properties as shown in the below image.




On the Primary Server, run `zman dgc` to get the zenadmin and password.


Go to `zdm.xml` to collect the database name.

- On Linux: `/etc/opt/microfocus/zenworks/datamodel`
- On Windows: `%ZENSERVER_HOME%\conf\datamodel`

4. After connecting, right click on the database on the left side and select SQL Editor > Open SQL Script as show in the below image, and start executing SQL queries.




5. Go to > Window > Preferences > DBeaver > Editors > Data Editor > Lob Editors > Binary data formatter and then select “Hex”.




6. Right click on all the results of the query.







Ensure that the output includes hex formatting for the binary fields.



8. Send the resulting CSV file.

# A Documentation Updates

This section contains information on documentation content changes that were made in this *Database Management Reference* for ZENworks Configuration Management after the initial release. The information can help you to keep current on updates to the documentation.

The documentation for this product is provided on the web in two formats: HTML and PDF. The HTML and PDF documentation are both kept up-to-date with the changes listed in this section.

If you need to know whether a copy of the PDF documentation that you are using is the most recent, the PDF document includes a publication date on the title page.

## April 2023: ZENworks 2020 Update 3

Updates were made to the following sections:

| Location                                                                | Change                                                                           |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| <a href="#">Using the zman command to Take a Backup of the Database</a> | Updated the section with the latest zman command to take backup of the database. |

