

# Planning and Deployment Best Practices Guide

## Novell Filr 1.1

December 9, 2014

Novell®



## Legal Notices

Novell, Inc., makes no representations or warranties with respect to the contents or use of this documentation, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Novell, Inc., makes no representations or warranties with respect to any software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to make changes to any and all parts of Novell software, at any time, without any obligation to notify any person or entity of such changes.

Any products or technical information provided under this Agreement may be subject to U.S. export controls and the trade laws of other countries. You agree to comply with all export control regulations and to obtain any required licenses or classification to export, re-export or import deliverables. You agree not to export or re-export to entities on the current U.S. export exclusion lists or to any embargoed or terrorist countries as specified in the U.S. export laws. You agree to not use deliverables for prohibited nuclear, missile, or chemical biological weaponry end uses. See the [Novell International Trade Services Web page \(http://www.novell.com/info/exports/\)](http://www.novell.com/info/exports/) for more information on exporting Novell software. Novell assumes no responsibility for your failure to obtain any necessary export approvals.

Copyright © 2014 Novell, Inc. All rights reserved. No part of this publication may be reproduced, photocopied, stored on a retrieval system, or transmitted without the express written consent of the publisher.

Novell, Inc.  
1800 South Novell Place  
Provo, UT 84606  
U.S.A.  
[www.novell.com](http://www.novell.com)

*Online Documentation:* To access the latest online documentation for this and other Novell products, see the [Novell Documentation Web page \(http://www.novell.com/documentation/\)](http://www.novell.com/documentation/).

## Novell Trademarks

For Novell trademarks, see the [Novell Trademark and Service Mark list \(http://www.novell.com/company/legal/trademarks/tmlist.html\)](http://www.novell.com/company/legal/trademarks/tmlist.html).

## Third-Party Materials

All third-party trademarks are the property of their respective owners.

---

# Contents

<b>About This Guide</b>	<b>5</b>
<b>1 Small or Large, Expandable Deployment?</b>	<b>7</b>
<b>2 Deploying Filr as a Single Appliance</b>	<b>11</b>
<b>3 Planning a Large, Expandable (Clustered) Deployment</b>	<b>13</b>
3.1 Planning Overview	13
3.2 Involving the Stakeholders	15
3.3 Using a Planning Worksheet	15
3.4 Assessing Your Organization's Needs	15
3.5 Planning Filr Users and Groups	16
3.5.1 LDAP Proxy User Role and Rights	16
3.5.2 Watching Out for Duplicate Accounts	17
3.5.3 Avoiding Problems with User and Group Imports	18
3.5.4 Allowing Enough Time to Import Users	18
3.5.5 Recording User and Group Information	18
3.5.6 Planning for User and Group Synchronization	19
3.6 Planning File and Folder Targets for Filr	21
3.6.1 Storage Target Overview	21
3.6.2 Identifying File Servers and Network Storage Targets	22
3.6.3 Planning Net Folder Servers	22
3.6.4 Planning Net Folders	23
3.6.5 Planning Net Folder Access	23
3.6.6 Planning Home Folder Access (My Files)	24
3.6.7 Planning for Personal Storage (My Files)	24
3.7 Planning for Content Searching (Content Indexing)	24
3.8 Planning for Filr Email Integration	25
3.9 Planning for File Sharing through Filr	25
3.10 Planning for Net Folder Synchronization	26
3.11 Planning Administration Access	26
3.12 Planning Network Support	26
3.12.1 Bandwidth	27
3.12.2 Load Balancing	27
3.12.3 IP Address Information	27
3.12.4 Ports and Firewalls	27
3.13 Planning the Virtual Machines and VM Host Servers	28
3.13.1 Host Server Platforms Supported	28
3.13.2 Appliance Types and Roles	29
3.13.3 Ensuring Fault Tolerance	30
3.13.4 Appliance System Resource Requirements	31
3.13.5 Planning Filr Database Support	33
3.14 Planning Filr Deployment Components	33
3.15 Implementing Your Plan	33
3.15.1 Leverage a Pilot Deployment	33
3.15.2 Deployment Order and Recommendations	34
3.15.3 Monitor the System on an Ongoing Basis	36

<b>4</b>	<b>Setting Up a Large, Expandable (Clustered) Deployment</b>	<b>37</b>
4.1	Overview	37
4.2	Prerequisites	39
4.3	Setting Up Shared Storage	39
4.3.1	About the Deployment Illustrations	39
4.3.2	NFS Shared Storage Example	40
4.4	Setting Up Two Filr Search Appliances	49
4.4.1	Downloading, Starting, and Configuring the Filr Search Appliances	50
4.4.2	Deploying the Filr Search Appliances	55
4.5	Setting Up the SQL Database	58
4.5.1	If You Are Using an Existing SQL Server	58
4.5.2	Downloading, Starting, and Configuring the MySQL Appliance from Novell	59
4.5.3	Deploying the MySQL Database	64
4.6	Setting Up the Filr Appliances	70
4.6.1	Downloading, Starting, and Configuring the Filr Appliances	71
4.6.2	Deploying the Filr Appliances	81
4.7	Creating the Filr Cluster	85
4.8	Completing the Cluster Setup	91
4.9	What's Next	95
<b>5</b>	<b>Tuning Filr for Performance, Scale, and Capacity</b>	<b>97</b>
5.1	Ensure That Hardware Recommendations Are Met or Exceeded	97
5.2	Ensure Optimal Network and Disk Bandwidth for the /vashare Mount Point	98
5.3	Use Hardware-based SSL Termination	98
5.4	Deploy At Least Two Filr Appliances	98
5.5	Dedicate the Third Filr Appliance to Synchronization	98
5.6	Understand Your User Activity Workload	98
5.6.1	Tasks and System Load	99
5.6.2	Task Frequency	99
5.6.3	Client Access Method	99
5.7	Understand How Data and Synchronization Affect Performance	99
5.7.1	Data Location (Net Folders vs. Personal Storage)	100
5.7.2	Home Folder Synchronization	100
5.7.3	Net Folder Synchronization	100
5.7.4	Desktop Synchronization	101
5.8	Bring Net Folder and Home Directory Users Online in Phases	101
5.9	Rely on Ganglia for Help with Optimizing RAM and CPU Allocation	101
<b>A</b>	<b>Documentation Updates</b>	<b>103</b>

---

# About This Guide

---

**IMPORTANT:** This guide is a work in progress. We recommend that you check back regularly for updates.

If you have specific content suggestions or requests, please submit them by using the User Comments feature at the bottom of each page of the online documentation.

---

- ♦ Chapter 1, “Small or Large, Expandable Deployment?,” on page 7
- ♦ Chapter 2, “Deploying Filr as a Single Appliance,” on page 11
- ♦ Chapter 3, “Planning a Large, Expandable (Clustered) Deployment,” on page 13
- ♦ Chapter 4, “Setting Up a Large, Expandable (Clustered) Deployment,” on page 37
- ♦ Chapter 5, “Tuning Filr for Performance, Scale, and Capacity,” on page 97
- ♦ Appendix A, “Documentation Updates,” on page 103

This guide documents best practices for planning and deploying Filr within a production environment. It supplements but doesn't replace the Novell Filr documentation at <http://www.novell.com/documentation/novell-filr-1-1/> (<http://www.novell.com/documentation/novell-filr-1-1/>).

## Audience

This guide is intended for Filr administrators.

## Feedback

We want to hear your comments and suggestions about this guide and the other documentation included with Novell Filr. Please use the User Comments feature at the bottom of each page of the online documentation.

## Documentation Updates

For the most recent version of this guide, visit the [Novell Filr 1.1 Documentation website](http://www.novell.com/documentation/novell-filr-1-1/filr-1-1_plan_deploy_bp/data/bookinfo.html) ([http://www.novell.com/documentation/novell-filr-1-1/filr-1-1\\_plan\\_deploy\\_bp/data/bookinfo.html](http://www.novell.com/documentation/novell-filr-1-1/filr-1-1_plan_deploy_bp/data/bookinfo.html)).

## Additional Documentation

The [Novell Filr documentation on the web](http://www.novell.com/documentation/novell-filr-1-1/filr-1-1_plan_deploy_bp/data/bookinfo.html) ([http://www.novell.com/documentation/novell-filr-1-1/filr-1-1\\_plan\\_deploy\\_bp/data/bookinfo.html](http://www.novell.com/documentation/novell-filr-1-1/filr-1-1_plan_deploy_bp/data/bookinfo.html)) is constantly being updated. Therefore, you should always check the latest documentation when looking for detailed information on Filr.

The following guides are particularly relevant to the information in this guide:

- ♦ Filr Overview “How Filr Works” Guide ([http://www.novell.com/documentation/novell-filr-1-1/filr-1-1\\_overvw/data/bookinfo.html](http://www.novell.com/documentation/novell-filr-1-1/filr-1-1_overvw/data/bookinfo.html))
- ♦ Filr Installation and Configuration Guide ([http://www.novell.com/documentation/novell-filr-1-1/filr-1-1\\_inst/data/bookinfo.html](http://www.novell.com/documentation/novell-filr-1-1/filr-1-1_inst/data/bookinfo.html))



---

# 1 Small or Large, Expandable Deployment?

## Filr Deployment Scenarios

Three Filr deployment scenarios are possible:

- ♦ **Small Deployment:** A single “all-in-one” Filr appliance that performs all of the functions.
- ♦ **Large, Non-Expandable Deployment (no shared storage):** One Filr appliance with no shared storage, two Filr Search appliances (recommended), and one MySQL appliance perform specific functions.
- ♦ **Large, Expandable Deployment (shared storage):** One or more Filr appliances with shared storage, two Filr Search appliances, and one MySQL appliance perform specific functions.

## Why Is there No Information about Large, Non-expandable Deployments in This Guide?

Creating a large, non-expandable deployment is not a best practice.


- ♦ For small organizations, Small Filr deployments generally perform better than Large, non-expandable deployments due to network latency and other issues.
- ♦ Large, non-expandable deployments offer only limited advantages over small deployments, such as:
  - ♦ Redundant Filr Search appliances
  - ♦ Potential utilization of existing in-house MySQL or MS SQL services

## Small Vs. Large, Expandable

Before deploying Filr, you must determine whether your organization’s long-term needs dictate a small deployment or a large, expandable deployment. The information that follows can help you make that determination.

[Figure 1-1](#) and [Table 1-1](#) outline the fundamental difference between small and large, expandable deployments.

**Figure 1-1** Components of Small and Large, Expandable Deployments



**Table 1-1** Comparing Small, Large non-expandable, and Large-expandable Deployments

Feature/Component	Small Deployment	Large, Expandable Deployment
Number of appliances	One all-in-one appliance	Recommended Minimum <ul style="list-style-type: none"> <li>♦ Two Filr appliances</li> <li>♦ Two Filr Search appliances</li> <li>♦ Access to a MySQL or MS SQL database, or one MySQL appliance</li> </ul>
Content Indexing Off-loading:	None	A special-purpose Filr appliance can be configured to not serve clients request but instead be dedicated to the resource-intensive function of content synchronization and indexing.
Expansion  This is the capability to meet increased demands from organization growth and/or Filr service usage	None	In theory, you can add as many Filr appliances as needed.  In practice, as with any system, there are limitations external to Filr, such as network bandwidth, hardware limitations, and other constraints that become bottlenecks for Filr scalability and performance.
Fault Tolerance	None	Filr Search Index servers are independent and redundant.  Two index servers are sufficient



Feature/Component	Small Deployment	Large, Expandable Deployment
High Availability	Single point of failure	With a load balancer deployed, two or more Filr Appliances can be attached to the same shared storage, which in turn can be protected by traditional clustering.
Process specialization	None	You can devote one Filr appliance to Net Folder synchronization and content indexing.

For more information on small and large deployments, see “[Overview](#)” in the *[Novell Filr 1.1 Installation and Configuration Guide](#)*.



# 2 Deploying Filr as a Single Appliance

**IMPORTANT:** The primary best practice for small Filr deployments is to ensure that a small deployment will meet your organization's needs in the foreseeable future. A large percentage of Filr support incidents result from an organization having underestimated its file-activity workload and needing to start over with a new large, expandable deployment.

Novell strongly recommends that you thoroughly assess your organization's needs before proceeding with a small deployment.


If you are certain that your organization's file-activity workload will never exceed the small deployment capacity limits outlined in [Figure 1-1 on page 8](#), then you can safely proceed with a small deployment as outlined in this section.

If you are not certain, complete the planning and other instructions in this guide before proceeding.

## Getting Started with Your Small Filr Deployment

The main processes involved in beginning a small deployment are illustrated and explained below.

**Figure 2-1** A Small Deployment of Filr



Letter	Details
A	<p>Download and deploy the software for your chosen virtualization platform as instructed in <a href="#">“Downloading the Filr Appliance and Configuring the Virtual Environment”</a> in the <a href="#">Novell Filr 1.1 Installation and Configuration Guide</a>.</p> <p><b>IMPORTANT:</b> The Novell best practices recommendation is to configure a small deployment appliance with 4 CPUs and 12 GB memory.</p>
B	<p>Specify the appliance's basic configuration, which includes administrative users' passwords, IP address settings, and the time zone and NTP time source, as instructed in <a href="#">“Installing the Filr Appliance”</a> in the <a href="#">Novell Filr 1.1 Installation and Configuration Guide</a>.</p> <p>These settings are common to all Novell appliances.</p>

## Setting Up Your Small Deployment

After your Filr appliance is running on the network, you need to configure it with settings for the users and groups, the files and folders that they will access, and the permissions that they need in order to utilize Filr.

Be sure to complete the instructions in “[Setting Up the Filr Site](#)” in the *Novell Filr 1.1 Installation and Configuration Guide*:

---

# 3 Planning a Large, Expandable (Clustered) Deployment


Every organization has unique requirements, environments, resources, and project-management approaches. The following sections present general best practices for planning a successful Filr deployment.

- ♦ [Section 3.1, “Planning Overview,” on page 13](#)
- ♦ [Section 3.2, “Involving the Stakeholders,” on page 15](#)
- ♦ [Section 3.3, “Using a Planning Worksheet,” on page 15](#)
- ♦ [Section 3.4, “Assessing Your Organization’s Needs,” on page 15](#)
- ♦ [Section 3.5, “Planning Filr Users and Groups,” on page 16](#)
- ♦ [Section 3.6, “Planning File and Folder Targets for Filr,” on page 21](#)
- ♦ [Section 3.7, “Planning for Content Searching \(Content Indexing\),” on page 24](#)
- ♦ [Section 3.8, “Planning for Filr Email Integration,” on page 25](#)
- ♦ [Section 3.9, “Planning for File Sharing through Filr,” on page 25](#)
- ♦ [Section 3.10, “Planning for Net Folder Synchronization,” on page 26](#)
- ♦ [Section 3.11, “Planning Administration Access,” on page 26](#)
- ♦ [Section 3.12, “Planning Network Support,” on page 26](#)
- ♦ [Section 3.13, “Planning the Virtual Machines and VM Host Servers,” on page 28](#)
- ♦ [Section 3.14, “Planning Filr Deployment Components,” on page 33](#)
- ♦ [Section 3.15, “Implementing Your Plan,” on page 33](#)

## 3.1 Planning Overview

[Figure 3-1](#) illustrates the components and protocols that could be included in a large, expandable Filr deployment. As you access the sections that follow, similar illustrations show which components are impacted by the planning recommendations in that section.

Figure 3-1 Potential Components of a Filr Deployment



## 3.2 Involving the Stakeholders

Filr deployment success depends on stakeholder buy-in and input. Who are the stakeholders within your organization?

- 1 Include stakeholders from the following as applicable.
  - ♦ Management
  - ♦ User community
  - ♦ Server administration
  - ♦ Database administration
  - ♦ Network administration
  - ♦ Directory service administration
  - ♦ Security administration
- 2 Record Stakeholder information on a worksheet, such as the one introduced in the next section, “[Using a Planning Worksheet](#).”

## 3.3 Using a Planning Worksheet

Ensuring a successful Filr deployment requires up-front planning.

- 1 After you have identified the Filr deployment stakeholders, begin recording the planning information and data that you gather.
- 2 We recommend that you start with the [Filr 1.1 Planning Worksheet](#) that we have posted on the Filr 1.1 online documentation site.

The sections and instructions that follow assume that you are using the worksheet.
- 3 If your organization is large, consider contacting a [Novell Solution Provider](#) to help with Filr planning and deployment.

## 3.4 Assessing Your Organization’s Needs

Begin your planning process by assessing your organization’s needs for Filr. The following steps can help you get started. The [Filr 1.1 Planning Worksheet](#) sections match the steps and the sections that follow.

- 1 Discuss what is happening within the organization on the file-access and file-sharing fronts.
- 2 Identify key business drivers for access, sharing, and so on.
- 3 Identify security policies that must be complied with.
- 4 Identify any compliance and regulatory standards that must be met.
- 5 Identify Filr use-case scenarios.
- 6 Clearly define each use case.

The [sample planning worksheet](#) contains questions you might ask as you create the use cases.
- 7 You can configure Filr to display a corporate logo or other branding images.

Does your organization have [user interface branding](#) requirements?

## 3.5 Planning Filr Users and Groups

---

**IMPORTANT:** We recommend that you review the following information in the online documentation to prepare for planning your Filr Users and Groups:

- ♦ “Users and Groups with Filr” in the [How Filr Works—Overview Guide](#)
  - ♦ The following sections in the [Novell Filr 1.1 Administration Guide](#):
    - ♦ “Managing Users”
    - ♦ “Managing Groups”
- 

The following sections identify best practices for ensuring that Filr includes the users and groups that will use its services.

- ♦ [Section 3.5.1, “LDAP Proxy User Role and Rights,” on page 16](#)
- ♦ [Section 3.5.2, “Watching Out for Duplicate Accounts,” on page 17](#)
- ♦ [Section 3.5.3, “Avoiding Problems with User and Group Imports,” on page 18](#)
- ♦ [Section 3.5.4, “Allowing Enough Time to Import Users,” on page 18](#)
- ♦ [Section 3.5.5, “Recording User and Group Information,” on page 18](#)
- ♦ [Section 3.5.6, “Planning for User and Group Synchronization,” on page 19](#)

### 3.5.1 LDAP Proxy User Role and Rights


Filr synchronizes LDAP users by leveraging proxy users that have sufficient rights in the targeted LDAP directories to read the user and group information required by Filr.

Currently, eDirectory and Active Directory are supported as LDAP identity stores.

The rights required for LDAP synchronization are platform-specific, and for Active Directory they vary depending on whether read access restrictions are in place, as illustrated in [Figure 3-2](#).



**Figure 3-2** Rights Required for LDAP Proxy Users



## 3.5.2 Watching Out for Duplicate Accounts

Sometimes, organizations that utilize both eDirectory and Active Directory as identity stores, have accounts for the same individuals or groups of individuals in both directory services.

If you are importing users and groups from eDirectory and from Active Directory, be aware that Filr doesn't allow duplicate accounts. For example, `joe_user` in both eDirectory and Active Directory will not be allowed, but `joe_user` and `j_user` will. If you have duplicate accounts that need to be imported, you will need to change the name in one of the directory services.

### 3.5.3 Avoiding Problems with User and Group Imports

The following points are critical to Net Folder creation and the synchronization of access privileges.

- ♦ **Import Both Groups and Users:** If you import only LDAP users and not the groups they belong to, then file system group permissions won't map to Filr group permissions when Net Folders are created. See "[LDAP Server Configurations Must Include Both Users and Groups](#)" on page 19.
- ♦ **Register User Profiles Automatically (default):** If you deselect this option, then users won't be created until after they log in. This causes the following issues:
  - ♦ You must wait until users log in to their home folders before you can configure the proxy users and passwords for any HOME Net Folder Servers.
  - ♦ Net Folder access permissions that key off user-based file system permissions will not be set or updated during Net Folder Synchronizations.
- ♦ **Register Group Profiles Automatically (default):** If you deselect this option, groups will not be created and Net Folder access permissions that key off group-based file system permissions will not be set or updated during Net Folder Synchronizations.

### 3.5.4 Allowing Enough Time to Import Users

The time required to import LDAP user and group objects is greatly improved in Filr 1.1. For example, in an internal Novell test, importing 40,000 objects took approximately 20 minutes.

The improvement ratio between 1.0.1 and 1.1 is greater as the number of objects being imported increases, as follows:

- ♦ **1 to 10,000 objects:** ~300%
- ♦ **10,000 to 30,000 objects:** ~500%
- ♦ **30,000 to 60,000 objects:** ~1,000%

Depending on the number of users you need to import, you might need to consider running the import process overnight.

### 3.5.5 Recording User and Group Information

Most Filr deployments use an existing LDAP source, such as eDirectory or Active Directory, to control user access to the system.

- 1 On the worksheet, identify the directory services that your organization currently uses.

- ♦ Linux: NetIQ eDirectory 8.8 or later

For more information, see the [NetIQ eDirectory 8.8 Documentation website \(http://www.novell.com/documentation/edir88\)](http://www.novell.com/documentation/edir88).

- ♦ Windows: Microsoft Active Directory, plus the latest Service Pack.

For more information, see [the Microsoft.com web site \(http://technet.microsoft.com/en-us/library/dn268299.aspx\)](http://technet.microsoft.com/en-us/library/dn268299.aspx).

---

**IMPORTANT:** eDirectory running on a Windows file server that contains Windows file shares is not supported as an LDAP source.

---

- 2 Note important details about how the directory is configured, such as whether it is split over multiple sites.

- 3 Identify the information required to import each LDAP user/group container, including:
  - ♦ The path to the container
  - ♦ The proxy user name, password, and rights required to import LDAP users and groups from the container
  - ♦ The number of users and groups
  - ♦ Home directory information, such as the LDAP attribute used and the average number of files for each user
- 4 If applicable, identify and record non-LDAP users and groups that will need to be created manually.
- 5 If applicable, identify and record duplicate eDirectory and Active Directory user and group accounts that need name adjustments prior to performing the LDAP import operation.

### 3.5.6 Planning for User and Group Synchronization

Synchronizing LDAP users and groups is a straight-forward process. Keep the following things in mind.

- ♦ [“LDAP Server Configurations Must Include Both Users and Groups” on page 19](#)
- ♦ [“Nested Groups Require Multiple Initial Synchronizations” on page 20](#)
- ♦ [“Planning the LDAP Synchronization Schedule” on page 20](#)

#### **LDAP Server Configurations Must Include Both Users and Groups**


When setting up your LDAP server connections, ensure that you also specify information for both users and groups. It is common for new Filr administrators to overlook the need to specify the contexts for groups only to discover later that file system rights assigned to users based on group membership are not recognized in Filr because groups were not imported.

## Don't Overlook LDAP Groups

When you set up LDAP Servers,

In addition to specifying User contexts . . .

Be sure to also specify Group contexts.



## Nested Groups Require Multiple Initial Synchronizations

If you have groups that are contained in other groups, you will need to synchronize LDAP at least twice and more times if required until all of the nested groups and their users are synchronized.

After the initial synchronization is completed, no special configurations are required to keep nested groups synchronized.

## Planning the LDAP Synchronization Schedule

As you set up your LDAP configuration, you will probably want to enable LDAP synchronization.

LDAP synchronization is required when users are added or removed, or when group memberships change in the LDAP identity store.

LDAP synchronization is essential to keeping file and folder access rights current. For most organizations, it is usually sufficient to synchronize LDAP once a day. A few require more frequent synchronization to keep Filr abreast of changes in their identity stores.

- 1 On the worksheet, identify how frequently information changes in your identity stores.
- 2 Specify the settings you will configure for LDAP synchronization.

## 3.6 Planning File and Folder Targets for Filr


**IMPORTANT:** We recommend that you review the information in the following to prepare for planning your Filr storage targets:

- ♦ “My Files (Personal Storage)” and “Net Folders” in the *How Filr Works—Overview Guide*
- ♦ The following sections in the *Novell Filr 1.1 Administration Guide*:
  - ♦ “Planning the Number of Net Folders”
  - ♦ “Planning the Net Folder Server Proxy User”
  - ♦ “Configuring Home Folders for Display in the My Files Area”
  - ♦ “Setting Up Personal Storage”

- ♦ Section 3.6.1, “Storage Target Overview,” on page 21
- ♦ Section 3.6.2, “Identifying File Servers and Network Storage Targets,” on page 22
- ♦ Section 3.6.3, “Planning Net Folder Servers,” on page 22
- ♦ Section 3.6.4, “Planning Net Folders,” on page 23
- ♦ Section 3.6.5, “Planning Net Folder Access,” on page 23
- ♦ Section 3.6.6, “Planning Home Folder Access (My Files),” on page 24
- ♦ Section 3.6.7, “Planning for Personal Storage (My Files),” on page 24

### 3.6.1 Storage Target Overview

**Figure 3-3** Potential File and Folder Targets for Filr



Letter	Details
A	<p>Filr provides file access through</p> <ul style="list-style-type: none"> <li>♦ Net Folders, which are similar to traditional network mapped drives</li> </ul> <p>And</p> <ul style="list-style-type: none"> <li>♦ My Files, which can include both traditional home directories and also Filr-based storage.</li> </ul>
B	<p>Net Folders point to file servers and/or network-based storage.</p>
C	<p>My Files can also point to file servers and/or network-based storage when these include traditional home directories.</p> <p>If the Personal Storage feature is enabled, My Files also provides access to personal files and folders that are stored in Filr itself.</p>

## 3.6.2 Identifying File Servers and Network Storage Targets

- 1 On your worksheet, identify the file servers and network-based storage devices that Filr will provide access to.  
For more information, see “[Filr Server Requirements](#)” in the *Novell Filr 1.1 Installation and Configuration Guide*.
- 2 After you have recorded the information for each file server and network-based storage device, continue with “[Planning Net Folder Servers](#).”

## 3.6.3 Planning Net Folder Servers

- 1 For each server or other network-based storage device identified in the previous section, do the following:
  - 1a Identify the NSS volumes and/or CIFS shares that Filr will provide access to.
  - 1b On your worksheet in the Net Folder Servers section, assign a unique Net Folder Server Name for each volume and/or share.  
Consider using a name that reflects the DNS and volume or share names associated with the Net Folder Server.
  - 1c Identify a Net Folder Proxy User for each Net Folder Server and record the information on your worksheet.
- 2 After you have planned the Net Folder Servers that are associated with each file server/network-based storage device, continue with “[Planning Net Folders](#).”

## 3.6.4 Planning Net Folders

---

**TIP:** Consider using [Novell File Reporter](http://www.novell.com/products/file-reporter/) (<http://www.novell.com/products/file-reporter/>) in planning for Filr. File Reporter helps you quickly determine the number, sizes, types, access frequency, and so on for your organization's files.

---

- 1 For each non-home-directory Net Folder Server identified in “[Planning Net Folder Servers](#),” do the following:
  - 1a Identify each main folder that contains files that require Filr access.
  - 1b On your worksheet in the Net Folders section, assign names that reflect the purpose or content of each folder.
  - 1c Record the Net Folder Server Name associated with each Net Folder.
  - 1d Record the path from the Net Folder Server to each Net Folder.
  - 1e For each Net Folder, record:
    - ♦ The number of files
    - ♦ The types of files, such as PDF, .doc, and so on
    - ♦ The size range
  - 1f Assess or estimate how often file content changes within each Net Folder.
  - 1g Assess how often user access rights change within each Net Folder.

This helps determine synchronization frequency.
  - 1h Set a roll-out priority for each Net Folder.

Initially, you should enable only the highest priority files and folders for access through Filr, to ensure a controlled and smooth implementation.

The remaining files and folders can be enabled in a phased approach during the production rollout.

Consider creating a map of the file structure that shows the order in which folders will be enabled through the testing, pilot, and production deployments.
- 2 After you have planned the non-home Net Folders, continue with “[Planning Net Folder Access](#).”

## 3.6.5 Planning Net Folder Access

---

**IMPORTANT:** We recommend that you review the information in “[Access Rights and Filr](#)” in the [How Filr Works—Overview Guide](#) to prepare for planning Filr user access.

Also see “[Configuring User Access to the Filr Site](#)” in the [Novell Filr 1.1 Administration Guide](#).

---

- 1 On your worksheet in the Net Folder Access section, record the following information for each Net Folder:
  - 1a The Net Folder name
  - 1b The names of each user and/or group that will be granted access to the Net Folder through Filr
  - 1c The Filr Role for each user and/or group.

Filr roles are determined by file system rights and are not configurable in Filr.

- 1d Verify that each user and/or group has the file system rights for the role they are expected to fill.

For more information, see [“Access Through Filr Involves One of Four Possible Roles”](#) and [“Rights to Files and Folders”](#) in the *How Filr Works—Overview Guide*.

- 2 After you have planned for user and/or group access to each Net Folder, continue with [“Planning Home Folder Access \(My Files\)”](#).

### 3.6.6 Planning Home Folder Access (My Files)

- 1 For each home directory Net Folder Server identified in [“Planning Net Folder Servers,”](#) do the following:
  - 1a On your worksheet in the My Files (Home Folder Net Folder Servers) section, assign a name for each Net Folder Server that is associated with a set of home folders.
  - 1b For each home folder Net Folder Server, record:
    - ♦ The number of files
    - ♦ The types of files, such as PDF, .doc, and so on
    - ♦ The size range
  - 1c Set a roll-out priority for each home folder Net Folder Server.
- 2 After you have planned the home Net Folders, continue with [“Planning for Personal Storage \(My Files\)”](#).

### 3.6.7 Planning for Personal Storage (My Files)

- 1 If you are allowing users to have personal storage on Filr, then on your worksheet in the My Files (Personal Storage) section, record quotas for users and/or groups of users, whichever fits your organization’s needs.
- 2 After you have planned Personal Storage quotas, continue with [“Planning for Content Searching \(Content Indexing\)”](#).

## 3.7 Planning for Content Searching (Content Indexing)

---

**IMPORTANT:** We recommend that you review the following information to prepare for planning your file-content searching strategy:

- ♦ [“Filr Indexing and Searching”](#) in the *How Filr Works—Overview Guide*
  - ♦ The following sections in the *Novell Filr 1.1 Administration Guide*:
    - ♦ [“Understanding Indexing”](#)
    - ♦ [“Searchability of Data”](#)
    - ♦ [“Optimizing the Lucene Index”](#)
-



Although providing users with the ability to search file content is an attractive feature of Filr, it comes at a significant cost in terms of the time required for Filr to download files prior to extracting content for indexing, and in terms of backing up the indexed data. Therefore, you will want to weigh the benefits against the cost and ensure that only data that must be searchable is indexed.

- 1 On your planning worksheet, identify the directories that will need to be indexed for full text searching.
- 2 Identify the files in the directories by size and quantify how many there are of each size.
  - ♦ Small (less than 500 MB)
  - ♦ Medium (between 500 MB and 2 GB)
  - ♦ Large (over 2 GB)
- 3 Assess the impacts and costs of content indexing.
  - 3a Start with a subset (1 to 10 GB) of that data.
  - 3b Monitor how much time is required to complete the indexing process.
  - 3c Increase the amount and monitor the process again.
  - 3d Always ask, “How many of these files actually need to be indexed?”
  - 3e Keep in mind that indexing impacts Filr in the following areas:
    - ♦ Time required to synchronize and index a Net Folder
    - ♦ Disk space usage in Filr’s `filr/filerepository` directory
    - ♦ Bandwidth usage between the Filr appliance and the target servers where Net Folders are located
    - ♦ CPU utilization on the Filr appliances
- 4 After you have planned for your organization’s content searching needs, continue with [“Planning for Filr Email Integration.”](#)

## 3.8 Planning for Filr Email Integration

Although Filr is configured by default to use a built-in email service, you should configure it to leverage your existing email service whenever possible.

- 1 On the planning worksheet, identify the configuration settings for integrating Filr with your email system.
- 2 After you have planned the Filr email integration, continue with [“Planning for Net Folder Synchronization.”](#)

## 3.9 Planning for File Sharing through Filr

---

**IMPORTANT:** We recommend that you review the information in [“Sharing through Filr”](#) in the *How Filr Works—Overview Guide* and [“Enabling Users to Share”](#) in the *Novell Filr 1.1 Administration Guide* to prepare for planning to allow sharing through Filr.

---

- 1 On the planning worksheet, identify the maximum sharing privileges to be allowed anywhere on the system.

Keep in mind that these are the default sharing settings for those who have access to My Files (home and personal) storage through Filr.

- 2 List the Net Folders that need to have sharing enabled, identify the users and/or groups that need sharing privileges, then specify the sharing privileges to be set for each user/group.
- 3 After you have planned the file sharing details, continue with [“Planning for Net Folder Synchronization.”](#)

## 3.10 Planning for Net Folder Synchronization

---

**IMPORTANT:** You should review the following information in the online documentation to prepare for planning Net Folder synchronization:

“[Filtr Synchronization](#)” in the [How Filtr Works—Overview Guide](#).

The following sections in the [Novell Filtr 1.1 Administration Guide](#):

- ♦ [“Planning the Synchronization Method”](#)
  - ♦ [“Planning the Synchronization Schedule”](#)
  - ♦ [“Planning a Clustered Filtr System to Support Net Folder Synchronization”](#)
  - ♦ [“Planning the Amount of Data to Synchronize”](#)
- 

- 1 After reading the sections linked above, do the following:
  - 1a On the planning worksheet, record the global Just-in-Time synchronization setting you plan to use. (Enabled is the default setting.)
  - 1b Record the synchronization plan for each Net Folder Server.
  - 1c If you plan to use Net-Folder-specific synchronization settings on one or more Net Folders, record those plans as well.
- 2 After you have planned Net Folder synchronization, continue with [“Planning Administration Access.”](#)

## 3.11 Planning Administration Access

---

**IMPORTANT:** We recommend that you review the information in [“Filtr Administration”](#) in the [How Filtr Works—Overview Guide](#) to prepare for planning for Filtr administration.

---

- 1 On your planning worksheet, identify those who will be responsible for administering various parts of the Filtr system.
- 2 When you have planned administration access, continue with [“Planning Network Support.”](#)

## 3.12 Planning Network Support

- ♦ [Section 3.12.1, “Bandwidth,” on page 27](#)
- ♦ [Section 3.12.2, “Load Balancing,” on page 27](#)
- ♦ [Section 3.12.3, “IP Address Information,” on page 27](#)
- ♦ [Section 3.12.4, “Ports and Firewalls,” on page 27](#)

### 3.12.1 Bandwidth

The communication required between Filr and targeted filr servers is significant. Remote Data locations with latency add delays to the end user experience.

Ensure that you locate Filr as close to the target file servers as possible.

If you have multiple remote data locations, then best practices dictate that you deploy multiple Filr installations rather than attempting to span the latency links.

### 3.12.2 Load Balancing

In deployments of two or more Filr Appliances, a load balancer is recommended.

Hardware or software solutions can be used.

NetIQ Access Manager can be leveraged with some limitations. For example, Access Manager can not authenticate external users.

### 3.12.3 IP Address Information


- 1 On your panning worksheet, record the IP settings and addresses for your Filr deployment.
- 2 When you have planned IP address information, continue with “[Ports and Firewalls](#).”

### 3.12.4 Ports and Firewalls

- 1 On your panning worksheet, record the port numbers needed for your Filr deployment.
- 2 When you have planned ports and firewalls, continue with “[Planning the Virtual Machines and VM Host Servers](#).”

[Figure 3-4](#) is borrowed from the [How Filr Works—Overview Guide](#) and summarizes the default port numbers that Filr uses for data communication.

**Figure 3-4** Default Ports Used in a Filr Deployment



## 3.13 Planning the Virtual Machines and VM Host Servers

Use the information in the following sections to identify the resources that your VM host servers must have to support your Filr deployment.

- [Section 3.13.1, “Host Server Platforms Supported,” on page 28](#)
- [Section 3.13.2, “Appliance Types and Roles,” on page 29](#)
- [Section 3.13.3, “Ensuring Fault Tolerance,” on page 30](#)
- [Section 3.13.4, “Appliance System Resource Requirements,” on page 31](#)
- [Section 3.13.5, “Planning Filr Database Support,” on page 33](#)

### 3.13.1 Host Server Platforms Supported

Filr runs on VMware, Xen, and Hyper-V virtualization host platforms. For specific version and other requirements, see “[Filr Server Requirements](#)” in the [Novell Filr 1.1 Installation and Configuration Guide](#).

## 3.13.2 Appliance Types and Roles

This section is included only as background information. No planning steps are included.

The appliances in a large Filr deployment perform three distinct roles that are essential to delivering Filr services.

**Table 3-1** *Appliance Role Summary*

	Filr	Filr Search	MySQL (if needed)
<b>Role</b>	<ul style="list-style-type: none"><li>◆ File access and sharing</li></ul>	<ul style="list-style-type: none"><li>◆ Content indexing for searching purposes</li></ul>	<ul style="list-style-type: none"><li>◆ Database storage retrieval of file metadata, system configuration, and user/group identities</li></ul>
<b>Number Required</b>	<ul style="list-style-type: none"><li>◆ At least one and generally three as a best practice</li></ul> <p>See <a href="#">“Filr Performance and High-Availability” on page 30.</a></p> <p>After that, as many as the service load demands</p>	<ul style="list-style-type: none"><li>◆ Two</li></ul> <p>See <a href="#">“Filr Search Redundancy” on page 30.</a></p>	<ul style="list-style-type: none"><li>◆ One or an existing database</li></ul> <p>See <a href="#">“Planning Filr Database Support” on page 33.</a></p>
<b>Dependencies</b>	<ul style="list-style-type: none"><li>◆ At least one Filr Search appliance</li><li>◆ Access to a MySQL or MS SQL database</li></ul>	<ul style="list-style-type: none"><li>◆ None</li></ul>	<ul style="list-style-type: none"><li>◆ None</li></ul>
<b>Functions</b>	<ul style="list-style-type: none"><li>◆ Run a number of web-based services that are responsible for Filr client and web client (browser) interaction with the rest of the system.</li><li>◆ Synchronize Net Folders.</li><li>◆ When indexing applies, extract indexable content from synchronized files and send it to the Filr Search appliance to be indexed.</li></ul>	<ul style="list-style-type: none"><li>◆ Accept information to be indexed</li><li>◆ Respond to user-initiated search requests from Filr Appliances</li></ul>	<p>Store and provide access to the following:</p> <ul style="list-style-type: none"><li>◆ Configuration settings for all of the Filr cluster appliances</li><li>◆ Information on the users and files within the system</li></ul>

	Filr	Filr Search	MySQL (if needed)
<b>Best Practices</b>	<p><b>Required:</b></p> <p>Configure /vashare to point to a remote NFS or CIFS disk that all Filr appliances share in common.</p> <p><b>Strongly recommended:</b></p> <p>Deploy three Filr appliances: two to provide high availability and one devoted to Net Folder Synchronization and content indexing (if applicable).</p>	<p><b>Strongly recommended:</b></p> <p>Deploy two Filr Search appliances to provide fault tolerance and eliminate a single point of failure for Filr and the Filr desktop clients.</p>	<p><b>Recommended:</b> Consult with a qualified database administrator and use a high-availability in-house MySQL or MS SQL installation whenever possible.</p>

For more information, see “[Filr Applications and Appliances](#)” in the *Novell Filr 1.1 Installation and Configuration Guide*.

### 3.13.3 Ensuring Fault Tolerance

The following sections are included only as background information. No planning steps are included in them.

- ♦ “[Filr Performance and High-Availability](#)” on page 30
- ♦ “[Filr Search Redundancy](#)” on page 30

#### Filr Performance and High-Availability

Novell recommends having at least two Filr servers in a large, expandable deployment for basic performance and high-availability. You can add more as your deployment grows through your initial pilot to a phased-in production rollout.

Determine whether a hardware solution (such as an application delivery controller or L4 switch) or a software solution (such as NetIQ Access Manager, Apache, and so forth) will be used to front the Filr servers.

Novell also recommends connecting a third Filr Appliance to the shared storage and not fronting it with a load balancer. This appliance can then be used for dedicated administration and file synchronization purposes.

#### Filr Search Redundancy

Having functional search appliances and the services they provide is vital to the health of the system.

Novell recommends having two Search/Index servers for redundancy (fault tolerance) purposes. Having more than two is not recommended or needed, because there are no performance gains associated with multiple Filr Search appliances.

By using two Search Appliances, you can re-index the appliances at separate times, thus preventing the clients from re-downloading all their data. For instructions, see “[Rebuilding the Search Index with Multiple Index Servers](#)” in the *Novell Filr 1.1 Administration Guide*.

## 3.13.4 Appliance System Resource Requirements

Refer to the information in this section as you plan for the components that your Filr deployment will require in [Section 3.14, “Planning Filr Deployment Components,” on page 33](#).

- ♦ [“Appliance Disk Storage Summary” on page 31](#)
- ♦ [“Shared Storage Deployment Best Practices and Caveats” on page 32](#)
- ♦ [“Appliance RAM Requirements” on page 32](#)

### Appliance Disk Storage Summary

[Table 3-2](#) summarizes the different appliance storage locations in a large, Filr-clustered deployment.

**Table 3-2** *Appliance Storage*

Boot Partition (Hard Disk 1)	VM Hard Disk 2	VM Hard Disk 3	Remote CIFS- or NFS-based Storage (Filr Only)
<b>Mount Point:</b> /	<b>Mount Point:</b> /vastorage	<b>Mount Point:</b> /var	<b>Mount Point:</b> /vashare
<b>Recommended Size:</b> Varies by appliance type. See <a href="#">“Filr Storage Requirements”</a> in the <i>Novell Filr 1.1 Installation and Configuration Guide</i> .			
<b>Required on:</b> Filr, Filr Search, and MySQL appliances	<b>Required on:</b> Filr, Filr Search, and MySQL appliances	<b>Required on:</b> Filr, Filr Search, and MySQL appliances	<b>Required on:</b> Filr appliances in large, expandable (clustered) deployments
<b>Purpose:</b> Stores the following: <ul style="list-style-type: none"><li>♦ All of the binary, configuration, and other files required for the operating system to run appliance services</li></ul>	<b>Purpose:</b> Stores the following: <ul style="list-style-type: none"><li>♦ Configuration files that are used for appliance upgrades</li><li>♦ Ganglia files that are used to store monitoring information</li></ul>	<b>Purpose:</b> Stores log files.	<b>Purpose:</b> Stores the following: <ul style="list-style-type: none"><li>♦ Personal Storage files in My Files</li><li>♦ Temporary files</li><li>♦ Cached HTML renderings that vary in size, depending on the type of file being rendered.</li><li>♦ Indexed content</li></ul>

Boot Partition (Hard Disk 1)	VM Hard Disk 2	VM Hard Disk 3	Remote CIFS- or NFS-based Storage (Filtr Only)
<b>Best Practices:</b>	<b>Best Practices:</b>	<b>Best Practices:</b>	<b>Best Practices:</b>
<ul style="list-style-type: none"> <li>◆ Disk size is set; requires no adjustment.</li> </ul>	<ul style="list-style-type: none"> <li>◆ Carefully follow the disk space planning requirements for each appliance type as detailed in “<a href="#">Filtr Storage Requirements</a>” in the <i>Novell Filr 1.1 Installation and Configuration Guide</i>.</li> </ul>	<ul style="list-style-type: none"> <li>◆ Carefully follow the disk space planning requirements for each appliance type as detailed in “<a href="#">Filtr Storage Requirements</a>” in the <i>Novell Filr 1.1 Installation and Configuration Guide</i>.</li> <li>◆ Regularly delete older log files to prevent the disk from filling up.  Log files grow constantly and can consume large amounts of disk space.</li> </ul>	<ul style="list-style-type: none"> <li>◆ See <a href="#">Shared Storage Deployment Best Practices and Caveats</a> below.</li> </ul>

## Shared Storage Deployment Best Practices and Caveats

- ◆ Carefully follow the disk space planning requirements for each appliance type as detailed in “[Filtr Storage Requirements](#)” in the *Novell Filr 1.1 Installation and Configuration Guide*.
- ◆ Monitor and clean up the /vashare/cachefilestore area as needed.  
Cached files are automatically deleted on an appliance restart when they exceed 10 GB in size.
- ◆ Windows NFS services are not supported.
- ◆ The NFS or CIFS server should be on or near the same subnet as the Filr deployment. Filr is not latency tolerant.
- ◆ When exporting the remote NFS directory, you must specify the `rw` and `no_root_squash` export options.
- ◆ To secure NFS server access, as you specify the export options for the exported directory, ensure that you create a DNS entry for each Filr appliance that needs access.  
Otherwise, any NFS client on the network will be able to mount the exported directory.

## Appliance RAM Requirements

- ◆ **Filtr Appliance:** 8 GB of memory and 4 CPUs. At least half of the memory should be dedicated to the Java heap.
- ◆ **Database Appliance:** 4 GB of memory and 2 CPUs.
- ◆ **Search Index Appliance:** 8 GB of memory and 2 CPUs. About 66 percent of the memory should be dedicated to the Java heap.



### 3.13.5 Planning Filr Database Support

The MySQL appliance is delivered to support the Filr system when an alternate SQL database server isn't available.

Filr supports the following database servers:

- ♦ MySQL 5.0.96 and later
- ♦ Microsoft SQL 2008 R2, 2012, and 2014

If you have a MySQL or MS SQL installation, Novell recommends that you leverage that resource and take advantage of your existing infrastructure.

In an enterprise environment, it is important to ensure that the Filr appliances' shared storage (the /vashare mount point) is protected by traditional clustering to provide for high availability.

The MySQL or MS SQL server and database that Filr appliances access must also be protected for high availability.

## 3.14 Planning Filr Deployment Components

- 1 Using the information in [Section 3.13, "Planning the Virtual Machines and VM Host Servers," on page 28](#) and the details you have recorded on your worksheet, record your plans for the following:
  - ♦ Filr appliances
  - ♦ Filr Search appliances
  - ♦ Database support
  - ♦ VM host servers
  - ♦ Network-based disk space (CIFS or NFS) for /vashare
- 2 Ensure that the plan has stakeholder buy-in.
- 3 Continue with "[Implementing Your Plan.](#)"

## 3.15 Implementing Your Plan

- ♦ [Section 3.15.1, "Leverage a Pilot Deployment," on page 33](#)
- ♦ [Section 3.15.2, "Deployment Order and Recommendations," on page 34](#)
- ♦ [Section 3.15.3, "Monitor the System on an Ongoing Basis," on page 36](#)

### 3.15.1 Leverage a Pilot Deployment

Toward the end of your planning process, use a pilot deployment to validate and improve your production deployment plans.

- 1 Create a small pilot deployment that represents the breadth of the plans you have made.
- 2 Test and monitor your pilot deployment to see whether it is meeting users' needs.
- 3 Adjust your plans as needed.

## 3.15.2 Deployment Order and Recommendations

Novell recommends that Filr components and services be deployed in the following order.

- 1 Export a remote NFS shared storage or a CIFS Share directory.  
For more information, see [“Setting Up Remote NFS or Remote CIFS for the Filr Shared Storage Location”](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.
- 2 Identify an SQL server.  
For more information, see [“Configuring an Existing Database Server”](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.
- 3 Set up two Filr Search appliances.  
For more information, see [“Configuring and Maintaining the Search Index Appliance”](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.
- 4 Set up *N* Filr appliances.  
Ensure that you configure /vashare to point to the NFS directory that you exported in [Step 1](#), even if you are only setting up a single appliance initially. For more information, see [“Installing the Filr Appliance”](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.  
  
At least 66% of the memory should be dedicated to the Java processes [heap]. More memory might be required. If memcached has been offloaded to the Filr Search appliances, or elsewhere, then it might be possible to dedicate as much as 75% of Filr appliance memory to the Java processes.
- 5 Configure Filr-clustering on each Filr appliance as outlined in [Chapter 4, “Setting Up a Large, Expandable \(Clustered\) Deployment,”](#) on page 37.  
For more information, see [“Changing Clustering Configuration Settings”](#) in the *Novell Filr 1.1 Administration Guide*.
- 6 Set up the LDAP connections and synchronize users and groups.  
For more information, see [“Synchronizing Users and Groups from an LDAP Directory”](#) in the *Novell Filr 1.1 Administration Guide*.
- 7 Set up users’ My Files folders (if applicable).  
For more information, see [“Setting Up Personal Storage”](#) in the *Novell Filr 1.1 Administration Guide*.
- 8 Set up the Net Folder Servers and Net Folders.
  - ♦ Net Folder configurations that you make on a member of a Filr cluster are automatically propagated to all Filr appliances in the cluster.
  - ♦ For every volume that you want to expose through Filr, define at least one Net Folder Server by using the Admin Web Console (port 8443) and pointing to the root of the volume.
  - ♦ Use the target server’s IP address when specifying Net Folder servers.  
DNS names cannot be used.
  - ♦ After creating Net Folder Servers, you create Net Folders to provide access to target subdirectories.  
One Net Folder Server can host multiple Net Folders.
  - ♦ User access to Net Folders is based on three things:
    - ♦ Whether you have imported the users as Filr users
    - ♦ Whether you have authorized them to access the Net Folder by using the Rights tab

- ♦ Their NTFS permissions or NSS trustee rights to the data on the file servers

These permissions determine the role that users have within Filr. If you have authorized Filr users to access a Net Folder (second point above), but they have no rights on the file system, they can see the Net Folder, but they can't see any of its files and folders.

- ♦ While creating Net Folders, if you have overlooked creating the required Net Folder Server, you can access the Net Folder Server creation dialog from the Net Folder creation dialog.
- ♦ When you specify the path to a Net Folder, use the relative directory path from the root of the volume to where the Net Folder starts.

For more information, see [“Setting Up Net Folders”](#) in the *Novell Filr 1.1 Administration Guide*.

## 9 Set up Home Folders.

- ♦ When LDAP users are imported, if they have home directory attributes in eDirectory or Active Directory, a special-purpose Net Folder is set up that points to their home folder and is displayed as part of their My Files storage.
- ♦ Home folders are only available after users have logged in at least once using the web client or a mobile client.
- ♦ Home folders are managed as part of the user management functionality in the Filr Administration Utility (port 8443).
- ♦ After home folders are configured and users have logged in at least once from the web or a mobile client, the home folder is shown under “My Files” in the client interface.
- ♦ If required, just-in-time-synchronization (JITS) and synchronization parameters can be set on individual home folders in a similar way to other Net Folders.

For more information, see [“Configuring Home Folders for Display in the My Files Area”](#) in the *Novell Filr 1.1 Administration Guide*.

## 10 Set up sharing.

The Net Folder Proxy User provides access to shared Net Folders on behalf of all users, including:

- ♦ Those who have file system rights to access the file
- ♦ Those who would otherwise have no ability to see the data

For more information, see [“Setting Up Sharing”](#) in the *Novell Filr 1.1 Administration Guide*.

## 11 Set up desktop and mobile client deployment access.

For more information, see [“Configuring Mobile Device Access to the Filr Site”](#) and [“Configuring the Filr Desktop Application to Access Files”](#) in the *Novell Filr 1.1 Administration Guide*.

## 12 Set up email, reverse proxy, and so forth, if applicable.

**Reverse Proxy** This is only required if you have a load balance or a reverse proxy fronting the Filr appliances.

For more information, see [“Changing Reverse Proxy Configuration Settings,”](#) in the *Novell Filr 1.1 Administration Guide*.

If you use a standard DNS name to front multiple appliances, this ensures that any email-generated links include the standard DNS name rather than the individual Filr appliance host name.

**Outbound Email** Filr notification services require access to an outbound mail server.

For more information, see [“Configuring Email Integration,”](#) in the *Novell Filr 1.1 Administration Guide*.

### 3.15.3 Monitor the System on an Ongoing Basis

Ensure that your Filr deployment continues to provide timely and efficient servicing of user needs. As Filr usage increases, you should increase the resources devoted to Filr, including:

- ♦ Additional RAM
- ♦ Additional CPUs
- ♦ Additional Filr appliances

---

# 4 Setting Up a Large, Expandable (Clustered) Deployment

This section presents a detailed example of setting up a Filr-clustered deployment. You can use it to create a similar deployment in a lab environment or as a general roadmap for production deployments.

- ♦ [Section 4.1, “Overview,” on page 37](#)
- ♦ [Section 4.2, “Prerequisites,” on page 39](#)
- ♦ [Section 4.3, “Setting Up Shared Storage,” on page 39](#)
- ♦ [Section 4.4, “Setting Up Two Filr Search Appliances,” on page 49](#)
- ♦ [Section 4.5, “Setting Up the SQL Database,” on page 58](#)
- ♦ [Section 4.6, “Setting Up the Filr Appliances,” on page 70](#)
- ♦ [Section 4.7, “Creating the Filr Cluster,” on page 85](#)
- ♦ [Section 4.8, “Completing the Cluster Setup,” on page 91](#)
- ♦ [Section 4.9, “What’s Next,” on page 95](#)

## 4.1 Overview


In Filr management software and in some of the documentation, the term “Filr clustering” or simply “clustering” is used to indicate that multiple Filr appliances store common configuration settings and data in the same, mutually accessible NFS or CIFS storage location.

Each Filr appliance accesses the storage through a mount point named `/vashare`. The dialogs used to configure Filr to use shared storage refer to this as “clustering.” Shared storage provides fault tolerance and high availability in the sense that, if one Filr appliance goes down for maintenance or other reasons, other Filr appliances have access to the same settings and data, enabling Filr services to continue without interruption.

In this guide we generally refer to Filr-clustered deployments as “large, expandable deployments.”

When planning a Filr deployment, it is important to keep in mind that deploying Filr as a small or large, non-expandable system prevents expanding the deployment to accommodate organization growth or increased Filr service demands in the future.

Figure 4-1 Components that a Filr Cluster Must Contain



Letter	Details
A	<b>Exported NFS or CIFS Directory:</b> All of the Filr appliances in the cluster share this directory to store mutually accessed configuration files, personal storage, temporary files used by upload and conversion processes, and HTML renderings.
B	<b>Filr Search Appliances:</b> Novell best practices require that each Filr cluster be configured with two Filr Search appliances.
C	<b>SQL Appliance:</b> Each Filr appliance in a cluster accesses the same MySQL or MS SQL database.  As noted in “ <a href="#">Configuring an Existing Database Server</a> ” in the <a href="#">Novell Filr 1.1 Installation and Configuration Guide</a> , Novell recommends using an existing MySQL or MS SQL database if one is available.
D	<b>Filr Appliances:</b> By definition, a Filr cluster must contain at least two Filr appliances. More appliances can be included as the service load warrants.

## 4.2 Prerequisites

To configure a Filr cluster, you must have the following:

- ♦ A Network File System (NFS) version 3 server with an NFS-exported directory or an available CIFS share with sufficient unused disk space for the /vashare mount point. For disk space requirements, see “[Filr Storage Requirements](#)” in the *Novell Filr 1.1 Installation and Configuration Guide*.

The examples in this section assume that the NFS service is running on a SLES 11 server, but any NFS version 3 or CIFS server will work.

- ♦ Sufficient hardware resources on your VM host server to host and run the virtual appliances that your Filr cluster deployment includes. For more information, see the POSIX volume-related information in sections such as, “[LVM Volume Groups and Linux POSIX File Systems](#)” and “[Planning for Cluster Resources](#)” in the *OES 11 SP2: Novell Cluster Services for Linux Administration Guide*.
- ♦ DNS services on the network. This lets Filr resolve the DNS names of the Filr Search appliances to their respective IP addresses.

## 4.3 Setting Up Shared Storage


The first task in setting up a Filr cluster is to make sure that you have NFS v3 or CIFS shared storage available for the Filr appliances to use for their /vashare mount points.

- ♦ [Section 4.3.1, “About the Deployment Illustrations,” on page 39](#)
- ♦ [Section 4.3.2, “NFS Shared Storage Example,” on page 40](#)

### 4.3.1 About the Deployment Illustrations

[Figure 4-2](#) is the first in the series of illustrations in this section that depicts the order in which components are deployed and configured to form a Filr cluster.

**Figure 4-2** Setting up an NFS or CIFS Directory



## 4.3.2 NFS Shared Storage Example

---

**IMPORTANT:** Although a CIFS example of shared storage is not provided in this guide, the same principles apply as for NFS. Be sure to follow the planning guidelines in [“Filr Storage Requirements”](#) in the [Novell Filr 1.1 Installation and Configuration Guide](#).

---

The NFS server in this example leverages a SLES 11 file server that has been installed in VMware Workstation using default settings. You can use the steps that follow to gain hands-on experience with exporting an NFS directory, or for general guidance as you set up the NFS directory in your own lab or production network.

- 1 In VMware, add a new disk to the SLES 11 file server VM.

The example SLES 11 NFS server has only a single 20 GB hard drive. We could create a directory on that drive and export it. However, the Filr-clustered appliances need enough disk space for all of the Filr users' personal storage as well as HTML renderings and text extractions. Obviously, the amount of disk space needed is probably much larger than the free space that exists on the example SLES 11 server.

The example below shows a 100 GB disk being added. Your installation might require much more. Be sure to follow the planning guidelines in [“Filr Storage Requirements”](#) in the [Novell Filr 1.1 Installation and Configuration Guide](#).



Device	Summary
Memory	2 GB
Processors	1
Hard Disk (SCSI)	20 GB
CD/DVD (IDE)	Using file C:\VM Downloads\S...
Floppy	Auto detect
Network Adapter	NAT
USB Controller	Present
Sound Card	Auto detect
Printer	Present
Display	Auto detect

Hardware

Hard Disk

CD/DVD Drive

Floppy Drive

Network Adapter

USB Controller

Sound Card

Parallel Port

Serial Port

Printer

Generic SCSI Device

Explanation

Add a hard disk.

Disk

☒ Create a new virtual disk
 

A virtual disk is composed of one or more files on the host file system, which will appear as a single hard disk to the guest operating system. Virtual disks can easily be copied or moved on the same host or between hosts.

☐ Use an existing virtual disk
 

Choose this option to reuse a previously configured disk.

☐ Use a physical disk (for advanced users)
 

Choose this option to give the virtual machine direct access to a local hard disk.

Virtual disk type

☐ IDE

☒ SCSI (Only SCSI disks can be added while the VM is powered on.)

Mode

☐ Independent

Independent disks are not affected by snapshots.

☒ Persistent

Changes are immediately and permanently written to the disk.

☐ Nonpersistent

Changes to the disk are discarded when you power off or restore a snapshot.

< Back   **Next >**   Cancel

Maximum disk size (GB):

Recommended size for SUSE Linux Enterprise 11 64-bit: 20 GB

☐ Allocate all disk space now.

Allocating the full capacity can enhance performance but requires all of the physical disk space to be available right now. If you do not allocate all the space now, the virtual disk starts small and grows as you add data to it.

☐ Store virtual disk as a single file

☒ Split virtual disk into multiple files

Splitting the disk makes it easier to move the virtual machine to another computer but may reduce performance with very large disks.


< Back   **Next >**   Cancel

Disk file



This virtual disk file will store the configuration details of the physical disk.



< Back   **Finish**   Cancel




- 2 Restart the SLES server so that the new disk is recognized.
- 3 On the SLES server, click *Computer* > *YaST* > *System* > *Partitioner*.




- 4 Add a primary partition to the new disk.






- 5 Format the partition, and specify its mount point as `/nfs-filr`, then click *Finish* > *Next* > *Finish*.




The partition is added and formatted.




- To set up the NFS server, click *Computer > YaST > Network Services > NFS Server*.


**Figure 4-3** NFS Service on the OES server




- Set the server to start, open the firewall port, and disable (deselect) NFS v4 support.




8 Click *Add Directory*.




9 Browse to `nfs-filer` and Choose it for export.




- 10 Type `/shared` as the *Directory to Export*, then click *OK*,



- 11 Click *Yes* to confirm directory creation.




- 12 Change the `ro` and `root_squash` export options to `rw` and `no_root_squash`, then click *OK*.



In this small environment, there is no need to create Host Wild Card entries for the Filr appliances that are allowed to mount the exported directory.




13 Click *Finish*.



## 4.4 Setting Up Two Filr Search Appliances

Novell best practices require that every Filr-clustered deployment have two Filr Search appliances. A Filr cluster can operate with one search appliance, but this should only occur under special circumstances, such as when reindexing is required. [Figure 4-4](#) illustrates that two Filr Search appliances are the second and third components deployed when creating a Filr Cluster.

**Figure 4-4** Setting up two Filr Search appliances



You can use the steps that follow to gain hands-on experience with setting up Filr Search appliances, or for general guidance as you set up a Filr-clustered deployment in your own lab or production network. For complete instructions, see the [Novell Filr 1.1 Installation and Configuration Guide](#).


- ♦ [Section 4.4.1, “Downloading, Starting, and Configuring the Filr Search Appliances,” on page 50](#)
- ♦ [Section 4.4.2, “Deploying the Filr Search Appliances,” on page 55](#)

## 4.4.1 Downloading, Starting, and Configuring the Filr Search Appliances

- 1 Download and configure the virtual environment for a Filr Search appliance as documented in “[Downloading the Search Index Appliance and Configuring the Virtual Environment](#)” in the *Novell Filr 1.1 Installation and Configuration Guide*.

For example, for a VMware Workstation deployment this involves the following basic steps:


- 1a Download and unzip the Filr Search appliance archive.
- 1b Open the Filrsearch\*.ovf file.




- 1c Name the appliance and click *Import*.
- 1d Add a second hard disk to the appliance for the /vastorage mount point.

Device	Summary
Memory	4 GB
Processors	2
Hard Disk (SCSI)	20.1 GB
Hard Disk (SCSI)	20 GB
New Hard Disk ...	20 GB
CD/DVD (IDE)	Auto detect
Network Adapter	NAT
USB Controller	Present
Display	Auto detect

- 1e Add a third hard disk to the appliance for the log files (/var) mount point.
  - 1f Adjust the appliance's resources (RAM and so forth) as needed.
  - 1g Power on the appliance.
- 2 Install the Filr Search appliance that you downloaded and configured in [Step 1](#) as documented in “[Installing the Search Index Appliance](#)” in the *Novell Filr 1.1 Installation and Configuration Guide*.
- 2a Accept the license agreement.



**2b** Specify the passwords and time settings, then click *Next*.

 **Novell Filr Search Appliance Passwords and Time Zone**

root Password:

Confirm root Password:

vaadmin Password:

Confirm vaadmin Password:

NTP Server (e.g. time.domain.com):

Optional NTP Server (e.g. time.domain.com):


Optional NTP Server (e.g. time.domain.com):

Region:

Time Zone:

[Help](#) [Back](#) [Next](#)

2c Specify the network settings, then click *Next*.

 **Novell Filr Search Appliance Network Settings**

Hostname (e.g. server.domain.com):

IP Address (e.g. 10.0.0.1):

Network Mask (e.g. 255.255.255.0):

Gateway (e.g. 10.0.0.2):

DNS Server (e.g. 10.0.0.1):

Optional DNS Server (e.g. 10.0.0.2):

Optional DNS Server (e.g. 10.0.0.3):

Domain Search (e.g. domain.com):

Optional Domain Search (e.g. domain.com):

Optional Domain Search (e.g. domain.com):

- 2d** Specify the second hard disk you added in [Step 1d](#) as the data storage location for /vastorage by clicking *Next*.

## Novell Filr Search Appliance Data Store Location

Select a drive and partition to use for this appliance's data:

Hard Drive:

sdb ▼

Create a new partition and specify the filesystem type to use:

Free Space	Format	Size
uninitialized	none	20.00 GB


Filesystem Type:

ext3 ▼

[Help](#) [Back](#) [Next](#)

When the terminal prompt screen appears, the search appliance is ready to configure.

- 2e** Specify the third hard disk you added in [Step 1e](#) as the log file storage location for `/var` by clicking *Configure*.



**Novell Filr Search Appliance Data Log Location**

Select a drive and partition to use for this appliance's log data:

Hard Drive:

Create a new partition and specify the filesystem type to use:

Free Space	Format	Size
uninitialized	none	20.00 GB

Filesystem Type:

When the terminal prompt screen appears, the search appliance is ready to configure.

- 2f Repeat from [Step 1b on page 50](#) to install a second Filr Search appliance, then continue with [Section 4.4.2, "Deploying the Filr Search Appliances," on page 55](#).

## 4.4.2 Deploying the Filr Search Appliances

- 1 Using a browser, access the Appliance Administration Utility on the first Filr Search appliance by entering the following URL:

`https://IP_Address:9443`

Where *IP\_Address* is the IP address of the first Filr appliance.



- 2 Log in as the `vaadmin` user using the password that you set in [Step 2b on page 51](#).



Novell.



**Novell Filr Search Appliance Administration**

© Copyright 2011-2014 Novell, Inc. All rights reserved.


Username:

Password:

- 3 Click the *Novell Filr Search Appliance Configuration* button to launch the *Filr Search Configuration Wizard*.



- 4 Click *Next* to confirm that this is a new appliance.



**Filr Search Configuration Wizard**

Is this a new appliance, or are you upgrading from an existing one?

☒ New


*Start up a new Filr Search appliance.  
Select this option if you would like this appliance to start with the default configuration (you can change the settings later).*

☐ Upgrade

*Upgrade from an older Filr Search appliance.  
Select this option if configuration settings already exist, and you want to use those settings.*

- 5 Specify and confirm a password for the default Lucene user, then click *Finish*.





**Filtr Search Configuration Wizard**


Supply a password for the default lucene service user:

Password:

Re-type Password:

Previous Next **Finish**

- At the bottom of the Search Settings dialog, click *Submit*.



**Search Settings**

Re-type Password:  *Re-type password for verification.*

**JVM**

Java Maximum Heap Size:  *Standard JVM parameter.*

Java Thread Stack Size:  *Standard JVM parameter.*

**Lucene**

Max Booleans:

RAM Buffer Size:  *Maximum megabytes (MB) of RAM used before index entries are written to disk. (Default 256)  
If your site is large and indexing seems slow, increasing this setting might improve performance. However, consider operating system and JVM RAM requirements as well.*

Merge Factor:  *Maximum index segments (separate indexes searched sequentially) allowed on the disk. (Default 10)  
As new segments are needed, existing segments are merged to keep this constant.  
If your site is large and reindexing is needed, increasing this setting might improve indexing performance. Otherwise, leave at the default.*

Index Root Directory:  *Search index file location.  
Do not change this path.*


**Submit** Reset

- Repeat from [Step 1 on page 55](#) to configure a second Filr Search appliance, then continue with [Setting Up the SQL Database](#).
- Close the browser.

## 4.5 Setting Up the SQL Database

Figure 4-4 illustrates that an SQL database is the fourth component to consider when creating a Filr Cluster.

**Figure 4-5** Setting up an SQL database



- [Section 4.5.1, “If You Are Using an Existing SQL Server,” on page 58](#)
- [Section 4.5.2, “Downloading, Starting, and Configuring the MySQL Appliance from Novell,” on page 59](#)
- [Section 4.5.3, “Deploying the MySQL Database,” on page 64](#)

### 4.5.1 If You Are Using an Existing SQL Server

If you are leveraging an existing MySQL or MS SQL database server, the MySQL appliance sections that follow do not apply.

Instead, do the following:


- 1 Complete all of the configuration steps for your database server as documented in [Configuring an Existing Database Server](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.
- 2 Identify a name for the Filr database. The default and best-practice recommendation is `filr`.
- 3 Identify or create a user on your SQL server that has sufficient rights to create and administer the new Filr database.
- 4 When running the Filr configuration wizard, specify the server address and port, database name, and the database username and password.  
Filr leverages the information that you specify to create and properly configure a database for its use.
- 5 Continue with [Section 4.6, “Setting Up the Filr Appliances,” on page 70](#).

## 4.5.2 Downloading, Starting, and Configuring the MySQL Appliance from Novell

- 1 Download and configure the virtual environment for a MySQL appliance as documented in [“Downloading the MySQL Database Appliance and Configuring the Virtual Environment”](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.

For example, for a VMware Workstation deployment this involves the following basic steps:


- 1a Download, unzip, and open the .ovf file.




- 1b Name the appliance, then click *Import*.
- 1c Add a second hard disk to the appliance for the /vastorage mount point.
- 1d Add a third hard disk to the appliance for the log files (/var) mount point.

Device	Summary
Memory	4 GB
Processors	2
Hard Disk (SCSI)	20.1 GB
Hard Disk (SCSI)	20 GB
New Hard Disk ...	20 GB
CD/DVD (IDE)	Auto detect
Network Adapter	NAT
USB Controller	Present
Display	Auto detect

- 1e Adjust the appliance resources (RAM and so forth) as needed.
- 1f Power on the appliance.
- 2 Install the MySQL appliance that you downloaded and configured in [Step 1](#) as documented in [“Installing the MySQL Database Appliance”](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.
- 2a Accept the license agreement.



**2b** Specify the passwords and time settings.

 **Novell MySQL Appliance Passwords and Time Zone**

root Password:

Confirm root Password:

vaadmin Password:

Confirm vaadmin Password:

NTP Server (e.g. time.domain.com):

Optional NTP Server (e.g. time.domain.com):


Optional NTP Server (e.g. time.domain.com):

Region:

Time Zone:

[Help](#) [Back](#) [Next](#)

2c Specify the network settings.

The image shows a web-based configuration window titled "Novell MySQL Appliance Network Settings". It contains several text input fields for network configuration, each with a red border. The fields are: Hostname (mysql.firlab.example.com), IP Address (172.17.2.114), Network Mask (255.255.255.0), Gateway (172.17.2.2), DNS Server (172.17.2.2), Optional DNS Server (empty), Optional DNS Server (empty), Domain Search (firlab.example.com), Optional Domain Search (empty), and Optional Domain Search (empty). At the bottom, there are three buttons: "Help", "Back", and "Next". The "Next" button is highlighted with a red border.

Novell MySQL Appliance Network Settings

Hostname (e.g. server.domain.com):  
mysql.firlab.example.com

IP Address (e.g. 10.0.0.1):  
172.17.2.114

Network Mask (e.g. 255.255.255.0):  
255.255.255.0

Gateway (e.g. 10.0.0.2):  
172.17.2.2

DNS Server (e.g. 10.0.0.1):  
172.17.2.2

Optional DNS Server (e.g. 10.0.0.2):  
Optional DNS Server (e.g. 10.0.0.3):

Domain Search (e.g. domain.com):  
firlab.example.com

Optional Domain Search (e.g. domain.com):  
Optional Domain Search (e.g. domain.com):

Help Back Next

- 2d** Specify the second hard disk you added in [Step 1c](#) as the data storage location for /vastorage by clicking *Next*.

## Novell MySQL Appliance Data Store Location

Select a drive and partition to use for this appliance's data:

Hard Drive:

sdb ▼

Create a new partition and specify the filesystem type to use:

Free Space	Format	Size
uninitialized	none	20.00 GB


Filesystem Type:

ext3 ▼

Help Back **Next**

- 2e Specify the third hard disk you added in [Step 1d](#) as the data log file location for `/var` by clicking *Configure*.






2f When the terminal prompt screen appears, continue with [Deploying the MySQL Database](#).

### 4.5.3 Deploying the MySQL Database

[Figure 4-4](#) illustrates that MySQL is configured to recognize the Filr appliances and allow them to connect before they are set up and deployed.



**Figure 4-6** Deploying the SQL Database



Continuing with the example, the phpMyAdmin configuration utility is used to configure the MySQL appliance.

- 1 Launch the phpMyAdmin configuration utility and change the default password as documented in ["Configuring the MySQL Database Appliance"](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.


- 1a Using a browser, access the Appliance Administration Utility on the MySQL appliance by entering the following URL:

`https://IP_Address:9443`


Where *IP\_Address* is the IP address of the MySQL appliance.



- 1b Log in as the `vaadmin` user with the password that you set in [Step 2b on page 60](#).



Novell.



**Novell MySQL Appliance  
Administration**

© Copyright 2011-2014 Novell, Inc. All rights reserved.

Username:

Password:

**1c** Click the *phpMyAdmin* button to launch the phpMyAdmin utility.



**1d** Log in as `root` with password `root`.





Welcome to phpMyAdmin

**Language**


English

**Log in**


Username:

Password:

**1e** Under *General Settings*, click *Change Password*.



1f Type and retype (confirm) a new password for the phpMyAdmin `root` user, then click Go.




2 Add a new `filr` database and database-specific administrator for all of the Filr appliances that are planned to be members of the Filr cluster.

2a Click the *Users* tab.

Log in again as `root` with the new password that you just set.

2b Click the *Users* tab again, then click *Add User*.



**2c** In the Login Information section, do the following:

- ♦ Type `filr` in the *User Name* field.

---

**TIP:** You can specify any name for the user and associated database. If you specify a different name, then when you set up the Filr appliances, you will need to use that name instead of `filr`.

---

- ♦ Select *Use Text Field* for the *Host* field.
- ♦ In the *Host* field, type the IP address for the first Filr appliance that is in the Filr cluster.
- ♦ Type and re-type (confirm) a password for the new `filr` user, then scroll down.

---

**IMPORTANT:** You will need this password when you configure the Filr appliances.

---

**Login Information**

User name: Use text field:

Host: Use text field:

Password: Use text field:

Re-type:

Generate password:

**2d** In the *Database for User* section, select *Create database with same name and grant all privileges*.

**Database for user**

☒ Create database with same name and grant all privileges

☐ Grant all privileges on wildcard name (username\\_%)

**2e** At the bottom right corner of the dialog, click *Go*.

A `filr` user entry is added and the corresponding database is created.

	User	Host	Password	Global privileges	Grant	Action
<input type="checkbox"/>	filr	172.17.2.111	Yes	USAGE	No	Edit Privileges  Export
<input type="checkbox"/>	ganglia	localhost	Yes	ALL PRIVILEGES	No	Edit Privileges  Export
<input type="checkbox"/>	root	127.0.0.1	Yes	ALL PRIVILEGES	Yes	Edit Privileges  Export
<input type="checkbox"/>	root	::1	Yes	ALL PRIVILEGES	Yes	Edit Privileges  Export
<input type="checkbox"/>	root	localhost	Yes	ALL PRIVILEGES	Yes	Edit Privileges  Export
<input type="checkbox"/>	root	mysql	Yes	ALL PRIVILEGES	Yes	Edit Privileges  Export

☐ Check All    With selected: Export

- 2f** Each Filr appliance in a Filr cluster must have its IP address listed as a host.  
 Add another appliance to the Filr cluster by clicking the *Edit Privileges* link for the *filr* user.

	User	Host	Password	Global privileges	Grant	Action
<input type="checkbox"/>	filr	172.17.2.111	Yes	USAGE	No	Edit Privileges  Export
<input type="checkbox"/>	ganglia	localhost	Yes	ALL PRIVILEGES	No	Edit Privileges  Export
<input type="checkbox"/>	root	127.0.0.1	Yes	ALL PRIVILEGES	Yes	Edit Privileges  Export
<input type="checkbox"/>	root	::1	Yes	ALL PRIVILEGES	Yes	Edit Privileges  Export
<input type="checkbox"/>	root	localhost	Yes	ALL PRIVILEGES	Yes	Edit Privileges  Export
<input type="checkbox"/>	root	mysql	Yes	ALL PRIVILEGES	Yes	Edit Privileges  Export

☐ Check All    With selected: Export

- 2g** Include the next Filr appliance by scrolling down, changing the IP address, and then clicking Go, as shown in the following screen.

Change Login Information / Copy User

Login Information

User name:

Use text field: ▼

filr

Host:

Use text field: ▼

172.17.2.121

Password:

Do not change the pas: ▼

Re-type:

Generate password:

Generate

Create a new user with the same privileges and ...

☒ ... keep the old one.
☐ ... delete the old one from the user tables.
☐ ... revoke all active privileges from the old one and delete it afterwards.
☐ ... delete the old one from the user tables and reload the privileges afterwards.

Go

**2h** Repeat from [Step 2g on page 69](#) until each Filr appliance in the cluster has an entry in the database.


For more information, see “[Configuring the MySQL Database Appliance](#)” in the *Novell Filr 1.1 Installation and Configuration Guide*.

**3** Continue with [Setting Up the Filr Appliances](#).

## 4.6 Setting Up the Filr Appliances

[Figure 4-7](#) illustrates that the Filr appliances are deployed after all other components are in place.

**Figure 4-7** Filr-Clustering Task 4: Set up the Filr Appliances



- ♦ [Section 4.6.1, “Downloading, Starting, and Configuring the Filr Appliances,” on page 71](#)
- ♦ [Section 4.6.2, “Deploying the Filr Appliances,” on page 81](#)

## 4.6.1 Downloading, Starting, and Configuring the Filr Appliances


You can use the steps that follow to gain hands-on experience with setting up a Filr-clustered deployment in your own lab or production network.

Complete the instructions in this section for each Filr appliance in a Filr cluster. Continuing with the example from the previous sections requires starting and configuring two Filr appliances.


- 1 Download and configure the virtual environment for the Filr appliances as documented in [“Downloading the Filr Appliance and Configuring the Virtual Environment”](#) in the *Novell Filr 1.1 Installation and Configuration Guide*.

For example, for a VMware Workstation deployment this involves the following basic steps:

- 1a** Download, unzip, and open the .ovf file.



**1b** Name the appliance, then click *Import*.



**1c** Add a second hard disk to the appliance for the `/vastorage` mount point.

**1d** Add a third hard disk to the appliance for the log files (`/var`) mount point.

Device	Summary
Memory	3 GB
Processors	4
Hard Disk (SCSI)	20 GB
Hard Disk 2 (SCSI)	20 GB
Hard Disk 3 (SCSI)	20 GB
CD/DVD (IDE)	Auto detect
Network Adapter	Custom (VMnet5)
USB Controller	Present
Display	Auto detect

**1e** Adjust the appliance resources (RAM and so forth) as needed.

**1f** Power on the appliance.



- 2 To speed up the Filr deployment process, you can temporarily stop the Filr Search appliances' Ganglia processes from collecting monitoring information and writing to the VMware server's disk. This provides much better disk access for the Filr appliances while they are being initialized and configured.


Log in as root at the command line for both Filr Search appliances, then enter the following commands:

```
rcnovell-gmond stop
```


```
rcnovell-gmetad stop
```

- 3 Install the Filr appliance that you downloaded and configured in [Step 1](#) as documented in "Installing the Filr Appliance" in the *Novell Filr 1.1 Installation and Configuration Guide*.

**3a** Accept the license agreement.



**3b** Specify the passwords and time settings.

The image shows a web-based configuration interface for a Novell Filr Appliance. The title bar at the top reads "Novell Filr Appliance Passwords and Time Zone". The interface is divided into several sections for configuration. The first section is for passwords, with fields for "root Password:" and "Confirm root Password:", followed by "vaadmin Password:" and "Confirm vaadmin Password:". Each password field contains a series of dots. The second section is for NTP settings, with a field for "NTP Server (e.g. time.domain.com):" containing the text "time-a.nist.gov", and two empty fields for "Optional NTP Server (e.g. time.domain.com):". The third section is for time zone settings, with a "Region:" dropdown menu set to "USA" and a "Time Zone:" dropdown menu set to "Mountain (Denver)". At the bottom of the screen, there are three buttons: "Help", "Back", and "Next". The "Next" button is highlighted with a red border.

Novell Filr Appliance Passwords and Time Zone

root Password:

Confirm root Password:

vaadmin Password:

Confirm vaadmin Password:

NTP Server (e.g. time.domain.com):

Optional NTP Server (e.g. time.domain.com):


Optional NTP Server (e.g. time.domain.com):

Region:

Time Zone:

[Help](#) [Back](#) [Next](#)

**3c** Specify the network settings.

 Novell Filr Appliance Network Settings

Hostname (e.g. server.domain.com):

IP Address (e.g. 10.0.0.1):

Network Mask (e.g. 255.255.255.0):

Gateway (e.g. 10.0.0.2):

DNS Server (e.g. 10.0.0.1):

Optional DNS Server (e.g. 10.0.0.2):   
Optional DNS Server (e.g. 10.0.0.3):

Domain Search (e.g. domain.com):

Optional Domain Search (e.g. domain.com):   
Optional Domain Search (e.g. domain.com):

- 3d** Specify the second hard disk you added in [Step 1c](#) as the data storage location for /vastorage by clicking *Next*.

## Novell Filr Appliance Data Store Location

Select a drive and partition to use for this appliance's data:

Hard Drive:

sdb ▼

Create a new partition and specify the filesystem type to use:

Free Space	Format	Size
uninitialized	none	20.00 GB

Filesystem Type:


ext3 ▼

Help

Back

Next

- 3e Specify the third hard disk you added in [Step 1d](#) as the data log file location for `/var` by clicking *Next*.



The image shows a configuration window titled "Novell Filr Appliance Data Log Location". It contains the following elements:


- A heading: "Select a drive and partition to use for this appliance's log data:"
- A "Hard Drive:" dropdown menu with "sdc" selected.
- A heading: "Create a new partition and specify the filesystem type to use:"
- A table with the following data:

Free Space	Format	Size
uninitialized	none	20.00 GB
- A "Filesystem Type:" dropdown menu with "ext3" selected.
- Buttons at the bottom: "Help", "Back", and "Next". The "Next" button is highlighted with a red rectangle.


- 4 Configure the appliance for shared storage, an important component of Filr-clustering.

[Figure 4-8](#) illustrates that each Filr appliance is configured to access the shared NFS disk or Windows share. The example that follows uses NFS.

**Figure 4-8** Configuring the /vashare mount point



- 4a** In the Novell Filr Appliance Shared Storage Configuration dialog, select *Remote NFS*, then click *Next*.



**Novell Filr Appliance Shared Storage Type**

Expandable deployments require shared storage.

Non-expandable deployments do not.

Select the option that applies to your deployment, then click Next..

**Large Expandable Deployment (clustered)**

Select the type of remote storage that you are using for the /vashare mount point on each appliance.

☒ **Remote NFS**  
You must export the NFS directory before choosing this option.  
For information about required export options, see the installation instructions for your appliance.

☐ **Remote CIFS**  
You must configure your CIFS server and share before choosing this option.  
For information about setting up and using a CIFS share for shared storage, see the installation instructions for you appliance.

**Small or Large Non-expandable Deployment**

☐ **Do Not Configure Shared Storage**  
You foresee no need for expanded capacity in the future.

**Help** **Back** **Next**

- 4b** In the *NFS Server Hostname* field, type the IP address or hostname of the Linux server where you created the NFS shared storage in [Section 4.3, “Setting Up Shared Storage,”](#) on [page 39](#).

Click the *Browse* button next to the *Remote Directory* field.



The image shows a configuration window titled "Novell Filr Appliance Shared Storage NFS Location". It contains instructions for setting the NFS server and directory. The "NFS Server Hostname" field is filled with "nfs.filrlab.example.com" and has a "Browse" button next to it. The "Remote Directory" field is filled with "/nfs-filr/shared" and has a "Browse" button next to it. At the bottom, there are "Help", "Back", and "Configure" buttons.

Novell Filr Appliance Shared Storage NFS Location

Type the NFS server's DNS hostname or IP address, or use the Browse button to locate and select the server.


After specifying the server, click Browse and select the exported directory.

NFS Server Hostname (e.g. hostname.city.company.com):  
nfs.filrlab.example.com Browse

Remote Directory (e.g. /myfilldata):  
/nfs-filr/shared Browse

Help Back Configure

- 4c Select the directory you exported in [Step 8 on page 47](#), then click **OK**.



- 4d Click *Configure*.
- 4e When the terminal prompt screen appears, log in as root and enter the following commands to temporarily halt the Ganglia monitoring process:
- ```
rcnovell-gmond stop  
rcnovell-gmetad stop
```
- 5 Return to [Step 1 on page 71](#) to start and configure the next Filr appliance.
- When all of the Filr appliances are started and configured, continue with [Section 4.6.2, "Deploying the Filr Appliances," on page 81](#).



## 4.6.2 Deploying the Filr Appliances


- 1 Using a browser, access the Appliance Administration Utility on the Filr appliance by entering the following URL:

`https://IP_Address:9443`

Where *IP\_Address* is the IP address of the first Filr appliance.



- 2 Log in as the `vaadmin` user using the password that you set in [Step 3b on page 73](#).

A screenshot of the Novell Filr Appliance Administration login page. The page has a light gray background. At the top left is the Novell logo (a red circle with three white squares) and the text 'Novell.' at the top right. Below the logo is the title 'Novell Filr Appliance Administration' in red. Underneath is the copyright notice '© Copyright 2011-2014 Novell, Inc. All rights reserved.' The main section contains a 'Username:' label followed by a text input field containing 'vaadmin', and a 'Password:' label followed by a password input field with ten black dots. A 'Log in' button is located at the bottom right of the form area. Red rectangular boxes highlight the username field, the password field, and the 'Log in' button.

- 3 Click the *Novell Filr Appliance Configuration* button to launch the *Filr Configuration Wizard*.




- 4 Select *Large Deployment*, then click *Next*.



- 5 Specify the information for the connection between the Filr appliance and the SQL database. [Figure 4-9](#) illustrates that each Filr appliance is configured to access the database server or appliance.

**Figure 4-9** Configuring Filr with the Database Information



- 5a** Select your *Database Type*, then in the *Host Name* field, type the address of the SQL database server or MySQL appliance.

|                |                           |
|----------------|---------------------------|
| Database Type: | MySql                     |
| Host Name:     | mysql.filr1ab.example.com |
| Port:          | 3306                      |

**5b** In the *Database Name* field, type a name for the Filr database.

Novell recommends naming the database `filr`, unless you have an organization policy that doesn't allow that name.

If you are using an existing SQL server, Filr creates the database on the server with the proper configuration.

|                |      |
|----------------|------|
| Database Name: | filr |
| User Name:     | filr |
| User Password: |      |

If you are using the MySQL appliance, the default name is `filr` (see [Step 2d on page 68](#)).

**5c** In the *User Name* and *User Password* fields, type the name and password of a database user with sufficient rights to create and administer the Filr database. The user must already exist on the database server.

|                |                      |
|----------------|----------------------|
| Database Name: | filr                 |
| User Name:     | Your-db-username     |
| User Password: | db-username-password |

If you are using the MySQL appliance, this is the `filr` user that you created in [Step 2c on page 68](#)

**5d** Click *Next*.

|          |      |        |
|----------|------|--------|
| Previous | Next | Finish |
|----------|------|--------|

**6** Specify the first Filr Search appliance's DNS name and Lucene password, then click *Finish*.

Search Appliance

Specify the access information for the Search Appliance Server:

Host Name:

filrsearch.filrlab.example.com

RMI Port:

1199

Lucene User Name:

lucene service

Lucene User Password:

••••••••

The Lucene search server can be:

- The integrated search server in the Filr virtual appliance (local)
- The Lucene virtual appliance that is included with Filr, running separately.

Previous


Next

Finish

**IMPORTANT:** If you specify the IP address, it must be resolvable to the DNS hostname of the search appliance.

Figure 4-10 illustrates that each Filr appliance is configured at this point to access one of the Filr Search appliances. In Section 4.7, “Creating the Filr Cluster,” on page 85 you connect it to both appliances.

**Figure 4-10** Initially, Each Filr Appliance Connects to Only One Filr Search Appliance



- 7 Select a locale, then click *Finish* and wait for the server to start.



- 8 When the “Congratulations!” message displays, return to [Step 1 on page 81](#) and deploy the next Filr appliance.


Novell Filr. The default user name is "admin" and the password is "admin".' The message is displayed in a light gray box with a thin black border." data-bbox="202 379 659 519"/>

- 9 After all of the Filr appliances are deployed, continue with “[Creating the Filr Cluster](#).”

## 4.7 Creating the Filr Cluster

For one of the Filr appliances that you are clustering, do the following:


- 1 In the Appliance Administration Utility (port 9443), click *Clustering*.



- 2 Use the Clustering dialog to enable clustering and connect the Filr appliance to the Filr Search appliances for memcached support.

Figure 4-11 illustrates that the first Filr appliance is configured with both Filr Search appliances in the cluster, and that information is then propagated to all other Filr appliances.

**Figure 4-11** Configuring the Filr appliances for clustering



**2a** Click *Enable Clustered Environment*.

**Figure 4-12** Enabling Clustering on Filr-1 (IP address 192.168.1.111)



The image shows a 'Clustering' dialog box with a title bar and a help icon. Inside, there is a text instruction: 'Select the check box to configure this Filr server to participate in the cluster.' Below this is a checkbox labeled 'Enable Clustered Environment' which is checked and highlighted with a red box. To the right of the checkbox are two input fields: 'JVM Route:' with the value 'filr-oes2' and 'Hibernate Caching Provider:' with a dropdown menu showing 'memcached'. Below these is a text instruction: 'Enter a space delimited list of memcached host instances. For example: 192.168.1.5 192.168.1.7'. Below this is a 'Server Address:' field with the value 'xample.com filrsearch2.firlab.example.com' highlighted with a red box. At the bottom are 'OK' and 'Cancel' buttons, with the 'OK' button highlighted with a red box.

- 2b** In the *Server Address* field, type a space-separated list of each Filr Search appliance in the cluster in the form *Filrsearch-1\_IP\_Address\_or\_Hostname Filrsearch-2\_IP\_Address\_or\_Hostname*.
- 2c** Click *OK*, then click *Reconfigure Filr Server*.




The image shows a 'Reconfigure Filr Server' dialog box. It has a title bar and a 'Reconfigure Filr Server' button highlighted with a red box. Below the button is a text message: 'You have made changes to the configuration. It will not take effect until the Filr server is reconfigured and restarted.' At the bottom is a 'Revert Changes' button.

The search appliance information is propagated to each appliance in the list, so you only need to type the list once. After that, the same list automatically appears in the Clustering dialog of the other Filr appliances in the cluster.


- 3** Enable high-availability searching and add both Filr Search appliances to each Filr appliance. [Figure 4-13](#) illustrates that the first Filr appliance is connected to both Filr Search appliances for high availability (HA) searching.



**Figure 4-13** Connecting All of the Filr Appliances to Both Filr Search Appliances



**3a** In the left frame, click *Search Appliance*.



- 3b** For the *Configuration Type*, select *High Availability*, type the *Lucene User Password* that you set in [Step 5 on page 56](#), then click *Add*.

The image shows a dialog box titled 'Search Appliance'. It contains the following fields and controls:

- A message: "Select the check box to configure this Filr server to participate in the cluster."
- A dropdown menu for 'Configuration Type' with 'High Availability' selected.
- A text field for 'Lucene User Name' containing 'lucene service'.
- A password field for 'Lucene User Password' with masked characters.
- 'Add' and 'Remove' buttons.
- A table with the following data:
 

| Name                                           | Host Name                      | RMI Port |
|------------------------------------------------|--------------------------------|----------|
| <a href="#">filrsearch.filrlab.example.com</a> | filrsearch.filrlab.example.com | 1199     |
- 'OK' and 'Cancel' buttons at the bottom.

- 3c** Type an arbitrary name for the second search node, specify its DNS host name, then click *OK*.

The image shows a dialog box titled 'New Search Node'. It contains the following fields and controls:

- A text field for 'Name' containing 'filrsearch2'.
- A text area for 'Description'.
- A text field for 'Host Name' containing 'filrsearch2.filrlab.example.com'.
- A spinner box for 'RMI Port' set to '1199'.
- 'OK' and 'Cancel' buttons at the bottom.

- 3d** Click *OK*.

| Name                        | Host Name               | RMI Port |
|-----------------------------|-------------------------|----------|
| <a href="#">filrsearch</a>  | filrsearch.example.com  | 1199     |
| <a href="#">filrsearch2</a> | filrsearch2.example.com | 1199     |

**3e** Click *Reconfigure Filr Server*.

**Reconfigure Filr Server**

You have made changes to the configuration. It will not take effect until the Filr server is reconfigured and restarted.

Revert Changes

**3f** In contrast with Step 2, the list of Filr Search appliances is not propagated to each appliance.

Repeat from [Step 3 on page 88](#) for the other Filr appliances in the cluster.

- 4** When all of the Filr appliances in the cluster have completed the reconfiguration process, continue with [Completing the Cluster Setup](#).

## 4.8 Completing the Cluster Setup

- 1** In your browser, access the Filr Administration Utility on the Filr appliance by entering the following URL:

`https://IP_Address:8443`

Where *IP\_Address* is the IP address of a Filr appliance.

<https://172.17.2.111:8443>

- 2** Log in as user `admin` with password `admin`.
- 3** Change the `admin` user password.

**Change Password**

You are currently using the default password. For security reasons, you should change your password.


Current password:

New password:


Confirm new password:

OK Cancel

- 4 Click *admin* > *Administration Console*.



- 5 In the left frame under *Search Index*, click *Nodes*.



Observe that both Filr Search appliances are listed. The first is running *Read and Write* and the second is running *Write Only*.

Apply Close

---

**filrsearch.filrlab.example.com (filrsearch.filrlab.example.com)**

Host: filrsearch.filrlab.example.com  
RMI port: 1199

---

**User Mode Access**

☒ Read and Write

☐ Write Only

☐ No Access

---

☒ Enable Deferred Update Log

---

No Deferred Update Log Record Exists

---

**filrsearch2 (filrsearch2)**

Host: filrsearch2.filrlab.example.com  
RMI port: 1199

---

**User Mode Access**

☐ Read and Write

☒ Write Only

☐ No Access

---

☒ Enable Deferred Update Log

---

- 6 Close the dialog and select *Index* in the left frame.

Net Folder Servers

Net Folder Setting

License


▼

Search

Index


Nodes

- 7 Select *Re-Index Everything*, select the second, write-only Filrsearch2 appliance, then click *OK*.




Indexing should complete with no errors.

- Click *Close*.



- In the left frame, click *Nodes*.



- 10 Change the *User Mode Access* option for the Filrsearch2 appliance to *Read and Write*.

A screenshot of a configuration window for 'filrsearch2 (filrsearch2)'. The window has a title bar with the text 'filrsearch2 (filrsearch2)'. Below the title bar, there is a section for 'Host: filrsearch2.filrlab.example.com' and 'RMI port: 1199'. The main section is titled 'User Mode Access' and contains three radio buttons: 'Read and Write' (selected), 'Write Only', and 'No Access'. Below these is a checkbox labeled 'Enable Deferred Update Log' which is checked. At the bottom of the main section, it says 'No Deferred Update Log Record Exists'. At the very bottom of the window, there are two buttons: 'Apply' and 'Close', both of which are highlighted with red rectangular boxes.

## 4.9 What's Next

After clustering is running, load balancing can be accomplished using NetIQ Account Manager, Apache, and other load-balancing solutions.

All administrative actions taken in the Filr Administration Utility (port 8443) apply to all Filr appliances .





---

# 5 Tuning Filr for Performance, Scale, and Capacity

Achieving optimal performance from your Filr deployment requires that you do the following:

- ♦ Assess system needs and plan to meet those needs as outlined in [Chapter 3, “Planning a Large, Expandable \(Clustered\) Deployment,” on page 13.](#)
- ♦ Deploy Filr according to your plan by following the basic order outlined in [Chapter 4, “Setting Up a Large, Expandable \(Clustered\) Deployment,” on page 37.](#)
- ♦ Adjust and tune system settings and resources on an ongoing basis as workload details become clearer and Filr usage increases.

This section is a companion to the Filr 1.1 white papers that are published on the online documentation website: “[Novell Filr 1.1: Test Report—Net Folder Synchronization \(OES\)](#)” and “[Novell Filr 1.1: Test Report—Workload Scalability/Capacity \(OES\)](#)”. The white papers present and explain performance, scale, capacity, and other test results; this section offers suggestions on related topics at a more general level.

Ultimately, each Filr deployment is unique. Therefore, we can only offer the general guidelines in the sections that follow.

- ♦ [Section 5.1, “Ensure That Hardware Recommendations Are Met or Exceeded,” on page 97](#)
- ♦ [Section 5.2, “Ensure Optimal Network and Disk Bandwidth for the /vashare Mount Point,” on page 98](#)
- ♦ [Section 5.3, “Use Hardware-based SSL Termination,” on page 98](#)
- ♦ [Section 5.4, “Deploy At Least Two Filr Appliances,” on page 98](#)
- ♦ [Section 5.5, “Dedicate the Third Filr Appliance to Synchronization,” on page 98](#)
- ♦ [Section 5.6, “Understand Your User Activity Workload,” on page 98](#)
- ♦ [Section 5.7, “Understand How Data and Synchronization Affect Performance,” on page 99](#)
- ♦ [Section 5.8, “Bring Net Folder and Home Directory Users Online in Phases,” on page 101](#)
- ♦ [Section 5.9, “Rely on Ganglia for Help with Optimizing RAM and CPU Allocation,” on page 101](#)

## 5.1 Ensure That Hardware Recommendations Are Met or Exceeded

As a general rule, you should ensure that your virtual machine host hardware, disk subsystems, network hardware, and so on, are at least on par with the resources of your file servers. Otherwise, your Filr deployment could hinder rather than enhance file access.

As a minimum, ensure that your Filr deployment meets the requirements outlined in “[Filr System Requirements](#)” in the [Novell Filr 1.1 Installation and Configuration Guide](#).

## 5.2 Ensure Optimal Network and Disk Bandwidth for the /vashare Mount Point

Ensure the following:

- ♦ You have a high-speed network connection between the NFS or CIFS server and your Filr appliances.
- ♦ You have highly performance disk subsystems on your NFS or CIFS server.

## 5.3 Use Hardware-based SSL Termination

Terminate SSL on a hardware device that is connected to your Filr appliances through a secure link. Ensure that the link has been reviewed and approved by your organization's security team.

## 5.4 Deploy At Least Two Filr Appliances

Every large, expandable (clustered) Filr deployment should have at least two Filr appliances for failover and workload balancing.

## 5.5 Dedicate the Third Filr Appliance to Synchronization

If your deployment requires *more than two* Filr appliances, place the third Filr appliance in the back-end network (see [Figure 3-1 on page 14](#)) and dedicate it to synchronization.

Configure the appliance as follows:

1. Don't provide user access through your load balancing hardware or software.
2. Ensure that it is the only Filr appliance with the Allow Synchronization option enabled.

For details, see "[Net Folder Configuration](#)" in the *Novell Filr 1.1 Administration Guide*.

This dedicates the Filr appliance to handling full Net Folder synchronizations and minimizes the effect that synchronizations have on user activities.

## 5.6 Understand Your User Activity Workload

As explained in "[Novell Filr 1.1: Test Report—Workload Scalability/Capacity \(OES\)](#)," estimating the file-activity workload for your Filr deployment requires that you understand how your users work, what kinds of tasks they perform, how often they do them, which clients they use, and so on.

- ♦ [Section 5.6.1, "Tasks and System Load," on page 99](#)
- ♦ [Section 5.6.2, "Task Frequency," on page 99](#)
- ♦ [Section 5.6.3, "Client Access Method," on page 99](#)

## 5.6.1 Tasks and System Load

Typical Filr user tasks can include the following:

- ♦ Uploading files
- ♦ Downloading files
- ♦ Viewing files
- ♦ Sharing files
- ♦ Commenting on files
- ♦ Searching file content

Determining the system load for these tasks is not as straight-forward as might be assumed. For example, in some situations, commenting on a file could cause a greater load than downloading a small file.

You need to clearly identify the tasks your users perform in order to do the following:

- ♦ Properly monitor your system with Ganglia or other tools of your choosing.
- ♦ Determine which system adjustments provide the most benefit.

## 5.6.2 Task Frequency

The fact that task frequency is also important is quite obvious. Are your users always logged in to Filr and constantly performing various tasks? Do they only occasionally access Filr? Or do they fall somewhere between those two extremes?

It is a good practice to be aware of how frequently users access Filr.

## 5.6.3 Client Access Method

Desktop clients are more resource-intensive than the web application or mobile clients.

- ♦ **Desktop Clients:** Each user request usually involves multiple REST requests. Background synchronization continues regardless of whether the user is actively using the client. In fact, an inactive desktop user actually puts more load on Filr than an active mobile client or web user.
- ♦ **Mobile Clients:** Although the REST requests that originate from mobile clients are similar to desktop requests, they are less resource-intensive, because they are single and they don't involve any background synchronization.
- ♦ **Filr Web Application:** These requests are simple HTTPS requests to Filr.

## 5.7 Understand How Data and Synchronization Affect Performance

Filr synchronizes data between the file system and Filr, and between Filr and the Filr desktop application. The following sections describe various factors related to synchronization and how these factors can affect performance:

- ♦ [Section 5.7.1, “Data Location \(Net Folders vs. Personal Storage\),” on page 100](#)
- ♦ [Section 5.7.2, “Home Folder Synchronization,” on page 100](#)

- ♦ [Section 5.7.3, “Net Folder Synchronization,” on page 100](#)
- ♦ [Section 5.7.4, “Desktop Synchronization,” on page 101](#)

## 5.7.1 Data Location (Net Folders vs. Personal Storage)

Users who access data on Net Folders consume more resources than users who access data on Personal Storage.

## 5.7.2 Home Folder Synchronization

Filr can now be configured so that a desktop client can trigger an initial home folder synchronization. This improvement in the Filr user experience can also increase system load during initial home folder synchronizations.

## 5.7.3 Net Folder Synchronization

Consider the following when planning Net Folder synchronization:

- ♦ [“Content Indexing for Net Folders \(Full vs. Just-in-Time Synchronization\)” on page 100](#)
- ♦ [“Schedule” on page 100](#)
- ♦ [“Load” on page 100](#)

### Content Indexing for Net Folders (Full vs. Just-in-Time Synchronization)

Whether you want data to be immediately searchable might influence the type of synchronization method that you implement for the Net Folder, because data cannot be indexed (and therefore is not returned in searches) until after the data is synchronized.

In a full synchronization, the synchronization process begins when you configure the Net Folder. In a Just-in-Time synchronization, the synchronization process begins after a user accesses a folder for the first time.

For more information about the considerations to make when deciding between Full synchronization and Just-in-Time synchronization, see [“Planning the Synchronization Method”](#) in the *Novell Filr 1.1 Administration Guide*.

### Schedule

The frequency of Net Folders synchronizations can affect performance. For more information, see [“Planning the Synchronization Schedule”](#) in the *Novell Filr 1.1 Administration Guide*.

### Load

The amount of data that is synchronized can affect performance. For more information, see [“Planning the Amount of Data to Synchronize”](#) in the *Novell Filr 1.1 Administration Guide*.

## 5.7.4 Desktop Synchronization

By default, the Filr desktop application polls the Filr server for changes every 15 minutes (synchronization interval). Changes made to a document from the desktop are immediately synchronized to the server after the document is saved and closed.

Changing the synchronization interval from the 15-minute default to a shorter interval can increase the load on the Filr system and can therefore adversely affect system performance. However, if the nature of user interaction demands that the interval be set to synchronize more frequently (such as every 5 minutes), it can make sense to adjust the interval. If you do, ensure that you also increase system resources to accommodate the increased workload.

For more information about configuring the Filr desktop application, see [“Configuring the Filr Desktop Application to Access Files”](#) in the *Novell Filr 1.1 Administration Guide*.

## 5.8 Bring Net Folder and Home Directory Users Online in Phases

If your users will synchronize Net Folders to their desktops, bring them online in phases to control the amount of bandwidth consumed by downloading.

## 5.9 Rely on Ganglia for Help with Optimizing RAM and CPU Allocation

Access Ganglia regularly to monitor usage and system load. As RAM and CPU usage and load rise, allocate more resources to the Filr VMs.

Deploy additional Filr appliances as needed.



---

# A Documentation Updates

This section summarizes the changes that have been made to this guide since the initial release of Filr 1.1.

## December 9, 2014

| Section                                                                                   | Summary      |
|-------------------------------------------------------------------------------------------|--------------|
| <a href="#">Chapter 5, "Tuning Filr for Performance, Scale, and Capacity," on page 97</a> | New section. |

## November 9, 2014

| Section                                                                                        | Summary                                                                                                            |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <a href="#">Chapter 4, "Setting Up a Large, Expandable (Clustered) Deployment," on page 37</a> | Included CIFS shared storage.<br><br>Clarified that leveraging an existing SQL database server is a best practice. |

## October 23, 2014

| Section                                                                                      | Summary                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Chapter 3, "Planning a Large, Expandable (Clustered) Deployment," on page 13</a> | New planning section with a companion <a href="http://www.novell.com/documentation/novell-filr-1-1/resources/filr-1-1_bp_planning_worksheet.odt">planning worksheet (http://www.novell.com/documentation/novell-filr-1-1/resources/filr-1-1_bp_planning_worksheet.odt)</a> , which is published separately on the documentation web site. |

